ISLE OF WIGHT
DAILY RAINFALL 1911 - 1920

BEMBRIDGE	THE GRANGE	1916-18-20
BRIGHSTONE	PITT PLACE	1913, 16, 19-20.
BRIGHSTONE	RECTORY	1915-20.
CALBOURNE		1915
CHALE		1917, 19-20
COWES	SPRING HILL	1911 - 1920
COWES	W.W.	1913 - 1920
COWES	UPPER MOOR GREEN	1914 - 1920
KNIGHTON	W. W.	1914
NEWPORT		1920
NEWPORT	GRAMMAR SCH.	1911- 13
NITON	UNDERCLIFFE	1916.
RYDE	PIER ST	1911 - 16.
RYDE	BELDOR TOWER	1911 - 18.
RYDE	ESPLANADE GDNS	1918-20
RYDE		1914-20
RYDE	PERIVALE	1912
RYDE	TOWN HALL	1912-16.
SANDOWN	LIBRARY	1911-20
SHANKLIN		1911-20
TOTLAND	BAY	1911 -20
TOTLAND	VICARAGE	1917.
VENTNOR	HOSPITAL	1911 -20
VENTNOR	FLINT COTT.	1911 -20
VENTNOR	DEVONSHIRE CLIFF	1912
WOOTON	BRIDGE	1911-14, 17-20
BINSTEAD -	QUARR HILL	1913-19
BLACKGANG	- SOUTHVIEW HSE.	1918

BEMBRIDGE
THE GRANGE
I. O. W.
1916, 18-20

RE

FORM A.
BRITISH RAINFALL.
23 FEB 1917

Kept at The Grange -6

a.m.

in the County of Ha mbridge.

auge 5 in.

by Major F. G. Ground ft. 8 in.

Sea Level 116. ft.

IMPORTANT N he result entered to the previous day. If an sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
inches
~~1·34~~
·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	—	·23	—	—	·02	—	—	·02	—	·08	—	1
2	·09	·04	·04	—	·04	—	—	—	·19	·77	·35	—	2
3	·30	·10	·05	—	·12	—	·02	—	—	·77	·03	—	3
4	—	·26	·12	—	—	—	—	—	·01	1·55	·68	—	4
5	·32	·29	—	—	—	·40	—	—	·70	·05	·22	—	5
6	·05	·05	—	—	·11	·07	·27	—	—	·07	·70	—	6
7	·02	·09	·05	·04	·04	·25	—	—	—	·14	·51	·15	7
8	·03	—	·19	—	·05	—	·04	—	—	·14	·35	·35	8
9	—	—	·10	—	·30	—	—	—	—	—	·09	·07	9
10	—	·63	—	—	·17	·01	·02	—	—	—	—	·27	10
11	—	—	·01	·04	·02	·06	·02	—	—	—	·02	·31	11
12	·04	—	·02	·09	·01	·02	—	—	—	—	—	·02	12
13	·02	—	—	·05	·03	·01	·09	—	—	·04	—	—	13
14	—	·34	—	—	—	·02	—	—	—	—	—	—	14
15	—	·58	·01	—	·03	—	—	—	—	—	—	—	15
16	—	·21	·22	—	—	—	—	—	—	—	—	—	16
17	·05	·05	·34	·18	—	—	·05	·11	—	—	—	—	17
18	·29	—	—	·12	—	—	—	·06	·32	·74	·20	—	18
19	—	—	·02	·05	—	—	—	·04	·19	·10	·45	·13	19
20	·24	—	·06	·14	—	—	—	—	—	—	·42	·03	20
21	·20	·02	·69	—	—	—	—	—	—	—	·12	·84	21
22	·02	—	·29	—	—	—	·04	—	—	—	—	·41	22
23	—	—	—	—	—	·04	—	—	—	·11	—	·60	23
24	·02	·05	·02	—	—	·27	—	·04	—	·11	·12	—	24
25	—	·11	—	—	·10	·04	—	·01	—	·25	·17	·30	25
26	—	·20	·09	—	—	—	—	·23	·01	·11	·03	—	26
27	·03	·11	—	—	—	·13	—	—	—	·30	6 —	·13	27
28	—	—	·91	—	—	—	—	·16	·04	·75	—	—	28
29	—	·50	·03	—	—	—	—	·09	·20	·27	—	·40	29
30	—	✕	·02	—	—	·45	—	·90	—	·42	—	·47	30
31	—	✕	8 —	✕	·23	✕	—	·01	✕	·51	✕	9 —	31
		·25			·02			·82		·08		·03	YEAR'S TOTAL
Total	~~2·06~~	~~3·63~~	~~3·51~~	·71	1·25	1·79	·55	1·65	1·68	7·20	4·54	4·48	~~33·26~~ 5
	1·72	3·86	3·28	·71	1·27	1·77	·53	1·67	1·66	7·28	4·46	4·51	32·74
Rain Days.	~~16~~ 15	~~17~~ 18	~~21~~ 20	8	~~12~~ 13	~~14~~ 13	8	~~10~~ 11	~~9~~ 8	~~19~~ 20	17	~~15~~ 16	166

W. 8,000, VIII. 16

5

FORM A.
BRITISH RAINFALL.
23 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at The Grange Bembridge I.o. Wight

in the County of Hants.

by Major F. G. Edwards R.F.A.

Lat. 50-41-30 Long. 1-6

Time of Observation 8·30 a.m.

Nearest Railway Station Bembridge.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 116. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
inches.
~~1·34~~
·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	—	·23	—	—	·02	—	—	·02	—	·08	—	1
2	·09	·04	·04	—	·04	—	—	—	·19	·77	·35	—	2
3	·30	·10	·05	—	·12	—	·02	—	—	·77	·03	—	3
4	—	·26	·12	—	—	—	—	—	·01	1·55	·68	—	4
5	·32	·29	—	—	—	·40	—	—	·70	·05	·22	—	5
6	·05	·05	—	—	·11	·07	·27	—	—	·07	·70	—	6
7	·02	·09	·05	·04	·04	·25	—	—	—	·14	·51	·15	7
8	·03	—	·19	—	·05	—	·04	—	—	·14	·35	·35	8
9	—	—	·10	—	·30	—	—	—	—	—	·09	·07	9
10	—	·63	—	—	·17	·01	·02	—	—	—	—	·27	10
11	—	—	·01	·04	·02	·06	·02	—	—	—	·02	·31	11
12	·04	—	·02	·09	·01	·02	—	—	—	—	—	·02	12
13	·02	—	—	·05	·03	·01	·09	—	—	·04	—	—	13
14	—	·34	—	—	—	·02	—	—	—	—	—	—	14
15	—	·58	·01	—	·03	—	—	—	—	—	—	—	15
16	—	·21	·22	—	—	—	—	—	—	—	—	—	16
17	·05	·05	·34	·18	—	—	·05	·11	—	—	—	—	17
18	·29	—	—	·12	—	—	—	·06	·32	·74	·20	—	18
19	—	—	·02	·05	—	—	—	·04	·19	·10	·45	·13	19
20	·24	—	·06	·14	—	—	—	—	—	—	·42	·03	20
21	·20	·02	·69	—	—	—	—	—	—	—	·12	·84	21
22	·02	—	·29	—	—	—	·04	—	—	—	—	·41	22
23	—	—	—	—	—	·04	—	—	—	·11	—	·60	23
24	·02	·05	·02	—	—	·27	—	·04	—	·11	·12	—	24
25	—	·11	—	—	·10	·04	—	·01	—	·25	·17	·30	25
26	—	·20	·09	—	—	—	—	·23	·01	·11	·03	—	26
27	·03	·11	—	—	—	·13	—	—	—	·30	6 —	·13	27
28	—	—	·91	—	—	—	—	·16	·04	·75	—	—	28
29	—	·50	·03	—	—	—	—	·09	·20	·27	—	·40	29
30	—	X	·02	—	—	·45	—	·90	—	·42	—	·47	30
31	—	X	8 —	X	·23	X	—	·01	X	·51	X	9 —	31
Total	~~2·06~~ 1·72	·23 3·63 3·86	3·51 3·28	·71 ·71	·02 1·25 1·27	1·79 1·77	·55 ·55	·02 1·65 1·67	1·68 1·66	·08 7·20 7·28	4·54 4·46	·03 4·48 4·51	YEAR'S TOTAL 33·26 32·74
Rain Days.	~~16~~ 15	~~17~~ 18	~~21~~ 20	8	~~12~~ 13	~~14~~ 13	8	~~10~~ 11	~~9~~ 8	~~19~~ 20	~~17~~ 16	~~15~~ 16	166

W. 8,000, VIII. 16

W MR Cor for arith + lymm. stats.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

12 5 19

Kept at The Grange
in the County of Bembridge I of W
by Major F. A. Edwards

Lat. .... Long. ....
Time of Observation 8-30.
Nearest Railway Station Bembridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	—	—	.07	—	—	—	—	—	.01	.13	.05	1
2	—	—	—	—	.02	—	—	.32	—	—	.31	.14	2
3	—	.04	—	.06	—	—	—	.64	—	—	.32	.21	3
4	—	.02	—	.24	.20	—	—	.05	—	—	.21	.02	4
5	—	.18	.04	—	—	—	—	.05	.21	—	.81	.05	5
6	—	.07	.02	—	.15	—	—	.21	—	.21	—	.02	6
7	.13	.14	—	—	—	—	—	.22	—	—	—	.03	7
8	—	.13	—	.14	.50	—	—	.03	.23	.11	.10	.01	8
9	—	.04	—	—	—	—	—	—	.13	—	—	.04	9
10	—	—	—	.29	—	.13	.31	—	.54	.29	.04	.55	10
11	—	—	—	.08	—	.05	.23	—	.25	.02	—	.65	11
12	—	—	—	—	—	—	.15	—	.23	.23	.05	.06	12
13	.05	.10	—	—	.21	—	—	—	.12	—	—	.03	13
14	—	—	—	—	.06	—	.22	—	.23	—	—	.10	14
15	.64	—	.03	—	—	.07	.06	—	.52	.22	—	.19	15
16	1.32	—	—	.11	—	.06	—	—	—	—	—	—	16
17	.36	—	—	—	—	—	—	—	.44	.03	—	.34	17
18	.32	—	—	.06	—	—	.13	—	—	.25	—	.07	18
19	.44	—	—	—	—	—	—	—	.64	.08	—	—	19
20	.03	—	—	—	—	.03	.12	—	—	.04	—	—	20
21	—	.16	—	.54	—	—	.13	—	.18	.07	—	.10	21
22	.16	—	—	—	.33	—	—	—	.50	.11	—	.19	22
23	.22	—	—	—	—	—	.32	—	.41	—	—	.07	23
24	.08	—	—	—	—	—	.30	—	—	—	—	—	24
25	—	.35	—	—	—	.05	—	—	.13	—	.22	—	25
26	—	—	—	.32	—	—	—	.16	—	.05	—	.26	26
27	—	—	—	—	—	—	.30	—	.07	.02	.07	.04	27
28	—	.08	.04	—	—	—	.05	.05	.50	.04	.16	.02	28
29	—	—	.16	—	—	—	—	—	—	—	.09	—	29
30	—	✕	.04	—	—	—	—	—	1.30	—	—	—	30
31	.04	✕	.41	✕	—	✕	—	—	✕	.03	✕	.06	31
Total	~~3.83~~	1.31	.74	1.91	1.47	.39	2.32	1.73	6.63	1.81	2.51	3.30	YEAR'S TOTAL 27.95
Rain Days.	12	11	8	9 ~~10~~	7	6	12	9	19 ~~18~~	17	12	23	145
	3·79	1·31	·81	1·84	1·47	·39	2·32	1·73	6·64	1·93	2·43	3·25	27·91

W. 6,500. VII. 18. W W C

Brade / corr^d for WD ~~H 9 L~~ and fr. mth 593

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

17 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at The Grange. Bembridge
in the County of Isle of Wight
by Major F. A. Edwards

Lat. 50° 41′ 15″ N Long. 1° 5′ 30″ West
Time of Observation 9 a.m.
Nearest Railway Station Bembridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·14

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	·08	—	—	—	—	—	—	·50	1
2	·53	·05	·05	—	·02	—	·09	—	—	—	—	·90	2
3	·18	—	·01	—	·08	—	·13	—	·18	—	—	·16	3
4	·54	—	·66	—	·07	—	—	—	—	—	—	·18	4
5	·30	—	·34	—	—	·02	·12	·06	·04	—	·22	·06	5
6	—	·47	·54	—	—	—	—	—	·30	—	·18	·18	6
7	·18	—	·14	—	·06	—	—	—	—	—	·01	·30	7
8	·04	—	·55	—	—	—	—	—	—	—	—	—	8
9	·25	—	·24	—	—	—	—	—	—	—	—	—	9
10	·50	—	·16	—	·02	—	—	—	—	—	·46	—	10
11	1·43	—	·12	·08	—	—	—	—	—	—	—	·17	11
12	·47	—	·12	·25	·05	—	—	—	—	—	—	·05	12
13	·07	—	·08	—	—	—	·10	—	—	·27	·10	—	13
14	·02	·04	·07	·45	—	—	—	—	—	—	—	·04	14
15	·41	·05	—	·34	—	—	·06	—	—	·02	—	·04	15
16	·25	·08	—	·03	—	—	—	—	—	—	—	1·02	16
17	·15	·60	—	—	—	—	—	—	—	—	·10	—	17
18	·08	·30	—	—	—	—	—	—	—	—	·07	·05	18
19	—	·10	·15	—	—	—	—	·03	—	—	·11	·02	19
20	·12	·30	·66	—	—	—	·26	·18	·01	—	·16	·01	20
21	·55	·03	·15	—	—	·53	—	·19	—	—	·05	·01	21
22	·06	·44	—	—	—	·05	—	—	·01	—	—	·03	22
23	—	·01	—	—	—	—	·33	—	·60	—	—	·07	23
24	—	—	—	—	—	—	—	—	·10	·03	·05	·03	24
25	—	·05	—	·09	—	·06	—	—	·01	·53	·09	·20	25
26	·06	—	—	—	—	·03	—	·38	—	—	—	·16	26
27	·01	·13	—	·07	—	—	—	·12	·13	—	·35	·54	27
28	·20	—	·09	·39	—	—	—	·47	—	—	·01	·12	28
29	·12	✕	·47	—	—	—	—	·55	—	—	·42	·46	29
30	—	✕	—	·03	—	—	—	·40	—	·11	—	·07	30
31	—	✕	—	✕	—	✕	—	·35	✕	—	✕	·87 (14)	31
TOTAL	6·52	2·65	4·60	·08 ~~1·73~~ 1·81	~~·33~~ ·25	·69	1·19	2·73	1·38	·96	·50 ~~2·38~~ 2·88	6·24 ~~6·32~~ 5·88	31·54 YEAR'S TOTAL ~~31·40~~
Days with ·01 in. or more	23	14	18	~~9~~ 10	~~7~~ 6	5	7	10	9	5	~~15~~ 16	26	~~148~~ 149

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bembridge

in the County of Isle of Wight

by Major F. A. Edwards

N. Lat. 50°41'15" Long. 1°5'30" west

Time of Observation 8.30 a.m.

Nearest Railway Station Bembridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·25

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·01	—	·14	—	—	·01	—	—	·16	·54	·25	1
2	·27	—	·01	·11	·15	—	·30	—	—	·47	·28	·37	2
3	·03	—	·05	·08	·10	—	—	·15	·14	·03	—	·15	3
4	·04	—	—	—	—	—	·14	—	—	·21	—	·09	4
5	—	·15	·01	—	—	—	·62	·35	—	·35	—	·03	5
6	—	—	·16	·04	—	—	·56	·05	—	·41	—	—	6
7	—	—	·15	—	·25	—	·22	—	—	·03	—	—	7
8	·05	—	—	·11	·05	—	·13	—	—	·02	—	—	8
9	·02	·02	—	·03	·06	—	·57	—	—	—	—	—	9
10	·37	·03	·02	·02	·02	·10	—	—	—	—	—	—	10
11	·98	·20	·12	·07	—	·08	·31	—	—	—	—	·15	11
12	·33	—	·09	·35	·03	—	·36	—	—	—	—	·09	12
13	·10	·11	—	·17	—	·85	·01	—	—	—	—	·01	13
14	·30	·01	·27	·04	—	—	—	—	—	—	—	—	14
15	·03	·03	·57	·29	—	—	—	—	·17	·55	·06	—	15
16	·07	·02	·06	·10	·08	—	—	—	·73	·40	·59	—	16
17	·01	—	·03	·01	—	·02	—	—	·19	·05	·11	—	17
18	·02	—	—	·02	·16	—	—	—	·48	—	·01	·04	18
19	·07	—	—	·01	·23	·12	—	·58	—	—	—	·04	19
20	·08	—	—	·30	—	—	—	—	·04	—	—	—	20
21	·12	—	—	·11	—	·89	—	—	—	—	—	·01	21
22	—	—	—	—	—	—	—	—	·10	—	—	·37	22
23	·02	—	—	·26	—	—	—	—	·05	—	—	·31	23
24	—	—	—	—	—	—	·44	·08	—	—	—	·41	24
25	·03	·06	·11	—	·03	—	—	—	—	—	·02	·12	25
26	—	—	·04	—	·05	—	·35	—	—	—	—	—	26
27	·05	—	·15	·06	—	—	·05	—	—	—	·03	·13	27
28	·48	·01	—	·06	—	·04	·04	—	—	—	·37	·30	28
29	·47	·01	·06	·30	·08	—	·12	—	—	—	—	·08	29
30	·66		·14	·12	·01	—	—	—	—	—	·16	·21	30
31	·08		—		—		·06	—		—		·30	31 29.54
	·01		·14			·01			·16	·54	·25	·25	YEAR'S TOTAL
TOTAL	~~4.82~~ 4.69	~~.66~~ .65	~~1.93~~ 2.18	~~2.80~~ 2.66	1.36	~~2.10~~ 2.11	~~4.29~~ 4.28	1.21	~~1.90~~ 2.06	~~2.68~~ 3.06	~~2.17~~ 1.88	~~3.46~~ 3.46	~~29.28~~
Days with ·01 in. or more	25	~~12~~ 11	~~17~~ 18	~~22~~ 22	14	7 8	~~17~~ 16	5	~~8~~ 9	11	10	20	169
Days with ·04 in. or more	~~18~~ 17	4	~~13~~ 14	~~18~~ 17	10	6	15	5	~~8~~ 9	8	7	17	129

BINSTEAD
QUARR HILL
(HANTS)
1913 - 1919.

FORM A2.
BRITISH RAINFALL.
8 JAN 1914

Kept at Binstea

in the County of Isl

by John With

in.

ound ft. 10 in.

a Level 100 ft.

a.m.

me Ryde

stance 2m Direction East

IMPORTANT N ... he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.35	.28			.07			.50		.33	.01	1
2		.10		.08			.05			.07	.07	.04	2
3	.08		.06	.08	.24					.26		.16	3
4	.31		.08	.09	.40		.29		.80	.17	.16		4
5	.32	.12	.04			.22	.02		.70	.04	.30	.12	5
6	.04	.05	.06		.10	.10	.13			.68	.12	.56	6
7		.26	.08		.22	.05	.16			.42	.14	.01	7
8		.08			.26			.01		.08			8
9		.02					.25	.02	.07		.02		9
10	.10			.09			.06			.02	.45		10
11	.94			.23	.07					.28	.52		11
12					.45						.72		12
13	.17		.06			.01			.09	.02	.12		13
14	.34		.19				.01	.01		.01	.03		14
15	.20	.22	.25	.53	.01		.14		.02				15
16	.10	.01	.45	.17					.15				16
17	.07			.14		.19	.04		.01		.06		17
18			.15	.07							.09		18
19	.42		.05			.02	.05		.21				19
20	.43		.14	.11						.51	.02		20
21			.22	.13						.43	.55		21
22	.27		.24					.14	.33	.02		.04	22
23			.04			.03		.07			.03	.93	23
24	.12							.06			.01		24
25		.03		.29						.02	.01	.23	25
26				.07				.17		.44			26
27			.33	.06									27
28	.22		.02							.26			28
29	.25		.14	.76				.01		.15	.02	.04	29
30	.56							.07		.17			30
31	.01							1.30		.16			31
Total	4.98	1.24	2.88	2.90	1.75	.69	1.20	1.86	2.88	4.21	3.77	2.14	TOTAL for year 30.50
No. of Rain Days.	20	10	19	15	8	8	11	10	10	20	20	10	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8- JAN 1914

REGISTER OF RAINFALL IN

Kept at Binstead (Quarr Hill)

in the County of Isle of Wight

by John Winthrop Woodruff

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Ryde
Distance 2m Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.35	.28			.07			.50		.33	.01	1
2		.10		.08			.05			.07	.07	.04	2
3	.08		.06	.08	.24					.26		.16	3
4	.31		.08	.09	.40		.29		.80	.17	.16		4
5	.32	.12	.04			.22	.02		.70	.04	.30	.12	5
6	.04	.05	.06		.10	.10	.13			.68	.12	.56	6
7		.26	.08		.22	.05	.16			.42	.14	.01	7
8		.08			.26			.01		.08			8
9		.02					.25	.02	.07		.02		9
10	.10			.09			.06			.02	.45		10
11	.94			.23	.07					.28	.52		11
12					.45						.72		12
13	.17		.06			.01			.09	.02	.12		13
14	.34		.19				.01	.01		.01	.03		14
15	.20	.22	.25	.53	.01		.14		.02				15
16	.10	.01	.45	.17					.15				16
17	.07			.14		.19	.04		.01		.06		17
18			.15	.07							.09		18
19	.42		.05			.02	.05		.21				19
20	.43		.14	.11						.51	.02		20
21			.22	.13						.43	.55		21
22	.27		.24					.14	.33	.02		.04	22
23			.4			.03		.07			.03	.93	23
24	.12							.06			.01		24
25		.03		.29						.02	.01	.23	25
26				.07				.17		.44			26
27			.33	.06									27
28	.22		.02							.26			28
29	.25		.14	.76				.01		.15	.02	.04	29
30	.56							.07		.17			30
31	.01							1.30		.16			31
Total	4.98	1.24	2.88	2.90	1.75	.69	1.20	1.86	2.88	4.21	3.77	2.14	TOTAL for year 30.50
No. of Rain Days.	20	10	19	15	8	8	11	10	10	20	20	10	161

W. 8,000, X. '11.

Slip made 2/3/15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

19 JAN 1915

Kept at Quarr Hill, Binstead

in the County of Isle of Wight 4 RN

by J. Winthrop Woodruff

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 100? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·8				·20			·12	·17	1
2							·10	·03			·14	·08	2
3					·31		·02	·01				·28	3
4	·09		·02	·31			·01	·12			·48	·15	4
5	·10		·06	·14			·27	·01			·04	·57	5
6		·19		·14	·02			·02					6
7	·03	·42	·14	·14			·14					·35	7
8	·02	·48	·44	·8		·02		·12			·02	·10	8
9	·01		·78	·14					·08			2·05	9
10	·04	·32		·09	·19				·29				10
11		·41	·74		·03	·03	·37		·02		·07	·64	11
12		·16	·22				·04		·42			·74	12
13		·50	·13						·18	·27	·07	·84	13
14		·19	·18			·45	·23	·70		1·09	·32	·24	14
15		·02	·24				·22	·55			·87		15
16							·11		·32	·03			16
17		·65	·11						·06			·41	17
18		·12	·36									·38	18
19		·05	·83				1·00			·01	·11	·10	19
20		·44	·43			·04						·21	20
21		·64	·03							·12			21
22		·09			·08	·03	·10	·02		·34			22
23		·10	·22			·23				·07			23
24										·04	·17		24
25	·03		·26				·02	·29		·41	·04	·18	25
26			·2				·01	·04		·08	·13	·47	26
27	·06		·2								·19	·38	27
28		·06	·16		·19					·87	·37	·54	28
29	·18		·8	·01	·05					·33	·16	·01	29
30	·01	╳	·5							·26	·72	·50	30
31	·01	╳		╳	·04	╳	·07		╳	·14	╳	·04	31
Total	·58	4·84	5·52	1·08	·91	·80	2·71	2·11	1·37	4·06	4·02	9·43	YEAR'S TOTAL 37·43
Rain Days.	11	17	22	9	8	6	15	12	7	14	17	23	161

W. 8,000. X. 14.

~~W~~- L.A. Cord for mills 14.2.16

684

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Quarr Hill. Binstead
in the County of Isle of Wight
by Dr J. Winthrop Woodruff

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Ryde
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 100? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.63	.18						.16	.35	.09		.33	1
2	.44	.20	.06	.01		.02		.04	.04	.12		.39	2
3	.57		.09	.08	.12				.05			.59	3
4	.05			.02								.60	4
5		.42		.05				.09				.61	5
6	.71	.18		.53			.43	.06		.01		.14	6
7	.25	.48		.03			.08					.18	7
8	.02	.78					.10	.09			.06	08	?.08 8
9		.07				.10		.07			.42	.75	9
10	.19	.07	.01	.04						.02		.30	10
11	.09		.04							.03	1.03	.02	11
12	.06	.52		.20	.52					.02	.53		12
13		.31			1.26				.15		.04		13
14	.03						.03		.05			1.04	14
15	.05				.11		.09	.01			.07	.20	15
16		1.0			.46		1.12	.26				.15	16
17		.34			.59			.20				.02	17
18		.17			.11						.07		18
19		.03			.09		.05						19
20	.28			.06	.02					.03		.05	20
21	.08						.02			.40		.15	21
22	.65	.53	.16				.76					.25	22
23		.03	.06	.03			.06		.47	.36		.71	23
24									1.20	.63		.53	24
25			.02	.03								.32	25
26	.06	.05				.13	.14					.80	26
27										.50		.01	27
28		.04				.23	.09		.56	.10	.01		28
29						.30		.07		.06	.42	.03	29
30	.28	X								.62	.66	.04	30
31	.02	X		X		X		.24	X	1.06	X	.37	31
Total	4.46	5.40	.44	1.08	3.28	.78	2.97	1.29	2.87	4.05	3.31	8.06 8.66	YEAR'S TOTAL 38.59
Rain Days.	18	18	7	11	9	5	12	11	8	15	10	26	150

W. 8,000. X. 15.

8.66

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
12 JAN 1917

Kept at Quarr Hill. Binstead
in the County of Isle of Wight
by John Winthrop Woodruff

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ryde
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.07	.10		.05	.14			.13	.15	.40		1
2	.18	.09	.06		.13		.02			.27	.07		2
3	.01	.48	.03				.03			.75	.52		3
4	.18	.12				.39			.70	.01	.38		4
5	.02	.04			.14	.03				.04	.71		5
6		.04		.04	.02	.26	.41			.08	.42		6
7	.01		.28		.03					.01	.67	.06	7
8		.01	.05		.33						.03	.52	8
9					.09	.01						.18	9
10		.58	.02	.02	.01	.14	.13				.01	.17	10
11	.02	.03	.02	.11		.01	.01					.09	11
12	.02	.09	.03	.02	.01	.01	.12			.02	.01		12
13		.18	.01							.01			13
14		.72			.02					.02		.02	14
15		.43	.18										15
16	.08	.03	.22	.11			.05	.25					16
17	.17	.27		.16				.04	.40	.70	.21	.01	17
18	.01	.02	.12	.04				.03	.07	.05	.49	.20	18
19	.09		.12	.01					.03		.43	.03	19
20	.13	.01	.76								.02	1.07	20
21	.01	.02	.32				.02					.38	21
22						.02				.16		.80	22
23	.02		.01			.20		.04		.12	.07		23
24					.15	.01		.01		.27	.13	.42	24
25		.09	.06					.12	.16	.12			25
26	.07	.42				.12			.06	.48	.04	.11	26
27		.10	1.00			.02		.06	.18	.33			27
28		.55	.03					.19	.22	.45	.01	.34	28
29		.47	.03			.43		1.06	.16	.43		.39	29
30		X			.12			.07		.39		.01	30
31		X		X		X		.09	X	.10	X		31
Total	1.05	4.86	3.45	.51	1.10	1.79	.79	1.96	2.11	4.96	4.62	4.80	YEAR'S TOTAL 32.00
Rain Days.	16	23	20	8	12	14	8	11	10	22	18	17	179

✓ [illegible] 648

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

4. JAN 1918

Kept at Quarr Hill

in the County of Isle of Wight

by Dr J. Winthrop Woodruff

Lat. ______ Long. ______

Time of Observation 9 a m

Nearest Railway Station Ryde

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 10 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		very cold Ther. 22 deg	·18	Snow ·11		·01		rain all day from N&NW 1.30	·01		·03		1
2	·02		·12	Snow ·17		Warm, fine perfect weather		·01		·03	·06		2
3				snow ·23	Nice fine weather		·14	·20		·03	·22		3
4		Snow ·09	Snow ·40					·06		·19		·02	4
5	·19	very cold Ther. 22 deg low temperature & 24. deg	·04	·17		·11			·09	·45	·10		5
6			·38						·01	·05	·09	·01	6
7	·45						thunder ·37			·27		·08	7
8	·24			·08				·10		·36	·20	·32	8
9			snow ·23		·20		·05		·02	·12	·05		9
10	·15		·26	·16	·01	very warm ·04		·11		·35			10
11	·04		·19	·23									11
12	·04				·08			·03		·30		·01	12
13	·02		·26		warm			·06	·02	·13			13
14				·06				·01		·02	·01		14
15	very cold				·02		·01			·22	·01 Dew	·07	15
16		·16		·03	·14					·86	·01	·46	16
17		·01		·22	·03		·26	·12	·52	·15			17
18		·01		·01	·01		·07		·31				18
19		·16	·06						·30				19
20		·06	Snow ·43		thunder ·59	·10					·02		20
21	·01		·05		·02		·05			·01	·01	Dew? ·01	21
22	Snow ·04		Snow ·03	Drought				·07		·29			22
23		·24			·08			·28		·03		·02	23
24	very cold Continuous frost	·14				·06	·19			·20	·04		24
25		·13	·01				·01		Dew? ·01	·01			25
26			·02		·06			·28	·13	·01	·22		26
27			·04		Thunder ·57	·08		1.67		·01			27
28						Thunder 1.10		Barom. low ·09					28
29			·01		·01	·01	·18	·03		·54		·05	29
30		X	·34		warm		·52	·18		·01		·01	30
31		X	·09	X		X	·15	·09	X	·21	X	Snow ·02	31
Total	1.20	1.00	3.14	1.47	1.82	1.51	2.00	4.69	1.42	4.85	1.07	1.08	YEAR'S TOTAL 25.25
Rain Days.	10	9	19	11	13	8	12	18	10	25	14	12	161

W. 8,000, IX. 17.

~~W.~~ E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
19 I. 19

Kept at Quarr Hill. Binstead
in the County of Isle of Wight
by J Winthrop Woodruff

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Ryde
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 10 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	—		.01			.75			.37	.09	1
2		.04		.12				.17			.32	.15	2
3		.05	—	.26	Thunder .25			.15		.01	.10	.02	3
4	.01	.12	.10					.03	.09		.75	.03	4
5		.04	.05	.01	.24			.32	.02	.23		.02	5
6	.15	.06		.18	.07			.09	.04	.02		.05	6
7		.14			.46			.02	.21	.05	.20	.02	7
8		.02					.03		.06	.12	.05	.03	8
9	.01			.35		.10	.35		.55	.20	.01	.58	9
10				.09	—	.03	.14		.17	.03		.43	10
11							.15		.06	.20	.03	.09	11
12		.10			.30				.08			.03	12
13							.27		.19			.03	13
14	.65		.04		.02	.08	.08		.48	.18		.05	14
15	1.44			.11		.09	.02					.19	15
16	.40		.01	.02		.03	.01		.85	.02			16
17	.09		a trace	.12			.40	.03		.12		.29	17
18	.47		.01			.53	.05		.60	.02		.08	18
19	.02		.15			.02	.07	a trace		.02		.02	19
20	.03	.13		.44		.02	.03		.14	.08			20
21	.15								.43	.15		.19	21
22	.16				.18		.60		.20			.21	22
23	.07						.08		.03		.02	.05	23
24		.28		.06		.05	a trace		.12	.01	.11		24
25				.30				.23		.03			25
26							.47		.03	.02	.05	.24	26
27		.06	.04				.03	.07	.55		.17	a trace	27
28	.01		.21	.02		.02				.01	.05		28
29	.01D		.03	a trace					1.00			.01	29
30	.01D	X	.41						.01	.03	.05	.05	30
31	.01D	X	.01	X		X			X	.15	X		31
Total	3.69	1.06	1.06	2.08	1.53	.97	2.78	1.86	5.91	1.70	2.28 ~~2.08~~	2.95 ~~2.94~~	YEAR'S TOTAL 27.89 ~~27.66~~
Rain Days.	17	12	11	13	8	10	16	10	22	21	14	24	178

W. 8,000, IX. 17.

600

FORM A.
BRITISH RAINFALL.

8 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at *Quarr Hill. Binstead.*
in the County of *Isle of Wight*
by *J Winthrop Woodruff*

Lat. ______ Long. ______
Time of Observation *9 a m*
Nearest Railway Station *Ryde*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground ____ ft. *10* in.
" " " " Sea Level *100* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.46		.02					—		.05		.93	1
2	.23	.02			.06		2 days 41	—	.13			.04	2
3	.60		.73					—	.03			.20	3
4	.38	(.06)	.41		.05	.01	.05	.04	.02		.15	.07	4
5		.44	.68					.03	.52		.19	.15	5
6	.30		.13		.07						a trace	.28	6
7	.16		.55								.01		7
8	.22		.14	.01									8
9	.23		.08	.03	.01						.40		9
10	.96		.13	.02								.29	10
11	.54		.02	.24	.06		.01					.02	11
12	.10		.02				.08			.06	Snow .10		12
13	.03		.04	.59			.01					.05	13
14	.38			.10			.04		.04			.10	14
15	.34	.26	a trace							.01		1.15	15
16	.11	.65									.12	.01	16
17	.03	.25									.04	.02	17
18		.05	.28					.05	a trace		.16	a trace	18
19	.35	.34	.75			.13	.23	.10	.01		.10	.01	19
20	.47	.02	.06			.96		.20				.01	20
21	.04	.55				-			.02				21
22		.01					.25		.59			.08	22
23							—			.07	.01	.01	23
24						.08	.01			.48	.09	.12	24
25	.03	a trace					—	.30				.16	25
26	.03	.14	.07	(2 days) .45			—	.02	.09		.64	.61	26
27	.19						.01	.80				.09	27
28	.07		.50				—	.51			.53	.50	28
29							—	.26		.09		.10	29
30				.17		.05	—	.40		.01	.65	.75	30
31							—					.21	31
Total	6.25	2.79	4.61	1.61	.25	1.23	1.10	2.71	1.45	.77	3.19	5.96	YEAR'S TOTAL 31.92
Rain Days.	23	12	17	9	5	5	11	11	9	7	14	25	148

W. 6,500, VII. 18. W W C

Southview Ho
Blackga
1

227.19
Mr Coleman

BLACKGANG
SOUTHVIEW HSE
HANTS
1918

✓	Jany.	Feby.	Ma								Nov.	Decr.	
1	—	—	—								.17	—	1
2	—	.10	—								.44	.05	2
3	—	—	—	.42	.28	—	—	.03	—	—	.02	.04	3
4	—	—	—	—	—	—	—	.05	.16	—	.45	.02	4
5	—	.12	.13	—	.55	—	—	.21	.02	.11	—	.07	5
6	—	.11	.05	.12	.34	—	—	.14	.10	.03	—	.05	6
7	—	.07	—	.17	—	—	—	.02	—	.10	.15	.02	7
8	—	.14	—	—	—	—	—	—	.12	.05	.05	—	8
9	—	—	—	.26	—	.13	.31	—	.31	.15	—	—	9
10	.14	—	—	.08	—	—	.21	—	.15	.02	—	.46	10
11	.08	.02	—	.03	—	—	.11	—	.42	.19	—	.48	11
12	.14	.09	—	—	.34	—	—	—	—	—	—	.03	12
13	—	—	—	—	—	—	.29	—	.13	—	—	.05	13
14	.12	—	—	—	—	—	.10	—	.39	.17	—	.07	14
15	.71	—	—	.19	—	.07	—	—	+	—	—	.10	15
16	.40	—	—	.12	—	.11	—	—	.56	—	—	.48	16
17	.20	—	—	.14	—	—	—	—	—	.11	—	.03	17
18	.15	—	—	—	—	.49	.01	—	.73	—	—	—	18
19	—	—	—	—	—	—	.10	—	—	—	—	.07	19
20	—	.11	.15	.30	—	—	.08	—	.08	.21	—	—	20
21	.15	—	—	—	—	—	.01	—	.43	.15	—	.08	21
22	.12	—	—	—	.21	—	.50	—	.22	—	—	.17	22
23	—	—	—	—	—	—	.11	—	—	—	.04	.15	23
24	.17	—	—	—	—	.04	—	—	.11	—	—	—	24
25	.07	—	—	.25	—	—	.02	.12	—	—	.15	—	25
26	—	.29	—	—	—	—	.40	—	.04	.05	—	.19	26
27	—	.05	—	—	.02	—	—	.07	.08	—	.06	—	27
28	—	—	.15	.06	—	—	—	—	—	—	.18	.03	28
29	—	×	—	.03	—	—	—	—	—	—	.04	.08	29
30	—	×	.40	—	—	—	—	—	.79	—	.16	—	30
31	—	×	.10	×	—	×	—	.19	—	.14	×	—	31
Total	2.45 ~~2.35~~	1.10	.98	2.17	1.77	.84	2.25	1.90	4.84	1.48	1.91	2.72	~~21.96~~
Rainy days	12	10	6	13	7	5	13	10	18	18	12	21	140

24.41

S move

Southview House
Blackgang
I W Hants

[illegible] 1918

James Gibbs per Mr Coleman

227.10

	Jany.	Feby.	March	April	May	June	July	Aug.	Septr.	Octr.	Novr.	Decr.	
1	—	—	—	—	.03	—	—	.80	—	—	.17	—	1
2	—	.10	—	—	—	—	—	.27	—	—	.44	.05	2
3	—	—	—	.42	.28	—	—	.03	—	—	.02	.04	3
4	—	—	—	—	—	—	—	.05	.16	—	.45	.02	4
5	—	.12	.13	—	.55	—	—	.21	.02	.11	—	.07	5
6	—	.11	.05	.12	.34	—	—	.14	.10	.03	—	.05	6
7	—	.07	—	.17	—	—	—	.02	—	.10	.15	.02	7
8	—	.14	—	—	—	—	—	—	.12	.05	.05	—	8
9	—	—	—	.26	—	.13	.31	—	.31	.15	—	—	9
10	.14	—	—	.08	—	—	.21	—	.15	.02	—	.46	10
11	.08	.02	—	.03	—	—	.11	—	.42	.19	—	.48	11
12	.14	.09	—	—	.34	—	—	—	—	—	—	.03	12
13	—	—	—	—	—	—	.29	—	.13	—	—	.05	13
14	.12	—	—	—	—	—	.10	—	.39	.17	—	.07	14
15	.71	—	—	.19	—	.07	—	—	+	—	—	.10	15
16	.40	—	—	.12	—	.11	—	—	.56	—	—	.48	16
17	.20	—	—	.14	—	—	—	—	—	.11	—	.03	17
18	.15	—	—	—	—	.49	.01	—	.73	—	—	—	18
19	—	—	—	—	—	—	.10	—	—	—	—	.07	19
20	—	.11	.15	.30	—	—	.08	—	.08	.21	—	—	20
21	.15	—	—	—	—	—	.01	—	.43	.15	—	.08	21
22	.12	—	—	—	.21	—	.50	—	.22	—	—	.17	22
23	—	—	—	—	—	—	.11	—	—	—	.04	.15	23
24	.17	—	—	—	—	.04	—	—	.11	—	—	—	24
25	.07	—	—	.25	—	—	.02	.12	—	—	.15	—	25
26	—	.29	—	—	—	—	.40	—	.04	.05	—	.19	26
27	—	.05	—	—	.02	—	—	.07	.08	—	.06	—	27
28	—	—	.15	.06	—	—	—	—	—	—	.18	.03	28
29	—	×	—	.03	—	—	—	—	—	—	.04	.08	29
30	—	×	.40	—	—	—	—	—	.79	—	.16	—	30
31	—	×	.10	×	—	×	—	.19	—	.14	×	—	31
Total	2.45 ~~2.35~~	1.10	.98	2.17	1.77	.84	2.25	1.90	4.84	1.48	1.91	2.72	~~24.96~~
Rainy days	12	10	6	13	7	5	13	10	18	18	12	21	140

24.41

596

BRIGHTSTONE RECTORY
I. O. W.
1915-20

Copy

15

FORM A.
BRITISH RAINFALL.

MAR 1916

Kept at Bric

in the County of

by

Long.

tion

f Rain Gauge in.

ge above Ground ft. in.

„ Sea Level ft.

IMPORTANT . . . and the result entered to the previous day. If . . . universal rule, he is earnestly requested to add t . . . g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30											·28	1
2	·30											·25	2
3	·47											·53	3
4	·03											·45	4
5	–											·42	5
6	·78											·20	6
7	·20											·12	7
8	·04											·07	8
9	–											·64	9
10	·16											·32	10
11	–											–	11
12	·11											–	12
13	–											·87	13
14	·07											–	14
15	·07											·08	15
16	–											·46	16
17	–											–	17
18	–											–	18
19	–											–	19
20	·25											·06	20
21	–											·10	21
22	·78											·21	22
23	–											·93	23
24	–											·50	24
25	–											–	25
26	·03											·96	26
27	–											·03	27
28	–											·03	28
29	–											–	29
30	·22	X										·21	30
31		X		X		X			X		X	·18	31
Total	Wrong addition ~~3·91~~											Wrong addition ~~8·80~~	YEAR'S TOTAL
Rain Days. adds to	3·81										adds to	7·90	

W. 8,000. X. 15.

Figures quite correct. SWS - Brighstone Rectory -

Copy 15

FORM A.
BRITISH RAINFALL.

Mar 1916

Kept at Brighstone Rectory

in the County of Hants

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30											·28	1
2	·30											·25	2
3	·47											·53	3
4	·03											·45	4
5	–											·42	5
6	·78											·20	6
7	·20											·12	7
8	·04											·07	8
9	–											·64	9
10	·16											·32	10
11	–											–	11
12	·11											–	12
13	–											·87	13
14	·07											–	14
15	·07											·08	15
16	–											·46	16
17	–											–	17
18	–											–	18
19	–											–	19
20	·25											·06	20
21	–											·10	21
22	·78											·21	22
23	–											·93	23
24	–											·50	24
25	–											–	25
26	·03											·96	26
27	–											·03	27
28	–											·03	28
29	–											–	29
30	·22	X										·21	30
31		X		X		X			X		X	·18	31
Total	Wrong addition ~~3·91~~											Wrong addition ~~8·80~~	YEAR'S TOTAL
Rain Days. adds to	3·81										adds to	7·90	

W. 8,000. X. 15.

Figures quite correct. EWS - Brighstone Rectory -

30 MAR 1916

Brighstone Rectory
I. W.

29 March '16.

Dear Sir

Our gardener, Mr Keen, kindly undertakes the rain gauge and sent you the return.

I have copied, again from his book the totals for each month of 1915 and enclose them with this. These figures, I consider, are the true ones. He did not understand to send you all the daily ones

I hope that this will make the matter straight.

I am

Yours faithfully

Grace M. W. Silver

C. Sellar Esq.
Assist Director

3/6

1915.

Brighstone, Isle of Wight.

Jan.	3·91
Feb.	4·59
March	·69
April	1·45
May	3·15
June	·56
July	2·91
August	·57
September	4·37
October	4·06
November	3·08
December	8·80
	38·11 inches

23/1/16

Cord for auth 25.2.16

675

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Brighstone

in the County of Isle of Wight

by Joseph V Keen

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

~~Date.~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.24							.40	..9	..5	T.28	1
2	.30	.17	.10		..5	..2			.25	.27		.25	2
3	.47		.17		..4					..4		.53	3
4	..3			.11					..3			.45	4
5		.27										.42	5
6	.78	.24		.53			.36	.25				.20	6
7	.20	.38					..5	7				.12	7
8	..4	.74					..5	.22			.14	..7	8
9		..3		.22		..4					.37	.64	9
10	.16	.16	..8							..1		.32	10
11			.11	..2							.81		11
12	.11	.25		.31	.62					..5	.30		12
13		.26			126				.10		.10	.87	13
14	..7	..2					..7		8				14
15	..7				.10		.40				.11	..8	15
16		.71			.26		.99					.46	16
17		.27			.55								17
18		..9			..5						.14		18
19					.17		.11						19
20	.25			.16	..5					..1		..6	20
21										T.51		.10	21
22	.78	.66	.20	.10			.69					.21	22
23		..2	..3				..1		.25	.40		T.93	23
24							..2		282	.75		T.50	24
25							..6						25
26	..3	..5				.19	.10					.96	26
27						..3				.45		..3	27
28		..3				.25			.44	.12	..7	..3	28
29						..3				.13	.39		29
30	.22									.30	.60	.21	30
31										.93		.18	31
Total	3.81 3,81	4,59	.69	1,45	3,15	.56	2.91 2,91	.54	4,37	4,06	3,08	7.90 7,80	YEAR'S TOTAL 37.11
Rain Days.	15	18	6	7	10	6	13	3	8	14	11	23	133

W. 8,000. X. 15.

T Thunder Storms

Exd CJE

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2 JAN 1917

Kept at Brighstone Rectory

in the County of Isle of Wight

by Mr J. V. Keen

Lat. .... Long. ....

Time of Observation circa 9 a.m

Nearest Railway Station Calbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level circa 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·14	·25	·	·	·	·	·	·15		·30	·	1
2	·15	·06	·26	·	·61	·	·	·	·		·	·	2
3	·02	·27	·08	·	·	·	·	·	·		·32	·	3
4	·22	·17	·	·	·	·28	·	·	·40		·24	·	4
5	·04	·06	·	·	·20	·15	·	·	·		·56	·	5
6	·	·04	·	·	·	·25	·41	·	·		·35	·	6
7	·03	·	·71	·	·	·	·	·	·		·60	·07	7
8	·	·	·	·	·39	·	·	·	·		·	·53	8
9	·	·	·	·	·07	·	·	·	·		·	·17	9
10	·	·71	·	·	·04	·21	·	·	·		·	·	10
11	·	·	·08	·26	·	·	·	·	·		·	·47	11
12	·08	·12	·09	·	·	·	·10	·	·		·	·	12
13	·	·18	·	·11	·	·03	·	·	·		·	·	13
14	·	·52	·	·	·15	·	·	·	·		·	·	14
15	·	·16	·18	·	·	·	·	·	·		·	·	15
16	·10	·63	·09	·16	·	·	·04	·20	·		·	·10	16
17	·10	·24	·	·12	·	·	·	·12	·37		·43	·	17
18		·03	·10	·	·	·	·	·	·17		·50	·25	18
19	·14	·	·17	·	·	·	·	·	·		·35	·	19
20	·11	·06	·64	·	·	·	·	·	·	× 3·40	·16	·70	20
21	·	·11	·38	·	·	·	·	·	·	·	·	·25	21
22	·	·	·	·	·	·	·	·	·	·12	·	·50	22
23	·03	·	·	·	·	·15	·	·09	·	·34	·	·	23
24	·	·	·	·	·17	·		·	·	·31	·15	·29	24
25	·02	·	·07	·	·	·	·	·12	·05	·12	·03	·	25
26	·	snow 1·10		·	·	·13	·	·	×	·29	·	·20	26
27	·	·	·70	·	·	·25	·	·07	·	·26	·	·	27
28	·	·07	·04	·	·	·	·	·12	·	·25	·02	·24	28
29	·	·46	·11	·	·	·35	·	1·05	·	·23	·	·47	29
30	·	X	·	·	·	·	·	·	·	·35	·	·	30
31	·	X	·	X	·20	X	·	·03	X	·05	X	·03	31
Total	1·14	~~4·53~~ 5·13	3·95	·65	1·83	1·80	·55	1·80	~~1·14~~	~~5·72~~	4·01	4·27	YEAR'S TOTAL 31·99
Rain Days.	13	19	16	4	8	9	3	8	?6·86?		13	14	—

W. 8,000, VIII. 16

× Note From Sept. 26 – Oct. 20 owing to the breaking of the Measure, the daily measurements could not be taken. The total amount is therefore massed [illegible]

637

FORM A.
BRITISH RAINFALL.

18 JAN

[illegible] [illegible]

REGISTER OF RAINFALL IN 1917

Kept at Brighstone Rectory

in the County of Isle of Wight

by Rev: E. W. Silver

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Newport, I. W.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20					1.32			.10		1
2			.05			.02				.22			2
3	06		—	Show .70			.16	.21			.10		3
4			.20					.06					4
5	.16			19				.01	6	.25	.15		5
6	.50		.20							.16	.16		6
7	.31						.92			.04		.10	7
8							.20			.31	.23	32	8
9	01		Snow .10		.12		.03	.16		.17	.02		9
10	15		.15	.26				.13					10
11	09		.26							.26	.02		11
12	[illegible]				.11			.06		.27			12
13			.25	.22				.05	4				13
14												16	14
15										.31			15
16		.38		.15						.41		75	16
17		.5		.18			.40	.19	.40	.25			17
18							.05	.03					18
19		.20	.05			.10			.37				19
20			Show .55		.25	.05			.25				20
21			Show 08			.02					.01		21
22										.20			22
23		.42			.08								23
24		.10				.05	.18			.38			24
25		.15											25
26								.30	.7	.13	.20		26
27					.53			1.40					27
28			.14			.34		06					28
29			.05		.05	.12	.18	05		.66		.19	29
30		✕	.21				.41	.16					30
31		✕		✕		✕	.20	.05	✕	.18	✕		31
Total	1.28	1.30	2.49	1.70	1.14	.70	2.73	4.24	1.19	4.20	.99	1·52 1.72	YEAR'S TOTAL 23.48 ~~23.60~~
Rain Days.	7	6	14	6	6	7	10	16	6	16	9	5	~~108~~

2.32

W. 8,000, IX. 17.

5

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at The Rectory, Brighstone

in the County of The Isle of Wight.

by Mr J. V. Keen, gardener for the Rev. Ets. Silver

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Calbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level circa ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·	·	·	·	·82	·	·	·22	·10	1
2	·	·10	·	·45	·	·	·	·26	·	·	·40	·20	2
3	·	·10	·	·	·30	·	·	·03	·	·	·10	·05	3
4	·	·03	·10	·	·	·	·	·05	·25	·	·67	·05	4
5	·	·	·05	·	·42	·	·	·30	·	·	·	· ~~06~~	5
6	·25	·	·	·15	·	·	·	·22	·	·18	·	·06	6
7	·	·30	·	·14	·39	·	·	·04	·24	·07	·24	·	7
8	·	·	·	·	·	·	·	·	·08	·15	·05	·02	8
9	·	·	·	·24	·	·10	·16	·	·43	·20	·	·50	9
10	02	·	·	·04	·	·	·16	·	·30	·	·	·56	10
11	·	·	·	·	·	·	·13	·	·21	·13	·06	·10	11
12	·	·12	·	·	·40	·	·	·	·01	·	·	·	12
13	·	·	·	·	·	·	·36	·	·20	·	·	·10	13
14	·31	·	·	·	·	·10	·12	·	·46	·31	·	·	14
15	1·30	·	·	·28	·	·35	·04	·	·40	·	·	·20	15
16	·34	·	·	·02	·	·	·46	·	·	·44	·	·	16
17	·17	·	·	·10	·	·66	·	·	1·17	·03	·	·26	17
18	·33	·	·	·	·	·	·	·	·04	·	·	·10	18
19	·	·	·14	·	·	·	·22	·	·	·06	·	·	19
20	·	·15	·	·40	·	·	·05	·	·15	·16	·	·	20
21	·10	·	·	·	·	·	·	·	·31	·08	·	·07	21
22	·12	·	·	·	·10	·	·52	·	·16	·	·	·20	22
23	·08	·	·	·	·	·08	·07	·	·11	·	·03	·03	23
24	·	·42	·	·	·	·	·	·	·	·	·20	·	24
25	·	·	·	·09	·	·	·	·	·	·	·	·	25
26	·	·02	·	·	·	·	·42	·22	·	·	·08	·25	26
27	·	·	·02	·	·	·	·	·09	·22	·	·20	·	27
28	·	·	·15	·09	·	·	·	·	·	·	·05	·	28
29	·		·04		·	·	·	·	1·02	·	·	·	29
30	·	×	·44		·	·	·	·		·10	·15	·05	30
31	·	×	·02	×	·	×	·	·	×	·37	×	·	31
Total	3·02	1·24	·96	2·00	1·61	1·29	2·71	2·03	5·76	2·28	2·45	2·90	YEAR'S TOTAL 28·25
Rain Days.	10	8	8	11	5	5	12	9	18	13	13	18	130

W, 6,500, VII. 18. W W C

Ex Jl

590

9 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at BRIGHSTONE. RECTORY.

in the County of ISLE OF WIGHT.

by Rev. E.W. SILVER.

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station CALBOURNE.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 80–100? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53		·02				·70					·70	1
2	·22								·50				2
3	·43		·95		·15							·18	3
4	·40	·12	·45					·06	·35		·15		4
5		·49	·60									·30	5
6	·20	·07	·13		·06								6
7	·07		·48										7
8	·22		·22										8
9	·24		·07	·13	·02						·57		9
10	·60		·14									·30	10
11	·40			·35	·10								11
12	·04									·32			12
13	·30		·11	·42							·10		13
14	·	·04											14
15	·35											·97	15
16	·16	·70									·16		16
17		·35											17
18		·15	·21								·30		18
19	·48	·20	·71			·09	·70	·11	·08				19
20	·35	·04	·14			·77		·27					20
21		·44											21
22							·25		·35		·10	·24	22
23													23
24							·03	·11		·73		·20	24
25	·08					·11		·27			·16		25
26		·20	·12	·47					·15		·40	·55	26
27								·70					27
28			·50					·50			·42	·47	28
29	·30							·35		·10		·72	29
30				·20				·38		·01	·65		30
31												·25	31
TOTAL	5·37	2·80	4·85	1·57	·33	·97	1·68	2·75	1·43	1·16	3·01	4·88	YEAR'S TOTAL 30·80
Days with ·01 in. or more	18	11	15	5	4	3	4	9	5	4	10	11	99

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Exd 930 and [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Brighstone Rectory
in the County of the Isle of Wight
by the Rev. G. W. Silver

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Calbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 100 ft. cir

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·17	·10		·25			·66	·22	·42	1
2	·40			·11			·10	·12		·12		·12	2
3							·31			·16			3
4		·15		·10			·29	·27		·20			4
5							·68	·2					5
6			·30		·31		·28			·58			6
7			·14	·11	·11		·27						7
8							·20						8
9	·66				·2	·10	·40						9
10	·71	·12				·15							10
11	·21		·15	·35		·28	·55						11
12	·8		·10	·12		·75							12
13	·30	·8	·37							·27			13
14	·12		·42						·14	·57	·50		14
15	·12								·45		·5		15
16				·46		·7			·23				16
17				·10	·29		·3		·27				17
18	·14		·8			·14		·68					18
19				·32		·3							19
20	·15			·6		1·20			·16				20
21							1·18		·15			·62	21 Snow & rain
22				·30				·7				·24	22
23							·35					·42	23
24			·15		·12								24
25							·37						25
26			·17	·1									26
27	·37			·5			·12				·19	·38	27
28	·32			·11			·15					·10	28
29			·17								·12	·16	29
30		×				·10	·5		·50		·28	·28	30
31		×	·4	×		×			×	·37	×	·20	31
TOTAL	3.58	·35	2·09	2·37	·95	2·82	5.58	1·16	1·90	2·93	1·36	~~2·92~~ 2·94	YEAR'S TOTAL ~~28·01~~ 28·03
Days with ·01 in. or more	12	3	11	14	6	9	17	5	7	8	6	10	~~108~~
Days with ·04 in. or more	12	3	11	13	5	8	16	4	7	8	6	10	103

S. made

FORM A2.
BRITISH RAINFALL.

1 APR 1914

REGIS

BRIGHSTONE
PITT PLACE
I.O.W.
1913, 16, 19 – 1920

Kept at Pitt Plac
in the County of Isle of W
by A. A. H. Wy

d ft. in.
vel 180 ft.
Calbourne
ce Direction N

IMPORTANT NOTE.—
previous day. If an Observe
requested to add the reading
for it at the end of this pa
the selection and placing of
Organization are given in "R
Dr. H. R. Mill, 62, Camden

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·51	·16	·14	·	·	·	·	·49	·	·43	·	1
2	·	·13	·	·	·	·	·	·	·01	·	·08	·02	2
3	·04	·	·05	·16	·30	[illegible]	·	·	·	·	·	·12	3
4	·33	·	·08	·	·64	·03	·12		·78	·18	·07	·	4
5	·23	·05	·04	·	·	·13	·05	·	·90	·05	·25	·03	5
6	·02	·04	·06	·	·11	·11	·29	·	·	·10	·09	·28	6
7	·	·20	·06	·	·30	·	·03	·	·	·32	·11	·	7
8	·	·09	·	·	·12	·01	·	·	·	·09	·	·03	8
9	·	·03	·	·	·	·	·37	·16	·07	·05	·04	·	9
10	·07	·	·	·01	·	·	·12	·	·	·03	·60	·	10
11	·90	·	·	·21	·20	·	·	·	·	·	·52	·	11
12	·	·	·	[illegible]	·40	·	·	·	·	·22	·31	·	12
13	·18	·	·04	·	·	·	[illegible]	·	·04	·	·13	·	13
14	·22	·	·11	·01	·	·	·01	·	·09	·01	·	·	14
15	·23	·16	·31	·38	·03	·	·11	·	·04	·	·	·	15
16	·07	·	·39	·10	·	·11	·07	·	·16	·	·	·	16
17	·17	·	·	·17	·	·	·	·	·	·	·06	·	17
18	·	·	·10	·06	·	·	·02	·	·	·	·03	·	18
19	·51	·	·02	·	·02	·02	·	·	·26	·	·	·	19
20	·61	·	·16	·08	·	·	·	·	·	·37	·	·	20
21	·	·	·13	·18	·	·	·	·	·	·44	·43	·	21
22	·36	·	·21	·	·	·	·	·24	·26	·11	·	·06	22
23	·	·	·03	·	·	·03	·	·01	·	·	·	·81	23
24	·12	·	·	·09	·	·	·	·01	·	·	·	·	24
25	·	·04	·	·18	·	·	·	·	·	·01	·04	·	25
26	·	·	·	·12	·	·	·	·	·	·33	·	·16	26
27	·	·	·28	·	·	·	·	·21	·	·	·	·	27
28	·28	·	·01	·15	·	·	·	·	·	·12	·	·	28
29	·18	·	·12	·51	·46	·	·	·01	·	·17	·	·	29
30	·45	·	·	·	·	·	·	·01	·	·	·	·	30
31	·	·	·02	·	·	·	·	·94	·	·	·	·	31
Total	5·02	1·25	2·38	2·55	2·58	·44	1·19	1·59	3·10	2·60	3·19	1·51	TOTAL for year 27·40
No. of Rain Days.	19	9	20	16	10	7	10	8	11	16	15	8	149

W. 8,000, X. '11.

S. made

REGI

FORM A2.
BRITISH RAINFALL.
1 APR 1914

Kept at Pitt Place

in the County of Isle of Wight Hants I.

by A. A. H. Wykeham

Rain Gauge
Pattern
Diameter of top 8" in.
Height of top above Ground ft. in.
" " " Sea Level 180 ft.

Time of Observation 9 oclock.

Nearest Railway Station
Name Calbourne
Distance Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·51	·16	·14	·	·	·	·	·49	·	·43	·	1
2	·	·13	·	·	·	·	·	·	·01	·	·08	·02	2
3	·04	·	·05	·16	·30	[illegible]	·	·	·	·	·	·12	3
4	·33	·	·08	·	·64	·03	·12		·78	·18	·07	·	4
5	·23	·05	·04	·	·	·13	·05	·	·90	·05	·25	·03	5
6	·02	·04	·06	·	·11	·11	·29	·	·	·10	·09	·28	6
7	·	·20	·06	·	·30	·	·03	·	·	·32	·11	·	7
8	·	·09	·	·	·12	·01	·	·	·	·09	·	·03	8
9	·	·03	·	·	·	·	·37	·16	·07	·05	·04	·	9
10	·07	·	·	·01	·	·	·12	·	·	·03	·60	·	10
11	·90	·	·	·21	·20	·	·	·	·	·	·52	·	11
12	·	·	·	·[illegible]	·40	·	·	·	·	·22	·31	·	12
13	·18	·	·04	·	·	·	[illegible]	·	·04	·	·13	·	13
14	·22	·	·11	·01	·	·	·01	·	·09	·01	·	·	14
15	·23	·16	·31	·38	·03	·	·11	·	·04	·	·	·	15
16	·07	·	·39	·10	·	·11	·07	·	·16	·	·	·	16
17	·17	·	·	·17	·	·	·	·	·	·	·06	·	17
18	·	·	·10	·06	·	·	·02	·	·	·	·03	·	18
19	·51	·	·02	·	·02	·02	·	·	·26	·	·	·	19
20	·61	·	·16	·08	·	·	·	·	·	·37	·	·	20
21	·	·	·13	·18	·	·	·	·	·	·44	·43	·	21
22	·36	·	·21	·	·	·	·	·24	·26	·11	·	·06	22
23	·	·	·03	·	·	·03	·	·01	·	·	·	·81	23
24	·12	·	·	·09	·	·	·	·01	·	·	·	·	24
25	·	·04	·	·18	·	·	·	·	·	·01	·04	·	25
26	·	·	·	·12	·	·	·	·	·	·33	·	·16	26
27	·	·	·28	·	·	·	·	·21	·	·	·	·	27
28	·28	·	·01	·15	·	·	·	·	·	·12	·	·	28
29	·18	·	·12	·51	·46	·	·	·01	·	·17	·	·	29
30	·45	·	·	·	·	·	·	·01	·	·	·	·	30
31	·	·	·02	·	·	·	·	·94	·	·	·	·	31
Total	5·02	1·25	2·38	2·55	2·58	·44	1·19	1·59	3·10	2·60	3·19	1·51	TOTAL for year ✓ 27·40
No. of Rain Days.	19	9	20	16	10	7	10	8	11	16	~~15~~	8	149 ✓

W. 8,000, X. '11.

(cont) for months July

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

20 JAN 1917

Kept at Pitt Place

in the County of Isle of Wight

by Aubrey A H Wykeham

Lat. 50·38 Long. 1·25

Time of Observation ~~Calbourne~~ 9 a.m.

Nearest Railway Station Calbourne

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·105	·05	·19	—	·10	—	—	—	·20	·07	·50	—	1
2	·~~40~~16	·05	·20	—	·50	—	—	—	—	·57	·03	—	2
3	—	·30	·06	—	—	—	·05	—	—	·60	·44	—	3
4	·21	·10	—	—	—	·24	—	—	·40	·04	·57	—	4
5	·03	—	—	—	·23	·16	—	—	—	·04	·35	—	5
6	—	·08	—	—	—	·24	·42	—	—	—	—	—	6
7	—	—	—	—	—	—	—	—	—	—	—	·70	7
8	·33	—	·72	—	·33	—	—	—	—	—	—	·88	8
9	~~·05~~	—	—	—	·05	—	—	—	—	—	—	·11	9
10	—	·71	·06	—	—	—	—	—	—	—	—	—	10
11	—	—	—	—	—	·03	—	—	—	—	—	—	11
12	—	·06	—	·23	—	—	1·10	—	—	—	—	—	12
13	—	·17	·10	—	—	—	—	—	—	—	—	—	13
14	—	·47	—	—	·14	—	—	—	—	—	—	·04	14
15	—	—	·19	—	—	—	—	—	—	—	—	—	15
16	·12	—	·08	·20	—	—	—	—	—	—	—	—	16
17	·04	—	—	—	—	—	—	·24	·35	·58	·80	—	17
18	—	·02	·14	—	—	—	—	·07	·14	·06	·48	·37	18
19	—	—	·23	—	—	—	—	—	—	—	·33	—	19
20	·16	—	·65	—	—	—	—	—	—	—	·21	1·28	20
21	—	—	·36	—	—	—	—	—	—	—	—	·25	21
22	—	·24	—	—	—	—	—	—	—	·17	—	1·05	22
23	—	—	—	—	—	·20	—	—	—	~~1~~·22	—	—	23
24	—	—	—	—	·25	—	—	—	—	·30	·14	·44	24
25	—	—	—	—	—	—	—	·05	·10	·11	—	—	25
26	·05	—	·04	—	—	·12	—	—	—	·68	—	·20	26
27	—	—	·93	—	—	·25	—	·15	·60	—	—	—	27
28	—	1·73	—	—	—	—	—	·10	·20	·38	·04	·25	28
29	—	·44	·05	—	—	·32	—	1·28	·40	·26	—	·48	29
30	—	✕	—	—	·23	—	—	—	—	·35	—	—	30
31	—	✕	—	✕	—	✕	—	—	✕	—	✕	·03	31
Total	·82	~~3·83~~ 4·42	4·00	·43	1·83	1·56	~~1·58~~ 1·57	1·89	2·39	4·44	~~4·50~~ 3·89	6·00	YEAR'S TOTAL ~~32·27~~ 33·24
Rain Days.	8	13	15	2	8	8	3	6	8	15	11	13	110

W. 8,000, VIII. 16

[illegible] W 912

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

14 JAN 20

Kept at Pitt Place. Brighstone.
in the County of Isle of Wight.
by A. A. H Wykeham

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Calbourne.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200. (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·68	—	—	—	—	—	·60	—	—	·13	—	1·20	1
2	·30	—	·04	—	—	—	·13	—	·64	—	—	·04	2
3	·48	—	1·25	—	·20	—	—	—	·06	—	—	·12	3
4	·60	—	·75	—	—	—	—	·08	·07	—	·12	(·08)	4
5	—	·84	·71	—	—	—	—	—	·65	—	·11	·25	5
6	·41	·10	·15	—	—	—	—	—	—	—	[illegible]	—	6
7	·14	—	·62	—	—	—	—	—	—	—	·05	—	7
8	·29	—	·25	—	—	—	—	—	—	—	—	—	8
9	·80	—	·18	—	—	—	—	—	—	—	·50	—	9
10	·75	—	·18	·14	—	—	—	·12	—	—	—	·45	10
11	·50	—	—	·30	·17	—	—	—	—	—	—	·04	11
12	·09	—	—	—	—	—	—	—	—	·25	·06	—	12
13	·02	—	·12	·60	—	—	·09	—	—	—	—	—	13
14	·36	·06	—	·15	—	—	—	—	—	—	—	·08	14
15	·33	·10	—	—	—	—	—	—	—	·02	—	1·35	15
16	·07	·91	—	—	—	—	—	—	—	—	·25	—	16
17	·02	·50	—	—	—	—	—	—	—	—	·07	·08	17
18	—	·27	·36	—	—	—	—	—	—	—	·38	—	18
19	·65	·40	·02	—	—	—	·68	—	—	—	·12	·06	19
20	·52	·07	·17	—	—	1·10	—	·36	—	—	—	—	20
21	—	·79	—	—	—	—	—	—	·13	—	—	·03	21
22	—	·10	—	—	—	—	·32	—	(·44)	—	—	·09	22
23	—	—	·06	—	—	—	—	—	—	—	—	·04	23
24	—	—	—	—	—	—	—	·10	—	·05	·18	·27	24
25	·10	—	—	—	—	—	—	·33	—	·72	—	·10	25
26	—	—	—	—	—	·13	—	1·04	·12	—	—	·53	26
27	·24	—	—	·32	—	—	—	·67	—	—	·45	·05	27
28	·11	—	·83	—	—	—	—	·38	—	—	·70	·68	28
29	—	—	—	—	—	—	—	—	—	·09	—	·09	29
30	—	✕	—	·25	—	—	—	·79	—	—	·65	·69	30
31	—	✕	—	✕	—	✕	—	—	✕	—	✕	·34	31
Total	7·46	4·14	5·69	1·76	·37	1·23	1·82	3·87	1·98	1·26	3·64	6·66	YEAR'S TOTAL 39·88 39·88
Rain Days.	21	11	15	6	2	2	5	9	7	6	13	22	119

W. 8,000. X. 15.

558

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Pitt Place, Brighstone
in the County of Isle of Wight
by A. H. Wykeham Esq.

Lat. 30° 39' N Long. 1° 25' W.
Time of Observation 9. AM.
Nearest Railway Station Calbourne.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. [illegible] in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	-		·22		~~·43~~	·43		·05	·82	·30	·65.	1
2	·20	-	·10	·12	·19	~~·24~~	·24		·13	·12		·14	2
3	–	–		·12		~~·44~~	·44			·22			3
4	-	·12				~~·45~~	·45	·50		·25			4
5	-		·17.				·82.			·73			5
6	-		·15		·29		·47.						6
7	·03			·17	·08		·35						7
8	-			·03	·04		·26						8
9	·53	·05				·10							9
10	1·03	·08	·14			·24	·52						10
11	·37		·15	·58	·06		·71						11
12	·09	·05		·13		1·30							12
13	·41		·48								·05		13
14	·14	·04	·78	·50						·34	·67		14
15	·16		·04	·24	·05				·70	·65.	·06		15
16	–								·40			·41	16
17	·04			·10	·24				·46				17
18	·10				·06	·18		1·02	·03				18
19	–			·26					·08				19
20	·19			·10		1·70			·13				20
21	–						1·60		·07.			·25	21
22	·04			·40				·09				·29	22
23	–						·55					·68	23
24	·03		·19										24
25	[illegible]		·03		·14		·56						25
26	·03		·28	·06								·18	26
27	·37		·22								·20	·28	27
28	·62			·15.			·25					·10	28
29	·63			·16.							·18	·29	29
30	·09	✕					·04		·41.		·22		30
31	–	✕	·07	✕		✕			✕	·50.	✕	·35	31
Total	5·48	·34	2·80	3·34	1·15	3·52.	7·69	1·61.	2·46	3·62	1·68	3·62	Year's Total 37·31.
Days with ·01 in. or more	20	5	13	16	9	5.	15	3.	10	8	7	11.	~~122~~
Days with ·04 in. or more	17	5	12	15	9	5.	15	3	9	8	7	11.	114.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

CALBOURNE

I.O.W.

1915

FORM A.
BRITISH RAINFALL

18 JAN 1916

Kept at Calbo ... sw.

... ny

... lbourne.

in the County of ...

...ge 5 in.

by the Rev: Dr L...

...round 1 ft. in.

...ea Level 168 ft.

IMPORTANT ... e result entered to the previous day. If ... sal rule, he is earnestly requested to add th... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·73	·30							·32		·03	·40	1
2	·37	·18	·11					·10		·33		·83	2
3	·56		·22	·06	·09					·03		·65	3
4												·87	4
5	·07			·05				·24				·57	5
6	·85	·38		·55			·32					·07	6
7	·22	·58		·04			·07					·23	7
8	·02	·63		·02			·04				·07	·10	8
9	·16	·06		·17		·66		·20			·37	·75	9
10		·11	·06									·30	10
11	·11										1·03		11
12		·41		·21	·61						·37		12
13	·08	·23			1·50				·11		·04		13
14							·07		·12	·05		·97	14
15	·05				·12							·07	15
16		·86			·22		1·44					·75	16
17		·26			·56								17
18		·07			·06						·07		18
19		·02			·32		·07						19
20	·33			·15	·30							·06	20
21	·02	·06					·05			·47		·08	21
22	·55	·62	·26	·90			·97						22
23		·02	·09							·49		·99	23
24				·03			·08			·74		·48	24
25			·02						3·50			·30	25
26	·02	·05				·15						·94	26
27										·63			27
28		·05				·12			·50		·03	·01	28
29						·10		·10		·04	·63	·08	29
30	·23	X				·12				·54	·90	·09	30
31		X		X		X		·50	X	1·19	X	·23	31
Total	4·37	4·89	·76	2·18	3·78	·55	3·11	1·14	4·55	4·51	3·54	9·82	YEAR'S TOTAL 43·20
Rain Days.	16	18	6	10	9	5	9	5	5	10	10	23	126

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
18. JAN 1916

Kept at Calbourne.

in the County of Isle of Wight

by the Rev: Dr. Lewen Tugwell

Lat. 50·41N. Long. 1·25 W.

Time of Observation 9. am

Nearest Railway Station Calbourne.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 168 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·73	·30							·32		·03	·40	1
2	·37	·18	·11					·10		·33		·83	2
3	·56		·22	·06	·09					·03		·65	3
4												·87	4
5	·07			·05				·24				·57	5
6	·85	·38		·55			·32					·07	6
7	·22	·58		·04			·07					·23	7
8	·02	·63		·02			·04				·07	·10	8
9	·16	·06		·17		·66		·20			·37	·75	9
10		·11	·06									·30	10
11	·11										1·03		11
12		·41		·21	·61						·37		12
13	·08	·23			1·50				·11		·04		13
14							·07		·12	·05		·97	14
15	·05				·12							·07	15
16		·86			·22		1·44					·75	16
17		·26			·56								17
18		·07			·06						·07		18
19		·02			·32		·07						19
20	·33			·15	·30							·06	20
21	·02	·06					·05			·47		·08	21
22	·55	·62	·26	·90			·97						22
23		·02	·09							·49		·99	23
24				·03			·08			·74		·48	24
25			·02						3·50			·30	25
26	·02	·05				·15						·94	26
27										·63			27
28		·05				·12			·50		·03	·01	28
29						·10		·10		·04	·63	·08	29
30	·23					·12				·54	·90	·09	30
31								·50		1·19		·23	31
Total	4·37	4·89	·76	2·18	3·78	·55	3·11	1·14	4·55	4·51	3·54	9·82	YEAR'S TOTAL 43·20
Rain Days.	16	18	6	10	9	5	9	5	5	10	10	23	126

W. 8,000. X. 15.

J. made ✓

REG

FORM A.
BRITISH RAINFALL.

CHALE
STH. VIEW
I. OW.
1917, 19-20

Kept at South Vi

in the County of Isle

by J H Col

in.

ft. in.

el ft.

IMPORTANT NOT lt entered to the previous day. If an Ob le, he is earnestly requested to add the read year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	·16		06		·17	03				1
2				·18				1·27			08		2
3				·14			·11	·22			·10		3
4							03	·14		·23			4
5		06	·19	09					07	·21	·10		5
6	·11	·15	·16							07			6
7	·32						·97			·10		·11	7
8	·22			02			·28	·18		·20	·17	·22	8
9			·11		·18				02	·27	03		9
10	·12		·15	·16									10
11	06			·22						·20	01		11
12			·16		·13			04		·22			12
13	03		·24					06		02			13
14				08									14
15					02					·13			15
16	06	·12		·12	04					·25		·48	16
17	02	06		·16			·25	·26	·23	08			17
18					04		06	03	·16	·32			18
19									·25				19
20		·24	·10		·16	·12							20
21		05	·40			03							21
22								06			02		22
23		·23			08		·12	07		·12			23
24		·13	03			05	03			·19			24
25													25
26								·24			·15		26
27		04				·10		1·03					27
28		·15	·11			·12		03					28
29					02					·56		·12	29
30		☒				09	09	·22			03		30
31		☒	02	☒		☒	·47	02	☒	·19	☒	07	31
Total	·94	1·25	1·72	1·33	·67	·57	2·58 ·47	3·87	·76	3·36	·69	1·00	YEAR'S TOTAL 18·74 2
Rain Days.	8	10	12	10	8	7	10	16	6	17	9	5	118

W. 8,000, VIII. 16

REGISTER OF

FORM A.
BRITISH RAINFALL.

Kept at South View Chale
in the County of Isle of Wight
by J H Coleman

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	.16		06		.17	03				1
2				.18				1.27			08		2
3				.14			.11	.22			.10		3
4							03	.14		.23			4
5		06	.19	09					07	.21	.10		5
6	.11	.15	.16							07			6
7	.32						.97			.10		.11	7
8	.22			02			.28	.18		.20	.17	.22	8
9			.11		.18				02	.27	03		9
10	.12		.15	.16									10
11	06			.22						.20	01		11
12			.16		.13			04		.22			12
13	03		.24					06		02			13
14				08									14
15					02					.13			15
16	06	.12		.12	04					.25		.48	16
17	02	06		.16			.25	.26	.23	08			17
18					04		06	03	.16	.32			18
19									.25				19
20		.24	.10		.16	.12							20
21		05	.40			03							21
22								06			02		22
23		.25			08		.12	07		.12			23
24		.13	03			05	03			.19			24
25													25
26								.24			.15		26
27		04				.10		1.03					27
28		.15	.11			.12		03					28
29					02					.56		.12	29
30		╳				04	09	.22			03		30
31		╳	02	╳		╳	.47	02	╳	.19	╳	07	31
Total	.94	1.25	1.72	1.33	.67	.57	2.58	3.87	.76	3.36	.69	1.00	YEAR'S TOTAL 18.74
Rain Days.	8	10	12	10	8	7	10	16	6	17	9	5	118

W. 8,000, VIII. 16

FORM A. 1. METEOROLOGICAL OFFICE.~~BRITISH~~ RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Chale - Isle of Wight
in the County of Hampshire
by James Gibb

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	—	·05	—	—	—	·32	—	—	·54	—	·52	1
2	·11	—	—	—	—	—	·18	—	·31	—	·04	·09	2
3	·32	—	·60	—	—	—	—	—	·06	—	—	·08	3
4	·49	—	·42	—	—	—	·04	·10	·02	—	·08	—	4
5	·16	·50	—	—	—	—	—	—	·47	—	·06	·16	5
6	·04	·10	·60	—	—	—	·07	—	—	—	—		6
7	·08	—	·42	—	—	—	—	—	—	—	—		7
8	·12	—	—	·07	—	—	—	—	—	—	—		8
9	·19	—	—	·10	—	—	—	—	—	—	·71		9
10	·80	—	·12	·23	—	—	—	—	—	—	—	·21	10
11	·29	—	·10	—	—	—	—	—	—	—	—	·05	11
12	—	—	—	—	—	—	—	—	·15	—	·15	—	12
13	·05	—	—	·45	—	—	—	—	—	—	—	·04	13
14	·21	—	—	—	—	—	·04	—	·04	—	—	·05	14
15	·19	·12	—	·42	—	—	—	—	—	—	·12	·89	15
16	·16	—	—	—	—	—	—	—	—	—	·07	·02	16
17	—	64	—	—	—	—	—	—	—	—	—	·03	17
18	·30	—	·04	·23	—	—	—	—	—	—	—	—	18
19	·32	·22	·13	—	—	—	·09	·10	—	—	·20	·04	19
20	·01	·12	·40	·03	—	·49	—	·21	—	—	—	·03	20
21	·06	·24	—	—	—	—	·03	—	·10	—	—	—	21
22	—	·38	—	—	—	—	·15	—	·16	—	—	—	22
23	—	—	—	—	—	—	—	—	·11	—	—	·04	23
24	—	—	·03	—	—	—	—	·03	—	·59	—	·10	24
25	·05	—	—	—	—	·12	—	·45	—	—	·15	·30	25
26	—	—	—	—	—	—	—	·07	·07	—	·52	·18	26
27	—	42	·07	—	—	—	—	·47	—	—	·04	·15	27
28	·25	—	·57	—	—	—	—	·42	—	—	·30	·42	28
29	·04	×	—	—	—	—	—	·31	—	·08	·39	·10	29
30	—	×	—	—	—	—	—	·15	—	—	—	·52	30
31	—	×	—	×	—	×			×		×	·18	31
TOTAL	4·51	2·74	3·55	1·53	0	·61	·92	2·31	1·49	1·21	2·83	4·20	YEAR'S TOTAL 25·90
Days with ·01 in. or more		9		7				10					

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 192

Kept at South View House Chale

in the County of Isle of Wight

by James Cobb.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge — in.

Height of top of Gauge above Ground 6 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	—	·05	·15	·10	—	·21	—	·03	·38	·39	·09	1
2	·05	—	·08	·08	·10	—	—	—	—	·10	—	·41	2
3	—	—	—	—	—	—	·13	·23	—	·12	—	—	3
4	—	·14	—	—	—	—	·37	—	—	·16	—	·02	4
5	—	—	·12	—	—	—	·61	·18	—	·45	—	—	5
6	—	—	·10	·12	·19	—	·52	·02	—	·02	—	—	6
7	·03	—	—	—	—	—	·09	—	—	·04	—	—	7
8	—	—	—	·14	·09	—	·16	—	—	—	—	—	8
9	·37	—	—	—	—	·12	—	—	—	—	—	—	9
10	·60	—	·10	·08	—	·11	·31	—	—	—	—	—	10
11	·17	—	·11	·21	·02	·04	·44	—	—	—	·02	·20	11
12	·06	·09	—	·10	—	·97	—	—	—	·09	—	·05	12
13	·22	·05	·15	—	—	—	—	—	—	—	·04	—	13
14	·11	·02	·60	·34	—	—	—	—	·16	·10	·19	—	14
15	·09	—	·02	·10	·05	·02	—	—	·53	·34	·04	—	15
16	—	—	·01	—	—	—	—	—	·04	·10	·06	—	16
17	·05	—	—	·03	·16	—	—	—	·32	—	—	—	17
18	·07	—	—	—	·08	·16	—	·63	·04	—	—	·07	18
19	—	—	—	·18	—	·04	—	—	·06	—	—	—	19
20	·15	—	—	·10	—	1·19	—	—	—	—	—	·03	20
21	—	—	—	—	—	—	·75	—	—	—	—	·21	21
22	·02	—	—	·31	—	—	—	—	·16	—	—	—	22
23	—	—	—	—	—	—	·41	·09	·21	—	—	·27	23
24	—	·12	·12	—	—	—	·22	—	—	—	—	·08	24
25	—	—	—	·04	·18	—	·04	—	—	—	—	—	25
26	·06	[illegible]	·11	·11	—	—	·11	—	—	—	·05	·12	26
27	·25	—	—	·03	—	·01	·08	—	—	—	·35	·21	27
28	·31	—	—	·23	—	—	—	—	—	—	·02	·16	28
29	·36	[illegible]	·14	—	—	—	—	—	—	—	·09	·10	29
30	·05	✕	·05	—	—	·05	—	—	·36	—	·32	·22	30
31	—	✕	—	✕	—	✕	—	—	✕	—	✕	·14	31
TOTAL	3.37	·42	1·76	2·35	·97	2·71	4·45	1·15	1·91	1·90	1.57	2·38	YEAR'S TOTAL 24·94
Days with ·01 in. or more	19	5	14	17	9	10	15	5	10	11	11	16	142
Days with ·04 in. or more	17	4	12	15	8	8	15	4	7	[illegible]	9	14	[illegible]

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

609

COWES. W.W.

I.O.W.

1913 – 20

L IN 1913.

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept

t. 50° 45' Long. 1° 17'

me of Observation 9 am

in the

est Railway Station Cowes

ameter of Rain Gauge 5 ins in.

by th

ight of top of Gauge above Ground – ft. 10" in.

„ „ „ „ Sea Level 161 ft.

daily at 9 a.m. and the result entered to the

prev

to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-04	-38	-22	-07	[illegible]	-06	-	-	.56	-	.26	.02	1
2	-03	-08	-	-	-01	-	.04	-	.02	.01	.13	-	2
3	-11	-	-06	-07	.30	-	-	-	-	.08	-	.19	3
4	-34	-	-04	-	-34	-04	.19	-	1.05	.13	.12	.01	4
5	-22	-17	-03	-	-	-14	.02	-	.77	.12	.26	.09	5
6	-02	-05	-04	-	-11	-12	.29	-	-	.38	.12	.49	6
7	-	-36	-06	-	-30	-06	.14	-	-	.25	.12	.01	7
8	-	-10	-	-	-18	01	-	.02	-	.05	-	.04	8
9	-	-03	-	-	-	-	.11	.06	.07	-	.02	-	9
10	-05	-	-	-03	-	.03	.08	.04	-	-	.59	-	10
11	-96	-	-	-25	-12	-	-	-	-	.20	.55	.01	11
12	-	-	-	-	-37	-	-	-	-	-	.53	-	12
13	-15	-	-08	-	-	-	-	-	.11	-	.20	-	13
14	-32	-	-22	-01	-	-	-	.03	.13	.01	.01	-	14
15	-18	-16	-35	-58	-	-	.10	-	.02	-	-	-	15
16	-11	-	-46	-16	-	.36	.02	-	.35	-	-	-	16
17	-22	-	-	-11	-	-	.03	-	-	-	.08	-	17
18	-	-	-24	-08	-	-	-	-	-	-	.06	-	18
19	-65	-	-04	-	-02	.04	.03	-	.24	-	-	-	19
20	-35	-	-42	-09	-	-	-	-	-	.34	.05	-	20
21	-	-	-18	-09	-	-	-	-	-	.52	.54	-	21
22	-27	--	34	-	-	-	-	.26	.35	.02	-	.05	22
23	-	-	-01	-	-	.03	-	.02	-	-	-	.90	23
24	-11	-	-	-10	-	-	-	.02	-	-	01	-	24
25	-	-02	-	-20	-	-	-	-	-	-	.04	-	25
26	-	-	-	-18	-	-	-	.20	-	.45	-	-	26
27	-	-	-31	-	-	-	-	-	-	-	-	-	27
28	-26	-	-01	-12	-	-	-	01	-	.24	-	-	28
29	-18	X	-16	-51	-55	-	-	-	-	.16	-	-	29
30	-60	X	-	-	-	-	-	.05	-	.16	-	-	30
31	-01	X	-02	X	-	X	-	1.38	X	.26	X	-	31
Total	5-18	1-35	3·29	2-65	2-30	89	1.05	2·09	3.67	3.38	3·69	1.81	YEAR'S TOTAL 31.35
Rain Days.	21	9	20	16	10	10	11	12	11	17	18	10	164.

W.7,000, XI. 13

FORM A. BRITISH RAINFALL.

17 JAN 1914

L IN 1913.

Kept at ~~COWES, H.H.~~ ([illegible])

in the County of Isle of Wight

by John W. Webster, C.E. ~~the Surveyor to the C.U.D.C.~~

Lat. 50° 45' Long. 1° 17'

Time of Observation 9 am

Nearest Railway Station Cowes

Diameter of Rain Gauge 5 ins in.

Height of top of Gauge above Ground - ft. 10" in.

" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-04	-38	-22	-07	[illegible]	-06	-	-	.56	-	.26	.02	1
2	-03	-08	-	-	-01	-	.04	-	.02	.01	.13	-	2
3	-11	-	-06	-07	.30 ~~[illegible]~~	-	-	-	-	.08	-	.19	3
4	-34	-	-04	-	-34	-04	.19	-	1.05	.13	.12	.01	4
5	-22	-17	-03	-	-	-14	.02	-	.77	.12	.26	.09	5
6	-02	-05	-04	-	-11	-12	.29	-	-	.38	.12	.49	6
7	-	-36	-06	-	-30	-06	.14	-	-	.25	.12	.01	7
8	-	-10	-	-	-18	01. ~~005~~	-	.02 ~~[illegible]~~	-	.05	-	.04	8
9	-	-03	-	-	-	-	.11	.06	.07	-	.02	-	9
10	-05	-	-	-03	-	.03	.08	.04	-	-	.59	-	10
11	-96	-	-	-25	-12	-	-	-	-	.20	.55	.01	11
12	-	-	-	-	-37	-	-	-	-	-	.53	-	12
13	-15	-	-08	-	-	-	-	-	.11	-	.20	-	13
14	-32	-	-22	-01	-	-	-	.03	.13	.01	.01	-	14
15	-18	-16	-35	-58	-	-	.10	-	.02	-	-	-	15
16	-11	-	-46	-16	-	.36	.02	-	.35	-	-	-	16
17	-22	-	-	-11	-	-	.03	-	-	-	.08	-	17
18	-	-	-24	-08	-	-	-	-	-	-	.06	-	18
19	-65	-	-04	-	-02	.04	.03	-	.24	-	-	-	19
20	-35	-	-42	-09	-	-	-	-	-	.34	.05	-	20
21	-	-	-18	-09	-	-	-	-	-	.52	.54	-	21
22	-27	--	34 ~~-54~~	-	-	-	-	.26	.35	.02	-	.05	22
23	-	-	-01	-	-	.03	-	.02	-	-	-	.90	23
24	-11	-	-	-10	-	-	-	.02	-	-	01 ~~.005~~	-	24
25	-	-02	-	-20	-	-	-	-	-	-	.04	-	25
26	-	-	-	-18	-	-	-	.20	-	.45	-	-	26
27	-	-	-31	-	-	-	-	-	-	-	-	-	27
28	-26	-	-01	-12	-	-	-	01. ~~005~~	-	.24	-	-	28
29	-18	X	-16	-51	-55	-	-	-	-	.16	-	-	29
30	-60	X	-	-	-	-	-	.05	-	.16	-	-	30
31	-01	X	-02	X	-	X	-	1.38	X	.26	X	-	31
Total	5-18	1-35	3·29 ~~[illegible]~~	2-65	2-30	89 ~~[illegible]~~	1.05	2·09 ~~[illegible]~~	3.67	3.38	3·69 ~~[illegible]~~	1.81	YEAR'S TOTAL 31.35
Rain Days.	21	9	20	16	10	10	11	11	11	17	18	10	164.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Cowes Waterworks (Broadfields)
in the County of Isle of Wight.
by J. W. Webster Esq C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cowes.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10. in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	.18	-	-	.07	.20	1
2	-	-	-	-	-	-	-	.01	-	-	.18	.20	2
3	.04	-	..01	.03	.35	-	.01	.05	-	-	.23	.01	3
4	.18	-	01 ~~.005~~	.28	01 ~~[illegible]~~	-	01 ~~[illegible]~~	.11	-	-	.60	.28	4
5	-	-	.08	.20	01 ~~.005~~	-	.26	.02	-	-	.23	-	5
6	-	14 ~~[illegible]~~	.02	.13	.04	-	-	.04	-	-	.01	.68	6
7	.02	.49	.14	.16	.01	-	.17	.03	-	-	-	.33	7
8	.03	.38	.42	.03	-	.04	-	.13	-	-	-	.07	8
9	.01	.05	.93	.14	..05	-	-	.01	.06	-	-	1.91	9
10	.07	.55	-	.06	.17	-	-	-	.29	-	.01	-	10
11	-	.48	.60	-	.02	.06	.36	-	.06	-	.04	.53	11
12	-	.17	.20	-	-	-	.09	-	.48	-	.03	.87	12
13	-	.56	.20	-	-	-	-	-	.19	.38	.06	.64	13
14	-	.22	.13	-	-	.19	.18	.40	-	.85	.29	.26	14
15	-	-	.24	-	-	-	.34	.68	-	.03	.67	-	15
16	-	-	-	-	-	-	.16	-	.29	-	-	-	16
17	-	..55	.12	-	-	-	-	-	.09	-	-	.42	17
18	-	.03	.31	-	-	-	-	-	-	-	-	.55	18
19	-	.10	.64	-	-	-	1.11	-	-	-	.09	.08	19
20	-	.29	.26	-	-	.06	-	-	-	.02	-	.25	20
21	-	.54	02 ~~[illegible]~~	-	-	-	-	-	-	.19	-	-	21
22	-	.07	.02	-	.13	.02	.15	.03	-	.18	-	-	22
23	-	.24	.27	-	-	.42	-	-	-	.07	-	-	23
24	-	-	.03	-	-	-	01 ~~.005~~	-	-	.02	.14	-	24
25	.03	-	.18	-	-	-	.01	.29	-	.28	.05	.16	25
26	-	-	-	-	-	-	-	.05	-	.19	.28	.59	26
27	.05	-	-	-	-	-	-	-	-	-	.15	.40	27
28	.01	.06	.09	-	.19	-	-	-	-	.43	.35	1.05	28
29	.23	X	.15	.01	.01	-	-	-	-	.35	.23	-	29
30	.02	X	.06	.05	-	-	-	-	-	.22	.73	.49	30
31	.02	X	-	X	.03	X	.12	-	X	.27	X	.05	31
Total	.71	4.92	5.13 ~~5.12~~	1.09	1.02	.79	2.98	2.03	1.46	3.48	4.44	10.02	YEAR'S TOTAL ~~38.046~~
Rain Days.	12	17	24	10	11 ~~12~~	6	13 ~~14~~	14	7	14	20	22.	170 ~~172.~~

38.07

W. 8,000. X. 14.

~~#1 m.P.~~ Cord. for auth 24.2.16

686

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Waterworks Pumping Station Cowes.

in the County of Isle of Wight.

by John W. Webster.

Lat. .... Long. ....
Time of Observation 9a.m.
Nearest Railway Station ________
Diameter of Rain Gauge Five in.s
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level 161ft.O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.77	.22	–	–	–	–	–	.03	.33	.07	.01	.64	1
2	.32	.30	.16	.03	.01	.01	–	.07	.02	.11	–	.32	2
3	.69	–	.17	.07	.08	–	–	–	–	–	–	.47	3
4	.03	–	–	.05	–	–	–	–	–	–	–	.50	4
5	.02	.45	–	.01 ~~.005~~	–	–	.35	.20	–	–	–	.49	5
6	.75	.22	.–	.63	–	–	.11	.09	–	–	–	.22	6
7	.22	.57	.01 ~~.005~~	.06 ~~.05~~	–	–	.05	–	–	–	–	.28	7
8	.01	.73	–	.02	–	–	–	.07	–	–	.05	.07	8
9	–	.06	–	.05	–	.03	–	.01	–	–	.38	.76	9
10	.24	.05	.03	–	–	–	–	–	–	–	–	.26	10
11	.09	–	.08	.02	–	–	–	–	–	–	.93	–	11
12	.08	.40	–	.20	.54	–	–	–	–	.05	.31	–	12
13	–	.43	–	–	1.46	–	.03	–	.13	–	.05	–	13
14	.04	–	–	–	–	–	–	–	.07	–	–	.99	14
15	.06	–	–	–	.09	–	1.41	.09	–	–	.15	.17	15
16	–	1.10	–	–	.24	–	–	.35	–	–	–	.63	16
17	–	.35	–	–	.61	–	.01	.11	–	–	–	–	17
18	–	.10	–	–	.10	–	–	–	–	–	.03	–	18
19	–	.09	–	–	.11	–	.06	–	–	–	–	–	19
20	.26	–	– .07	.07	–	–	–	–	–	–	–	.04	20
21	.02	.02	–	–	–	–	.07	–	–	.59	–	.14	21
22	.45	.63	.18	.05	–	–	.84	–	.26	–	–	.22	22
23	–	.02	.05	–	–	.01	.06	–	.26	.28	–	.66	23
24	–	–	–	–	–	–	.04	–	2.59	.40	–	.77	24
25	–	–	–	–	–	–	.01	–	–	–	–	.20	25
26	.01	.05	–	–	–	.12	.09	–	–	–	–	.95	26
27	–	–	–	–	–	–	–	–	–	.48	–	.01	27
28	–	.05	–	–	–	.14	.06	–	.50	.27	.02	.01 ~~.005~~	28
29	–	~~–~~	–	–	–	.22	–	.08	–	.02	.48	.01	29
30	.25	~~–~~	–	–	–	–	–	–	–	.57	.69	.13	30
31	.02	~~–~~	–	~~–~~	–	X	–	25	X	1.30	X	.40	31
Total	4.33	5.84	.68 ~~.655~~	1.26 ~~1.30~~	3.24	.53	3.19	1.35	3.90	4.14	3.10	~~9.305~~ 9.34	YEAR'S ~~[illegible]~~ ~~4.97~~
Rain Days.	19	19	7	~~13~~ 11	9	6	14	11	7	11	11	25	1500 ~~141~~

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

40~~37~~90

Price 2d.

✓ Exd JW 677

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

21 JAN 1917

Kept at Waterworks Pumping Station, Cowes, (Broadfields)

in the County of Isle of Wight.

by John W. Webster, Eng: & Surveyor. Cowes U.D.Council.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Cowes.

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. - in.

" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.03	.17	-	.25	.02	-	-	.08	19	.32	-	1
2	.24	.14	.03	-	.23	-	.02	-	01	.23	.04	-	2
3	.01	.56	.04	-	-	-	.03	-	-	.69	.52	-	3
4	.19	.14	-	-	.01	.43	-	-	.47	-	.30	-	4
5	.04	.07	-	.01	.13	.10	-	-	-	.07	.75	-	5
6	-	.06	.09	-	.02	.18	.39	-	-	.06	.58	-	6
7	-	-	.31	-	.03	.01	-	-	-	.07	.65	.06	7
8	-	-	.04	-	.29	-	-	-	-	-	.03	.65	8
9	-	-	-	-	.10	-	-	-	-	-	-	.23	9
10	.01	.61	.01	.03	01	.19	.12	-	-	-	-	.10	10
11	.03	.03	.05	.09	-	.05	-	-	-	-	-	.07	11
12	+	.07	.03	.03	.04	-	.15	-	-	.03	-	-	12
13	.02	.18	.03	01	+	-	-	.02	-	-	-	-	13
14	-	.75	-	-	.05	-	-	-	-	.02	.01	-	14
15	-	.37	.22	-	-	-	-	-	-	-	-	-	15
16	.07	.01	.16	.12	-	-	.02	.11	-	-	-	-	16
17	.22	.27	-	.13	-	-	-	.16	.40	.85	.21	-	17
18	.04	.03	.08	.07	-	-	-	.04	.09	.08	.38	.23	18
19	.14	-	.13	01	-	-	-	-	01	-	.29	.02	19
20	.20	-	.79	.09	-	-	-	-	-	-	.20	1.00	20
21	.01	.06	.26	-	-	-	-	-	-	-	-	.38	21
22	+	-	-	-	-	.05	-	-	-	.23	.01	.68	22
23	.01	-	-	-	-	.34	+	-	-	.25	.12	-	23
24	-	-	-	-	.22	-	-	.06	-	.37	.17	.34	24
25	-	.27	.07	-	-	.06	-	.15	.11	.05	.04	.01	25
26	.02	.26	-	-	-	-	-	.01	.09	.45	-	.06	26
27	-	-	1.03	-	-	.24	-	-	.23	.34	-	-	27
28	-	.48	.04	-	-	-	-	.21	.21	.21	-	.40	28
29	-	.42	.03	-	-	.40	-	1.05	.20	.30	-	.39	29
30	-	✕	-	-	-	-	-	.01	-	.39	-	-	30
31	-	✕	-	✕	.05	✕	-	.08	✕	.03	✕	.02	31
Total	1.41	4.81	3.61	.59	1.43	2.07	.73	1.90	1.90	4.91	4.62	4.64	YEAR'S TOTAL 32.62
Rain Days.	16	20	20	~~10~~ 9	13	12	6	11	~~11~~ 10	20	17	16	~~172~~ 170

W. 8,000, VIII. 16

550

FORM A.
BRITISH RAINFALL.

29. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Waterworks Pumping Station Cowes.
in the County of Isle of Wight
by John W. Webster. C. E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 161 0. 0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.21	.20		.03		1.25	.02		.04		1
2	-	-	.08	.50				.01		.03	.04		2
3	.01	-		.28			.19	.23		.08	.28		3
4	-	-	.28					.06		.21		.01	4
5	.17	-	.04	.19		.09		.13	.06	.33	.11		5
6	-	-	.41	.01						.02	.23		6
7	.39	-					.77			.26		.08	7
8	.24	-		.08			.32	.10	01	.36	.23	.38	8
9	-	-	.20		.09					.08	.06		9
10	.16	-	.24	.41		.02		.14		.01			10
11	.08	-	.25	.13	.12					.32			11
12	.05	-	.03					.10		.41			12
13	-	-	.23					.09	01	.18			13
14	.01	-		.06				.13		.02			14
15	-	-		.01	.24		.12	.01		.26			15
16	-	.12		.04	.13		.38			.95		.11	16
17	-	-		.26			.11	.22	.52	.17		.41	17
18	-	-			.02	.08			.46				18
19	-	.22	.08						.46				19
20	-	.08	.49		.58	.06							20
21	-	-	.03							.01			21
22	.03	-				.05		.01		.30			22
23		.20			.09			.30		.06			23
24		.12				.07	.16			.24	.05		24
25		.17	.05				.01	.02		.02			25
26								.43	.13	.02	.18	.02	26
27					.40	.06		1.40					27
28			.04			1.04		.17					28
29		X	.01		.04	.07	.38			.64		.05	29
30		X	.36				.53	.23				.01	30
31		X	.08	X		X	.12	.04	X	.20	X		31
Total	1.14	.91	3.11	2.17	1.71	1.57	3.09	5.07	1.67	5.18	1.22	1.07	YEAR'S TOTAL 27.91
Rain Days.	9	6	18	12	9	10	11	20	8	24	9	8	124

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

[illegible] Exd. E.A.F.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

10 19

Kept at Waterworks Pumping Stn.
in the County of Cowes I.W.
by John W. Webster, C.E.; Water Eng.

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Cowes.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	·85	-	-	·39	·07	1
2	-	·06	-	·22	-	-	-	·28	-	-	·40	·22	2
3	-	·06	-	·29	·32	-	-	·06	-	-	·06	·03	3
4	-	·14	·02	-	-	-	-	·06	·15	-	·69	·04	4
5	-	·02	·08	-	·21	-	-	·37	-	-	-	·01	5
6	·20	·06	-	·19	·03	-	-	·13	·07	·24	-	·06	6
7	-	·12	-	·08	·53	-	-	·03	·13	·06	·22	·02	7
8	-	·06	-	-	-	-	-	-	·05	·04	·03	·05	8
9	-	-	-	·31	-	·10	·25	-	·55	·16	-	·64	9
10	-	-	-	·15	-	·09	·15	-	·05	·24	-	·39	10
11	-	-	-	-	-	-	·13	-	·14	·02	·05	·12	11
12	-	·13	-	-	·34	-	-	-	·08	·11	-	·02	12
13	18	-	-	-	·02	-	·28	-	·18	-	-	·08	13
14	40	-	·02	-	-	·07	·08	-	·53	-	-	·11	14
15	·45	-	-	·14	·01	·10	·09	-	-	·19	-	·30	15
16	37	·16	-	·01	-	·05	-	-	·50	-	-	-	16
17	08	-	-	·13	-	-	·48	·05	-	·08	-	·22	17
18	47	-	-	-	-	·68	-	-	·90	-	-	·08	18
19	02	-	·12	-	-	-	·23	·01	·02	·03	-	·03	19
20	01	-	-	·41	-	·02	·02	-	·14	·05	-	-	20
21	01	-	-	-	-	-	-	-	·39	-	-	·09	21
22	14	-	-	-	·16	-	·45	-	·13	-	-	·26	22
23	12	-	-	-	·01	-	·28	·01	·09	-	-	·03	23
24	09	·27	-	·04	-	·05	·01	-	·17	-	·10	-	24
25	-	-	-	·05	-	-	-	·22	-	·03	-	-	25
26	-	-	-	-	-	-	·53	-	·03	·04	·03	·21	26
27	-	·05	·03	-	-	-	·03	·07	·41	·01	·17	·01	27
28	-	-	·25	·03	-	·02	-	-	-	-	·05	-	28
29	-	X	·03	·01	-	-	-	-	1·11	-	-	-	29
30	-	X	·40	-	-	-	-	-	-	·04	·07	·10	30
31	-	X	·09	X	-	X	-	-	X	·31	X	-	31
Total	3·54	1·13	1·04	2·06	1·63	1·18	3·01	2·14	5·82	1·65	2·26	3·19	YEAR'S TOTAL 28·65
Rain Days.	13	11	9	14	9	9	14	12	21	16	12	24	164

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Waterworks Pumping Station.

in the County of Cowes. I.W.

by John W. Webster C.E.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-56	-	-62	-	-	-	-24	-	-	-03	-	1-35	1
2	-33	-	-	-	-06	-	-08	-	-33	-	-	-02	2
3	-43	-	-72	-	-04	-	-06	-	-03	-	-	-24	3
4	-29	-04	-55	-	-	-	-	-05	-04	-	-06	-10	4
5	-	-44	-58	-	-	-	-	-	-32	-	-15	-16	5
6	-35	-01	-11	-	-16	-	-	-	-	-	-01	-25	6
7	-07	-	-54	-	-	-	-	-	-	-	-02	-	7
8	-31	-	-18	-	-	-	-	-	-	-	-	-	8
9	-15	-	-06	-15	-02	-	-	-	-	-	-35	-	9
10	-75	-	-22	-01	-01	-	-	-	-	-	-	-32	10
11	-30	-	-02	-28	-08	-	-	-	-	-	-	-03	11
12	-06	-	-01	-	-	-	-13	-	-	-04	-10	-	12
13	-03	-	-02	-75	-	-	-03	-	-	-	-	-04	13
14	-38	-04	-	-10	-	-	-02	-	-	-	-	-06	14
15	-25	-07	-	-	-01	-	-	-	-	-	-	1-11	15
16	-08	--79	-	-	-	-	-	-	-	-	-10	-	16
17	-14	-18	-	-	-	-	-	-	-	-	-05	-05	17
18	-	-09	-19	-	-	-	-	-08	-	-	-19	-01	18
19	-40	-24	-74	-	-	-15	-41	-14	-05	-	-06	-02	19
20	-41	-05	-04	-	-	-55	-	-20	-	-	-02	-	20
21	-04	-62	-	-	-	-01	-	-	-02	-	-	-01	21
22	-	-	-	-	-	-	-18	-	-50	-	-	-10	22
23	-	-	-	-	-	-	-	-	-	-06	-05	-01	23
24	-	-	-	-02	-	-07	-03	-04	-	-38	-08	-16	24
25	-05	-02	-	-08	-	-	-	-24	-	-	-	-13	25
26	-03	-14	-11	-05	-	-	-	-02	-09	-	-38	-49	26
27	-11	-	-	-31	-	-	-	1-01	-	-	-	-10	27
28	-08	-	-44	-	-	-	-	-58	-	-	-60	-48	28
29	-01		-	-	-	-	-	-29	-	-08	-	-27	29
30	-		-	-18	-	-05	-	-38	-	-	-58	-76	30
31	-		-		-		-	-		-		-19	31
TOTAL	5-61	2-73	4-55	1-93	-38	-83	1-18	3-03	1-38	-59	2-72	6-46	YEAR'S TOTAL 31-39
Days with ·01 in. or more	24	13	17	10	7	5	9	11	8	5	16	25	150

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

569

2 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Waterworks Pumping Stn.
in the County of Cowes I.W.
by John W. Webster. C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Mill Hill Stn.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	–	·01				·29	·02		·59	·30	·50	1
2	·38	–	·02	·30	·14	–	–	·11	·13	·06	–	·17	2
3	·01	–	–	–	·05	–	·42	–	–	·30	–	–	3
4	–	·10	–	·01	–	–	·27	35	–	·24	–	·03	4
5	–	–	·02	–	–	–	·70	–	–	·45	–	–	5
6	–	–	·20	–	·31	–	·33	–	–	·02	–	–	6
7	·02	–	–	·14	·09	–	·24	–	–	–	–	–	7
8	·02	·01	–	·03	·05	–	·31	–	–	–	–	–	8
9	·38	·06	·01	·04	·01	·05	–	–	–	–	–	–	9
10	·89	·16	·13	–	–	·14	·32	–	–	–	–	–	10
11	·26	–	·06	·31	·04	·11	·36	–	–	–	–	–	11
12	·11	·09	–	·20	–	·72	·01	–	–	–	·03	–	12
13	·22	·01	·40	·02	–	–	–	–	–	–	·02	–	13
14	·03	·01	·48	·42	–	–	–	–	·21	·29	·63	–	14
15	·06	·01	–	·32	·06	·01	–	–	·52	·51	·09	–	15
16	–	·01	·02	·12	–	–	–	–	·16	·07	–	–	16
17	·01	–	–	·48	·24	–	·02	–	1·02	–	–	–	17
18	·16	–	–	–	·05	·11	–	71	·10	–	–	·20	18
19	·02	–	–	·20	–	·08	–	–	·02	–	–	·01	19
20	·06	·05	–	·13	–	·92		–	–	–	–	·20	20
21	–	–	–	–	–	–	1·03	–	·05	–	–	·09	21
22	·04	–	–	·18	–	–	–	·04	–	–	–	·22	22
23	–	–	–	–	–	–	·32	·05	–	–	–	·43	23
24	–	–	·20	–	·09	–	–	–	–	–	–	·09	24
25	–	–	·01	–	·05	–	·44	–	–	–	–	–	25
26	·03	–	·64	–	–	–	·07	–	–	–	·03	·15	26
27	·48	·02	·01	·08	–	–	·11	–	–	–	23	·26	27
28	·35	–	·05	·09	–	·06	09	–	–	–	–	·06	28
29	·77	–	–	·05	–	–	·11	–	–	–	·19	30	29
30	08	×	–	–	–	·07	–	–	·35	–	·26	32	30
31	·02	×	·13	×	–	×	–	–	×	·56	×	·24	31
Total	4·52	·53	2·39	3·12	1·18	2·27	5·44	1·28	2·56	3·09	1·78	3·27	Year's Total 31·43
Days with ·01 in. or more	23	11	16	18	12	10	18	6	9	10	9	16	158
Days with ·04 in. or more	16	4	9	15	11	9	16	5	8	9	6	14	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COWES
SPRING HILL
I.O.W.
1911 – 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE

Kept at Spring Hil

in the County of I

by George Shed

m

in.

round 1 ft. in.

a Level 121 ft.

m.

ame East Cowes

istance ½ mile Direction WSW

IMPORTANT NOTE he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	·30	—	—	—	·01	—	—	·09	·03	1
2	·01	—	—	·05	·36	—	—	—	—	—	·24	·22	2
3	—	—	—	—	·10	—	—	·07	—	—	·31	·08	3
4	—	—	·04	—	—	—	—	—	—	·03	·29	·39	4
5	—	—	—	·01	—	·02	—	·03	—	·35	·03	—	5
6	·41	—	·05	·10	—	—	—	—	—	·01	·25	·89	6
7	·05	—	—	—	—	—	—	—	—	·39	·91	·04	7
8	·01	—	·16	—	—	—	—	—	—	—	·27	·47	8
9	·05	—	—	—	—	—	—	—	—	—	·05	·21	9
10	—	·15	·25	—	·03	—	—	—	—	—	—	·90	10
11	·42	·01	·02	—	—	—	—	—	—	—	1·15	—	11
12	—	—	·96	—	—	—	—	—	—	—	·15	·08	12
13	—	—	~~·01~~	—	·14	—	—	—	·20	·01	—	·47	13
14	—	·03	—	—	·03	—	—	—	—	—	—	·35	14
15	·01	·02	—	—	—	—	—	—	—	—	·15	·02	15
16	—	—	—	—	—	·44	—	—	—	—	·66	·18	16
17	—	—	·01	—	—	·12	—	—	—	—	·71	·32	17
18	—	·12	·05	—	—	·08	—	—	—	·05	·33	·51	18
19	—	·11	—	—	—	·06	—	—	·44	·19	—	·16	19
20	·02	·01	·10	—	—	—	—	·05	·15	—	—	·85	20
21	—	·37	·08	—	—	·02	—	—	—	·40	—	·20	21
22	·10	·02	—	—	—	·18	—	·12	—	·32	—	·45	22
23	·01	·11	—	—	—	·33	—	—	·13	·31	·02	·26	23
24	·01	·12	—	—	—	·16	—	·04	—	1·78	—	·42	24
25	—	·04	—	·10	·98	·03	·27	—	·04	·03	—	·02	25
26	—	—	—	·34	·01	·04	—	—	—	·22	—	·39	26
27	—	·47	·10	·10	—	—	—	—	·06	·36	·06	·13	27
28	—	·23	—	·18	—	—	—	·20	—	—	·01	—	28
29	—		—	·20	—	·19	·08	—	·16	·20	—	—	29
30	—		—	—	—	·04	—	·01	—	·34	—	·01	30
31	—		—		—		—	—		·01		—	31
Total	1·11	1·81	1·82	1·38	1·65	1·71	·35	·53	1·18	5·00	5·68	8·05	TOTAL for year 30·27
No. of Rain Days.	12	14	11	9	7	13	2	8	7	17	18	26	144

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Spring Hill, East Cowes
in the County of Isle of Wight
by George Shedden

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 121 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name East Cowes
Distance ½ mile Direction WSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·30	—	—	—	·01	—	—	·09	·03	1
2	·01	—	—	·05	·36	—	—	—	—	—	·24	·22	2
3	—	—	—	—	·10	—	—	·07	—	—	·31	·08	3
4	—	—	·04	—	—	—	—	—	—	·03	·29	·39	4
5	—	—	—	·01	—	·02	—	·03	—	·35	·03	—	5
6	·41	—	·05	·10	—	—	—	—	—	·01	·25	·89	6
7	·05	—	—	—	—	—	—	—	—	·39	·91	·04	7
8	·01	—	·16	—	—	—	—	—	—	—	·27	·47	8
9	·05	—	—	—	—	—	—	—	—	—	·05	·21	9
10	—	·15	·25	—	·03	—	—	—	—	—	—	·90	10
11	·42	·01	·02	—	—	—	—	—	—	—	1·15	—	11
12	—	—	·96	—	—	—	—	—	—	—	·15	·08	12
13	—	—	~~·01~~	—	·14	—	—	—	·20	·01	—	·47	13
14	—	·03	—	—	·03	—	—	—	—	—	—	·35	14
15	·01	·02	—	—	—	—	—	—	—	—	·15	·02	15
16	—	—	—	—	—	·44	—	—	—	—	·66	·18	16
17	—	—	·01	—	—	·12	—	—	—	—	·71	·32	17
18	—	·12	·05	—	—	·08	—	—	—	·05	·33	·51	18
19	—	·11	—	—	—	·06	—	—	·44	·19	—	·16	19
20	·02	·01	·10	—	—	—	—	·05	·15	—	—	·85	20
21	—	·37	·08	—	—	·02	—	—	—	·40	—	·20	21
22	·10	·02	—	—	—	·18	—	·12	—	·32	—	·45	22
23	·01	·11	—	—	—	·33	—	—	·13	·31	·02	·26	23
24	·01	·12	—	—	—	·16	—	·04	—	1·78	—	·42	24
25	—	·04	—	·10	·98	·03	·27	—	·04	·03	—	·02	25
26	—	—	—	·34	·01	·04	—	—	—	·22	—	·39	26
27	—	·47	·10	·10	—	—	—	—	·06	·36	·06	·13	27
28	—	·23	—	·18	—	—	—	·20	—	—	·01	—	28
29	—		—	·20	—	·19	·08	—	·16	·20	—	—	29
30	—		—	—	—	·04	—	·01	—	·34	—	·01	30
31	—		—		—		—	—		·01		—	31
Total	1·11	1·81	1·82	1·38	1·65	1·71	·35	·53	1·18	5·00	5·68	8·05	TOTAL for year 30·27
No. of Rain Days.	12	14	11	9	7	13	2	8	7	17	18	26	144

W. 8,000, X. '11.

Ecc Dn

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 - JAN 1913

Kept at Spring Hill, East Cowes

in the County of Isle of Wight

by George Shedden

Rain Gauge: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 121 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Cowes
Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·21	—	·01	·08	·05	—	—	·83	—	·20	1
2	—	—	·23	—	—	—	·21	—	—	—	—	—	2
3	·01	—	·01	—	—	·30	—	·64	—	—	·02	—	3
4	·17	·08	·83	—	·01	·14	—	·02	—	—	·22	—	4
5	·30	·11	·13	—	—	—	—	·40	—	—	·01	·03	5
6	·53	·02	—	—	·12	·02	·03	·48	—	—	—	·12	6
7	·01	·03	·08	—	·18	·72	—	·03	—	—	—	·11	7
8	·43	·32	·38	—	—	·07	—	·15	·01	—	—	·01	8
9	·01	·28	·11	·08	—	·03	·06	·21	—	—	—	·20	9
10	—	·08	—	—	—	—	—	·07	—	—	·02	·32	10
11	·09	·16	—	—	—	·11	—	·38	—	—	—	·38	11
12	·02	·12	·13	—	·32	·84	·05	·29	—	·01	—	—	12
13	—	·03	·01	—	—	—	·13	·06	—	—	—	·08	13
14	·02	—	·04	—	·03	—	—	·32	—	·03	—	—	14
15	·02	·08	·17	—	·05	·63	—	·07	—	—	—	·25	15
16	·40	—	·27	—	·01	—	—	·21	—	·10	·06	—	16
17	·92	—	·23	—	·10	·09	—	·31	—	—	—	·19	17
18	·05	—	·20	—	—	—	—	·17	—	—	—	·05	18
19	·04	·04	·18	—	—	—	·05	·45	—	—	—	—	19
20	·01	·01	·35	—	—	—	—	·06	—	·47	·01	—	20
21	—	·16	·07	—	·21	—	—	·13	—	·07	—	—	21
22	·06	·48	·02	—	—	—	—	·24	—	—	—	·07	22
23	·50	·14	·24	—	—	—	—	·66	—	·11	·17	·07	23
24	·17	·04	—	—	—	—	—	·11	—	·01	—	·22	24
25	·16	—	—	—	—	·33	—	·63	—	·09	·25	·64	25
26	—	·07	—	—	—	·03	·40	·07	—	·31	·35	·23	26
27	—	·01	—	—	—	·15	·36	— ~~·09~~	—	·21	—	·56	27
28	—	·06	—	—	—	·06	·18	·23	·07	·69	·69	·18	28
29	—	·06	—	—	—	—	·36	·28	1·74	·35	·03	—	29
30	—		·01	—	·09	—	·10	·09	1·40	·23	—	—	30
31	—		·13		—		·15	·11		—		·04	31
Total	3·92	2·38	4·03	·08	1·13	3·60	2·13	6·87	3·22	3·51	1·83	3·95	TOTAL for year 36·65
No. of Rain Days.	20	21	22	1	11	15	13	28	4	14	11	20	180

W, 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Spring Hill, East Cowes
in the County of Isle of Wight
by George Shedden

Lat. 50° 45′ Long. 1° 16′ W.
Time of Observation 9 a.m.
Nearest Railway Station Cowes
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·35	·19	·06	—	—	—	—	·61	—	·23	·01	1
2	·02	·08	—	—	—	—	·05	—	·02	—	·13	—	2
3	·09	—	·06	·08	·22	—	—	—	—	·09	—	·17	3
4	·29	—	·03	—	·34	—	·18	—	·85	·16	·14	—	4
5	·27	·17	·03	—	—	·13	·03	—	·83	·39	·23	·09	5
6	·02	·04	·04	—	·10	·08	·38	—	·01	·91	·09	·55	6
7	—	·30	·07	—	·35	·04	·15	—	—	·19	·11	·01	7
8	·02	·08	—	—	·18	·01	—	·01	—	·05	—	·03	8
9	—	·03	—	—	—	·01	·17	·08	·05	—	·02	—	9
10	·08	—	—	·05	—	—	·11	—	—	—	·54	—	10
11	·92	·01	—	·23	·07	—	—	—	—	·19	·51	·01	11
12	·01	—	—	—	·43	—	—	—	—	·01	·45	—	12
13	·20	—	·07	—	—	·01	—	—	·08	—	·16	—	13
14	·30	—	·19	—	—	—	·01	·02	·16	—	·02	—	14
15	·20	·10	·34	·53	—	—	·09	—	·09	—	—	—	15
16	·11	—	·44	·11	—	·17	·01	—	·22	—	—	—	16
17	·26	—	—	·07	—	—	·02	—	—	—	·07	—	17
18	—	—	·19	·08	—	—	·01	—	—	—	·06	—	18
19	·65	—	·04	—	·01	·03	·01	—	·24	—	—	—	19
20	·37	—	·34	·08	—	—	—	—	—	·34	·04	—	20
21	—	—	·28	·09	—	—	—	—	—	·61	·52	—	21
22	·26	—	·25	—	—	—	—	·24	·36	·02	·01	·04	22
23	—	—	—	—	—	·02	—	·02	—	—	—	·86	23
24	·10	—	—	·08	—	—	—	·04	—	—	—	—	24
25	—	·01	—	·22	—	—	—	—	—	—	·03	—	25
26	—	—	—	·15	—	—	—	·23	—	·43	—	·24	26
27	—	—	·29	·02	—	—	—	—	—	·01	—	—	27
28	·24	—	·08	·13	—	—	—	—	—	·25	—	—	28
29	·18		·18	·47	·52	—	—	·02	—	·15	—	·01	29
30	·59		—	—	—	—	—	·14	—	·15	—	—	30
31	·01		·02		—		—	1·37		·28		—	31
Total	5·22	1·17	3·13	2·45	2·22	·50	1·22	2·17	3·52	4·23	3·36	2·02	YEAR'S TOTAL 31·21
Rain Days.	23	10	19	16	9	9	13	10	12	17	18	11	167

W. 7,500, XI. ·12

cordly mm. dots 20.11.15

REGISTER OF RAINFALL IN 1914

W. M. G.

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Spring Hill, East Cowes
in the County of Isle of Wight
by George Shedden

Lat. 50° 45′ 38″ Long. 1° 16′ 42″
Time of Observation 9 a. m.
Nearest Railway Station Cowes
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 121 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·17	—	—	·11	·20	1
2	—	—	—	—	—	—	·02	—	—	—	·20	·18	2
3	—	—	·01	·03	·32	—	·02	·03	—	—	·08	·01	3
4	·04	—	—	(·29)	—	—	—	·11	—	—	·54	·29	4
5	·11	—	·06	·20	·01	—	·23	·03	—	—	·20	—	5
6	—	·14	·01	·15	·03	—	—	·03	—	—	—	·64	6
7	·02	·48	·14	·16	—	—	·13	·01	—	—	·01	·29	7
8	·01	·38	·37	·03	—	·02	·02	·13	—	—	—	·06	8
9	·01	·01	·88	·15	·02	—	—	·01	·05	—	—	1·73	9
10	·07	·41	—	·06	·18	—	—	—	·26	—	·01	·01	10
11	—	·51	·57	—	·02	·06	·32	—	·06	—	·04	·54	11
12	—	·18	·20	—	—	—	·06	—	·45	·19	·01	·93	12
13	—	·53	·19	—	—	—	—	—	·17	·19	·05	·66	13
14	—	·19	·12	—	—	·32	·17	·47	—	·79	·26	·28	14
15	—	·01	·22	—	—	—	·20	·61	—	·02	·68	—	15
16	—	—	—	—	—	—	·11	—	·34	—	—	—	16
17	—	·53	·17	—	—	—	—	—	·05	—	—	·39	17
18	—	·02	·41	—	—	—	—	—	—	—	—	·50	18
19	—	·12	·72	—	—	—	1·40	—	—	·01	·09	·06	19
20	—	·30	·21	—	—	·04	—	—	—	·01	—	·24	20
21	—	·66	—	—	—	—	—	—	—	·19	—	—	21
22	—	·09	·02	—	·05	·02	·11	—	—	·20	—	—	22
23	—	·25	·27	—	—	·39	—	·03	—	·06	—	—	23
24	—	—	·02	—	—	—	—	—	—	·03	·12	·01	24
25	·02	—	·20	—	—	—	—	—	—	·27	·04	·12	25
26	—	—	—	—	—	—	—	·26	—	·18	·27	·59	26
27	·05	—	—	—	—	—	—	·02	—	—	·16	·36	27
28	·01	·05	·07	—	·22	—	—	—	—	·39	·33	·90	28
29	·20	×	·13	·03	·01	—	—	—	—	·30	·20	·01	29
30	·02	×	·05	·05	—	—	—	—	—	·21	·70	·46	30
31	·01	×	—	×	·02	×	·11	—	×	·19	×	·05	31
Total	·57	4·86	5·04	1·15	·88	·85	2·90	1·91	1·38	3·23	4·10	9·51	YEAR'S TOTAL 36·38
Rain Days.	12	18	22	10	10	6	13	13	7	16	20	25	172

W. 8,000. X. 14.

~~W~~ DL Cor. [illegible] .24.2.16

685

FORM A.
BRITISH RAINFALL
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Spring Hill, East Cowes

in the County of Isle of Wight

by George Sheddon

Lat. 50° 45′ Long. 1° 16′ West.

Time of Observation 9 a.m.

Nearest Railway Station Cowes

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·76	·21	—	—	·01	—	—	·03	·28	·08	·01	·75	1
2	·34	·28	·15	·02	—	·01	—	·05	·01	·13	—	·36	2
3	·74	—	·15	·07	·07	—	—	·03	·02	—	—	·50	3
4	·04	—	—	·03	—	—	—	—	—	—	—	·54	4
5	·02	·43	—	—	—	—	—	·17	—	—	—	·46	5
6	·75	·23	—	·62	—	—	·30	·07	—	—	—	·19	6
7	·18	·54	—	·06	—	—	·08	—	—	—	—	·27	7
8	·01	·71	—	—	—	—	·08	·06	—	—	·05	·08	8
9	—	·06	—	·05	—	—	—	·02	—	—	·33	·78	9
10	·23	·06	·02	—	—	—	—	—	—	·01	—	·25	10
11	·11	—	·06	—	—	—	—	—	—	—	·93	—	11
12	·07	·42	—	·20	·57	—	—	—	—	·04	·33	—	12
13	—	·43	—	—	1·36	—	·01	—	·12	·01	·04	—	13
14	·03	—	—	—	—	—	·03	—	·06	—	—	·93	14
15	·06	—	—	—	·08	—	·12	·07	—	—	·18	·17	15
16	—	1·12	—	—	·35	—	1·37	·08	—	—	—	·56	16
17	—	·36	—	—	·61	—	—	·05	—	—	—	—	17
18	—	·11	—	—	·07	—	—	—	—	—	·03	—	18
19	—	·04	—	—	·10	—	·05	—	—	—	—	—	19
20	·24	—	—	·05	—	—	—	—	—	—	—	·03	20
21	·02	·03	—	—	—	—	·06	—	—	·51	—	·13	21
22	·44	·50	·21	·02	—	—	·74	—	—	—	—	·19	22
23	—	·02	·03	—	—	·01	·05	—	·26	·30	—	·63	23
24	—	—	—	—	—	—	·05	—	2·15	·46	—	·73	24
25	—	—	—	—	—	·01	—	—	—	—	—	·17	25
26	·04	·04	—	—	—	·14	·08	—	—	—	—	·92	26
27	—	—	—	—	—	—	—	—	—	·51	—	·01	27
28	—	·04	—	—	—	·13	·05	—	·50	·21	—	·01	28
29	—	X	—	—	—	·20	—	·09	—	·01	·44	·01	29
30	·26	X	—	—	—	—	—	—	—	·56	·83	·13	30
31	·01	X	—	X	—	X	—	·25	X	1·29	X	·41	31
Total	4·35	5·69 5·63	·62	1·12	3·22	·50	3·07	·97	3·40	4·12	3·17	9·22 9·21	YEAR'S TOTAL ~~39·45~~ 39·38
Rain Days.	19	19	6	9	9	6	14	12	8	13	10	25	150 ✓

W. 8,000. X. 15.

✓ Ered Ely 676

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Spring Hill, East Cowes

in the County of Isle of Wight

by George Shedden

Lat. 50·45·38 Long. 1·16·42 W.

Time of Observation 9 a.m.

Nearest Railway Station E Cowes Pontoon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·02	·12	—	·06	·01	—	—	·11	·16	·33	—	1
2	·22	·11	·03	—	·20	—	·02	—	—	·23	·02	—	2
3	·01	·55	·04	—	·01	—	·02	—	—	·63	·46	—	3
4	·16	·15	—	—	·01	·36	—	—	·49	·01	·32	—	4
5	·03	·05	—	—	·14	·11	—	—	—	·06	·83	—	5
6	—	·06	·05	—	—	·12	·48	—	—	·07	·57	—	6
7	·01	—	·28	—	·04	—	—	—	—	·04	·77	·05	7
8	—	—	·02	—	·25	—	—	—	—	—	·03	·60	8
9	—	—	—	—	·09	—	—	—	—	—	—	·21	9
10	—	·60	·01	·03	—	·25	·17	—	—	—	—	·12	10
11	·04	·02	·01	·09	—	·02	—	—	—	—	—	·06	11
12	—	·07	·01	·02	·03	—	·12	·01	—	·03	·01	—	12
13	—	·17	·02	·01	—	—	—	—	—	—	·01	—	13
14	—	·72	—	—	·03	—	—	—	—	·01	—	—	14
15	—	·30	·18	—	—	—	—	—	—	—	—	—	15
16	·07	·01	·18	·12	—	—	·04	·13	—	—	—	—	16
17	·21	·28	—	·08	—	—	—	·11	·40	·80	·18	—	17
18	·03	·02	·12	·04	—	—	—	·04	·07	·04	·39	·21	18
19	·10	—	·14	·01	—	—	—	—	—	—	·30	·01	19
20	·17	—	·75	·09	—	—	—	—	—	—	·09	1·02	20
21	·01	·04	·29	—	—	—	—	—	—	—	·03	·37	21
22	·01	—	·01	—	·01	·04	—	—	—	·19	—	·71	22
23	·01	—	·01	—	—	·27	—	·03	—	·21	·10	·01	23
24	—	·01	—	—	·11	—	—	·02	—	·37	·15	·32	24
25	—	·35	·06	—	—	—	—	·13	·10	·06	·04	·01	25
26	·02	·19	—	—	—	·06	—	·01	·04	·46	·01	·05	26
27	—	·02	1·14	—	—	·11	—	—	·25	·32	—	·03	27
28	—	·46	·02	—	—	—	—	·43	·25	·23	·01	·34	28
29	—	·39	·02	—	—	·34	—	1·00	·18	·29	—	·36	29
30	—	×	—	—	·06	—	—	—	—	·40	—	·01	30
31	—	×	—	×	—	×	—	·08	×	·02	×	·01	31
Total	1·21	4·59	3·51	·49	1·04	1·69	·85	1·99	1·89	4·63	4·65	4·50	YEAR'S TOTAL 31·04
Rain Days.	16	22	22	9	13	11	6	11	9	21	20	19	179

W. 8,000, VIII. 16

649

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Spring Hill, East Cowes
in the County of Isle of Wight
by George Shedden

Lat. 50°45′ Long. 1°16′ W
Time of Observation 9 a.m. G.T.
Nearest Railway Station Cowes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·20	·22	—	·01	—	1·23	·02	—	·04	—	1
2	—	—	·08	·34	—	—	—	—	—	—	·07	—	2
3	·01	—	—	·25	—	—	·20	·21	—	·07	·18	—	3
4	—	·12	·31	—	—	—	—	·04	—	·19	—	·01	4
5	·16	—	·02	·19	—	·06	—	·07	·05	·50	·11	—	5
6	—	—	·43	—	—	—	—	—	—	·03	·20	—	6
7	·37	—	—	—	—	—	·53	—	—	·24	—	·07	7
8	·20	—	·07	·06	—	—	·38	·08	·01	·34	·20	·38	8
9	—	—	·13	—	·12	—	·02	—	—	·12	·08	·01	9
10	·16	—	·22	·28	—	·04	—	·11	—	—	—	—	10
11	·08	—	·23	·14	—	—	—	—	—	·31	—	—	11
12	·05	—	·04	—	·04	—	—	·06	—	·47	—	—	12
13	·01	—	·23	—	—	—	—	·06	·01	·20	—	—	13
14	—	—	—	·05	—	—	—	·10	—	·01	—	—	14
15	—	—	—	—	·46	—	·16	—	—	·22	—	·08	15
16	—	·13	—	·03	·18	—	—	—	—	·89	—	·39	16
17	—	·01	—	·17	·02	—	·36	·19	·48	·17	—	—	17
18	—	·01	—	·01	—	·07	·10	—	·39	—	—	—	18
19	—	·22	·07	—	—	·01	—	—	·45	—	—	—	19
20	—	·08	·45	—	·67	·04	—	—	—	—	·01	·01	20
21	—	—	·05	—	·03	—	—	—	—	·01	—	—	21
22	·02	—	·01	—	—	·08	—	·03	—	·28	—	—	22
23	—	·19	—	—	·07	—	—	·31	—	·05	—	·02	23
24	—	·13	—	—	—	·06	·14	—	—	·22	·03	—	24
25	—	·17	·02	—	—	—	—	—	—	·01	—	—	25
26	—	·01	·02	—	·01	—	—	·36	·13	·01	·17	—	26
27	—	—	·01	—	·56	·13	—	1·49	—	·01	—	—	27
28	—	—	·04	—	—	1·19	—	·20	—	—	—	—	28
29	—	X	·01	—	·01	·09	·39	·01	—	·57	—	·04	29
30	—	X	·31	—	—	—	·50	·20	—	—	—	—	30
31	—	X	·11	X	—	X	·09	·02	X	·18	X	·02	31
Total	1·06	1·08	3·06	1·74	2·17	1·78	2·87	4·77	1·54	5·10	1·09	1·03	YEAR'S TOTAL 27·29
Rain Days.	9	11	22	11	11	11	11	18	8	23	10	10	155

2·46

W. 8,000, IX. 17.

Ese Df 14

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2·1·19

Kept at Spring Hill, East Cowes
in the County of Isle of Wight HANTS
by George Shedden

Lat. 50°45' Long. 1°16' W.
Time of Observation 9 a. m.
Nearest Railway Station Cowes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1' ft. in.
" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	–												
1	–	·02	–	–		–	–	·73	–	–	·38	·09	1
2	–	·05	–	·14	–	–	–	·24	–	–	·39	·21	2
3	–	·06	–	·34	·30	–	–	·06	–	–	·07	·04	3
4	–	·13	·02	·01	·01	–	–	·03	·12	–	·66	·04	4
5	–	·04	·07	–	·17	–	–	·29	·01	·20	·01	·01	5
6	·18	·04	–	·16	·03	–	–	·22	·06	·02	–	·06	6
7	–	·13	–	·10	·53	–	–	·02	·12 ~~·50~~	·07	·19	·02	7
8	–	·05	–	–	–	–	–	–	·06 ~~·13~~	·18	·03	·04	8
9	–	–	–	·33	–	·10	·18	–	50 ~~·03~~	·22	·01	·62	9
10	–	–	–	·13	–	·09	·12	–	·13 ~~·08~~	·01	·01	·37	10
11	–	–	–	–	–	–	·13	–	·03 ~~·12~~	·13	·03	·07	11
12	–	·11	–	–	·32	–	–	–	·08 ~~·50~~	–	–	·06	12
13	·32	–	–	–	–	–	·28	–	·18	–	–	·08	13
14	·26	–	·02	–	–	·07	·07	–	·50	·20	–	·10	14
15	1·45	–	–	·13	–	·18	·10	–	–	–	–	·26	15
16	·41	–	–	·01	–	·07	·01	–	·50 ~~·84~~	–	–	–	16
17	·09	–	–	·15	–	–	·51	·06	–	–	–	·19	17
18	·43	–	–	–	–	·63	–	–	·84	–	–	·11	18
19	·02	–	·13	–	–	·01	·22	·01	~~·37~~	·03	–	·03	19
20	·03	·15	–	·39	–	·02	·02	–	·11 ~~·44~~	·05	–	–	20
21	·09	·01	–	–	–	–	–	–	·37	·10	–	·11	21
22	·11	–	–	–	·10	–	·47	–	·14	–	–	·24	22
23	·08	–	–	·02	–	–	·18	–	–	–	–	·03	23
24	–	·28	–	·02	–	·03	·02	–	·14	–	·08	–	24
25	–	–	–	·09	–	–	–	·30	–	·03	·01	–	25
26	–	–	–	–	–	–	·49	–	·02	·03	·02	·19	26
27	–	·05	·04	–	–	–	–	·07	·37	·02	·16	·01	27
28	·01	–	·21	·03	–	·11	–	–	–	·02	·05	–	28
29	·01	×	·03	·01	–	–	–	–	1·42	–	–	·01	29
30	·01	×	·42	–	–	–	–	–	–	·03	·06	·10	30
31	·01	×	·04	×	–	×	–	–	×	·29	×	–	31
Total	3·51	1·12	·98	2·06	1·46	1·31	2·80	2·03	5·70	1·63	2·16	3·09	YEAR'S TOTAL 27·85
Rain Days.	16	13	9	16	7	10	14	11	20	17	16	25	174

W, 6,500, VII. 18. W W C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

6 JAN 20

Kept at SPRING HILL, EAST COWES
in the County of ISLE OF WIGHT
by GEORGE SHEDDEN ESQ.

Lat. 50° 45′ 38″ Long. 1° 16′ 42″ W.
Time of Observation 9 A.M.
Nearest Railway Station EAST COWES PONTOON
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	—	·02	—	—	—	·19	—	—	·03	—	1·25	1
2	·30	—	—	—	·05	—	·06	—	·30	—	—	·03	2
3	·45	—	·81	—	·03	—	·07	—	·04	—	—	·23	3
4	·24	·04	·58	—	—	—	·01	·06	·03	—	·09	·09	4
5	—	·46	·79	—	—	—	—	—	·28	—	·14	·14	5
6	·36	·01	·10	—	·14	—	—	—	—	—	·01	·20	6
7	·08	—	·48	·01	—	—	—	—	—	—	·01	—	7
8	·28	—	·17	—	—	—	—	—	—	—	—	—	8
9	·19	—	·06	·08	·01	—	—	—	—	—	·36	—	9
10	·70	—	·20	·01	·07	—	—	—	—	—	—	·32	10
11	·32	—	·02	·27	·07	—	·01	—	—	—	—	·02	11
12	·08	—	·02	—	—	—	·11	—	—	·03	·07	—	12
13	·03	—	·02	·74	—	—	·03	—	—	—	·02	·04	13
14	·35	·03	—	·13	—	—	·03	—	—	·01	—	·07	14
15	·23	·07	—	—	·01	—	—	—	—	—	—	1·15	15
16	·07	·81	—	—	—	—	—	—	—	—	·10	·01	16
17	·02	·23	—	—	—	—	—	—	—	—	·05	·05	17
18	—	·08	·20	—	—	—	—	·08	·01	—	·16	·01	18
19	·32	·22	·72	—	—	·15	·42	·16	·02	·01	·07	·02	19
20	·53	·06	·01	—	—	·56	—	·18	—	—	·01	—	20
21	·03	·61	—	—	—	—	·02	—	·01	—	·01	·01	21
22	—	—	—	—	—	—	·14	—	·48	—	—	·09	22
23	—	—	—	—	—	—	—	—	—	·07	·10	·01	23
24	—	—	—	·02	—	·08	·01	·01	—	·38	·11	·15	24
25	·05	—	—	·07	—	·01	—	·26	—	—	—	·15	25
26	·03	·15	·09	·07	—	—	—	·02	·08	—	·37	·47	26
27	·12	—	—	·29	—	—	—	·99	—	—	—	·09	27
28	·08	—	·42	—	—	—	—	·55	—	—	·63	·52	28
29	—	—	—	—	—	—	—	·26	—	·07	—	·22	29
30	—	×	—	·16	—	·06	—	·48	—	·01	·64	·82	30
31	·01	×	—	×	—	×	—	—	×	—	×	·19	31
TOTAL	5·35	2·77	4·71	1·85	·32	·86	1·10	3·05	1·25	·61	2·95	6·35	YEAR'S TOTAL 31·17
Days with ·01 in. or more	24	12	17	11	7	5	12	11	9	8	18	26	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Spring Hill, East Cowes
in the County of Isle of Wight
by George Shedden Esq.

Lat. 50° 45′ 38″ Long. 1° 16′ 42″
Time of Observation 9. a. m.
Nearest Railway Station East Cowes Pontoon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 121 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	·01	·24	·14	—	·23	·02	—	·58	·23	·50	1
2	·08	—	·02	·08	·04	—	·08	·09	·11	·07	—	·16	2
3	·01	—	·01	—	—	—	·36	—	—	·30	—	·04	3
4	—	·10	—	—	—	—	·28	·33	—	·21	—	—	4
5	—	·01	·11	—	—	—	·69	·01	—	·47	—	—	5
6	—	·01	·20	—	·29	—	·26	—	—	—	—	—	6
7	·03	—	—	·14	·07	—	·23	—	—	—	—	—	7
8	·02	·02	—	·02	·05	—	·27	—	—	—	—	—	8
9	·37	·06	·01	·02	—	·05	·01	—	—	—	—	—	9
10	·86	·19	·13	—	—	·13	·29	—	—	—	—	—	10
11	·19	—	·07	·35	·02	·05	·36	—	—	—	—	·17	11
12	·11	·09	·03	·14	—	·79	—	—	—	—	·02	·08	12
13	·21	·01	·34	—	—	—	—	—	—	—	·02	—	13
14	·03	·02	·45	·37	—	—	—	—	·21	·22	·58	—	14
15	·06	·01	·01	·26	·05	—	—	—	·46	·69	·07	—	15
16	—	—	·01	·05	—	—	—	—	·45	·04	—	—	16
17	—	—	—	·55	·21	—	—	—	·69	—	—	—	17
18	·12	·01	—	—	·07	·08	—	·58	·11	—	—	·03	18
19	·05	—	—	·18	—	·06	—	—	·01	—	—	—	19
20	·06	·03	—	·11	—	·84	—	—	—	—	—	·04	20
21	·04	—	—	—	—	—	1·05	—	·03	—	—	·22	21
22	—	—	—	·17	—	—	—	·03	—	—	—	·21	22
23	—	—	—	—	—	—	·34	·05	—	—	—	·40	23
24	—	—	17	—	—	—	—	—	—	—	—	·09	24
25	—	—	·01	—	·05	—	·43	—	—	—	—	—	25
26	·03	—	·53	·01	—	—	·11	—	—	—	·03	·12	26
27	·48	·01	·01	·08	—	·06	·06	—	—	—	·15	·23	27
28	·37	·01	—	·06	—	—	·06	—	—	—	—	·05	28
29	·72	—	·07	·05	·02	—	—	—	—	—	·16	·26	29
30	·06	×	—	—	—	·06	·08	—	·36	—	·23	·33	30
31	·01	×	·18	×	—	×	—	—	×	·48	×	·22	31
													YEAR'S TOTAL
TOTAL	3·99	·58	2·37	2·88	1·01	2·12	5·19	1·11	2·43	3·06	1·49	3·15	29·38
Days with ·01 in. or more	22	14	19	18	11	9	18	7	9	9	9	17	162
Days with ·04 in. or more	16	4	10	15	9	9	17	4	7	9	6	16	122

COWES
UPPER MOOR GREEN
I. O. W.
1914 ~~–19~~20

RE

Kept at "Corbiere", U … … ° 18' 3" W.
… 0 a.m.
in the County of Isle … Cowes,
… 5 in.
by T. G. K. Da … Ground 4 ft. 0 in.
… Sea Level 160 (about) ft.
From Ordnance Survey

FORM A.
BRITISH RAINFALL.
3 MAR 1915

IMPORTANT N … the result entered to the previous day. If an … universal rule, he is earnestly requested to add the r… … on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–	–	–	–	–	–	·10	–	–	·08	·15	1
2		–	–	–	–	Slight rain	–	·13	–	–	·10	·20	2
3		–	·02	·03	·33	–	·03	·05	–	–	·25	·01	3
4	I have either lent or lost the details of this month so can only give the total	–	–	·22	·01	–	–	·11	–	–	·60	·25	4
5		–	·08	·21	slight rain	–	·27	·02	–	–	·25	–	5
6		·14	–	·13	·02	–	–	·05	–	–	·01	·67	6
7		·40	·17	·17	·03	Slight rain	·15	–	–	–	–	·30	7
8		·40	·49	·03	–	·05	·03	·16	–	–	·01	·07	8
9		·01	·96	·11	–	–	–	·02	·06	–	Slight rain	2·25*	9
10		·38	–	·05	·23	–	–	–	·20	–	–	Slight rain	10
11		·50	·58	–	·01	·09	·30	–	·14	–	·05	·58	11
12		·16	·20	–	–	Slight rain	·20	–	·46	·17	·01	·93	12
13		·53	·16	–	–	–	–	–	·20	·26	·06	·66	13
14		·22	·14	–	–	·27	·19	·41	–	·76	·24	·26	14
15		–	·22	–	–	–	·34	·71	–	·18	·65	–	15
16		–	·02	–	–	–	·15	–	–	–	–	–	16
17		·53	·08	–	–	–	Slight rain	–	·31	–	–	·36	17
18		·03	·30	–	–	–	–	–	–	–	–	·51	18
19		·12	·60	–	–	–	1·14	–	–	–	·10	·08	19
20		·25	·32	–	–	·06	–	–	–	·04	–	·27	20
21		·51	·02	–	–	–	–	–	–	·15	–	–	21
22		·08	·02	–	·15	·02	·14	–	–	·17	–	–	22
23		·24	·25	–	–	·41	–	·04	–	·06	–	–	23
24		–	·04	–	–	–	Slight rain	–	–	·03	·13	–	24
25		–	·17	–	–	–	Slight rain	·24	–	·25	·05	·10	25
26		–	–	–	–	–	·01	·05	–	·20	·27	·57	26
27		–	–	–	–	–	–	–	–	–	·13	·36	27
28		·06	·07	–	·19	–	–	–	–	·44	·36	1·10	28
29		X	·14	·02	–	–	–	–	–	·37	·15	Slight rain	29
30		X	·05	·05	–	–	–	–	–	·24	·72	·42	30
31		X	–	X	·03	X	·07	–	X	·23	X	·03	31
Total	0·66	4·56	5·10	1·02	1·00	0·90	3·02	2·09	1·37	3·55	4·22	10·13†	YEAR'S TOTAL 37·62
Rain Days.	6	17	23	10	~~8~~9	6	13	13	6	15	20	22	~~159~~ 160

W. 8,000. X. 14.

* The largest amount I have registered in 24 hours) † The largest amount for any one month that I have registered.

RE

18' 3" W.

Kept at "Corbiere" ~~Upper Moor Green~~ Cowes

in the County of Isle of Wight, Hants

by T. G. K. Day.

Time of Observation 8 30 a.m.

Nearest Railway Station Cowes.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 160 (about) ft. from Ordnance Survey

FORM A. BRITISH RAINFALL. 3 MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	I have either lent or lost the details of this month so can only give the total	-	-	-	-	-	-	·10	-	-	·08	·15	1
2		-	-	-	-	Slight rain	-	·13	-	-	·10	·20	2
3		-	·02	·03	·33	-	·03	·05	-	-	·25	·01	3
4		-	-	·22	·01	-	-	·11	-	-	·60	·25	4
5		-	·08	·21	slight rain	-	·27	·02	-	-	·25	-	5
6		·14	-	·13	·02	-	-	·05	-	-	·01	·67	6
7		·40	·17	·17	·03	Slight rain	·15	-	-	-	-	·30	7
8		·40	·49	·03	-	·05	·03	·16	-	-	·01	·07	8
9		·01	·96	·11	-	-	-	·02	·06	-	Slight rain	2·25*	9
10		·38	-	·05	·23	-	-	-	·20	-	-	Slight rain	10
11		·50	·58	-	·01	·09	·30	-	·14	-	·05	·58	11
12		·16	·20	-	-	Slight rain	·20	-	·46	·17	·01	·93	12
13		·53	·16	-	-	-	-	-	·20	·26	·06	·66	13
14		·22	·14	-	-	·27	·19	·41	-	·76	·24	·26	14
15		-	·22	-	-	-	·34	·71	-	·18	·65	-	15
16		-	·02	-	-	-	·15	-	-	-	-	-	16
17		·53	·08	-	-	-	Slight rain	-	·31	-	-	·36	17
18		·03	·30	-	-	-	-	-	-	-	-	·51	18
19		·12	·60	-	-	-	1·14	-	-	-	·10	·08	19
20		·25	·32	-	-	·06	-	-	-	·04	-	·27	20
21		·51	·02	-	-	-	-	-	-	·15	-	-	21
22		·08	·02	-	·15	·02	·14	-	-	·17	-	-	22
23		·24	·25	-	-	·41	-	·04	-	·06	-	-	23
24		-	·04	-	-	-	Slight rain	-	-	·03	·13	-	24
25		-	·17	-	-	-	Slight rain	·24	-	·25	·05	·10	25
26		-	-	-	-	-	·01	·05	-	·20	·27	·57	26
27		-	-	-	-	-	-	-	-	-	·13	·36	27
28		·06	·07	-	·19	-	-	-	-	·44	·36	1·10	28
29		X	·14	·02	-	-	-	-	-	·37	·15	Slight rain	29
30		X	·05	·05	-	-	-	-	-	·24	·72	·42	30
31		X	-	X	·03	X	·07	-	X	·23	X	·03	31
Total	0·66	4·56	5·10	1·02	1·00	0·90	3·02	2·09	1·37	3·55	4·22	10·13†	YEAR'S TOTAL 37·62
Rain Days.	6	17	23	10	8 9	6	13	13	6	15	20	22	~~159~~ 160

W. 8,000. X. 14.

* The largest amount I have registered in 24 hours) † The largest amount for any one month that I have registered.

make slip

687

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at "Corbiere" Upper Moor Green
in the County of Isle of Wight Cowes
by James G. K. Day

Lat. 50°-45'-15" N Long. 1°-18'-18" W
Time of Observation 8·30 A.M.
Nearest Railway Station Cowes
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·76	·24	–	–	–	–	–	·02	·38	–	·01	·65	1
2	·50	·31	·15	·02	·02	·01	–	·05	·03	·20	–	·29	2
3	·48	–	·19	·08	·07	–	–	·01	–	–	–	·51	3
4	·03	–	–	·04	–	–	–	–	–	–	–	·46	4
5	·02	·40	–	–	–	–	–	·17	–	Slight rain	–	·46	5
6	·74	·22	–	·63	–	Thick fog ·01	·35	·09	–	Slight rain	–	·24	6
7	·24	·50	–	·06	–	–	·08	–	–	–	–	·27	7
8	slight rain	·68	Slight rain	Slight rain	–	–	·04	·06	–	–	·06	·05	8
9	–	·07	–	·05	–	·02	–	·04	–	–	·36	·74	9
10	·23	·07	·03	–	–	–	–	–	–	·01	–	·28	10
11	·10	–	·10	·03	–	–	–	–	–	Thick fog ·01	·85	Slight rain	11
12	·09	·30	–	·23	·49	–	–	–	–	·06	·33	–	12
13	–	·48	–	–	1·62	–	–	–	·14	–	·06	–	13
14	·05	–	–	–	–	–	·02	–	·08	–	–	·84	14
15	·06	–	–	–	·10	–	·05	·12	Slight rain	–	·18	·28	15
16	–	–	–	–	·24	–	1·35	·36	–	–	–	·50	16
17	–	·50	–	–	·70	–	–	·12	–	Thick fog ·01	–	·01	17
18	–	·83	–	–	·13	–	·01	–	–	Thick fog ·01	·03	–	18
19	–	·09	–	–	·10	–	·07	–	–	–	–	–	19
20	·25	·09	–	·08	·01	–	–	–	–	·01	–	·04	20
21	Snow ·02	·02	Slight rain	·06	–	–	·01	–	–	·61	–	·18	21
22	Snow & rain ·50	Snow & Rain ·65	·11	–	–	–	·87	–	Slight rain	–	–	·20	22
23	–	Snow ·05	·12	–	–	·01	·06	–	·26	·28	–	·67	23
24	–	–	–	–	–	–	–	–	*2·75	·44	–	·74	24
25	–	–	·02	Slight rain	–	Slight rain	·04	–	–	–	–	·20	25
26	·02	·04	–	–	–	·11	·07	–	–	–	–	·87	26
27	–	–	–	–	–	–	·02	–	–	·43	–	–	27
28	–	·06	–	–	–	·16	·05	–	·53	·34	·01	Slight rain	28
29	–	X	–	–	–	·23	–	·11	–	·02	·45	·01	29
30	Snow & Hail ·25	X	–	–	–	–	–	–	–	·30	·65	·13	30
31	–	X	–	X	–	X	–	·25	X	1·50	X	·36	31
Total	4·34	5·60	0·72	1·28	3·48	0·55	3·09	1·40	4·17	4·23	2·99	8·98	YEAR'S TOTAL 40·83
Rain Days.	17	19	7	10	10	7	15	12	7	15	11	24	154

* This fell in about 6 hours & is the highest I have recorded in any 24 hours

W. 8,000. X. 14.

6-8

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at "Corbiere", Upper Moor Green.
in the County of Cowes, I. of W.
by James, G. K. Day.

Lat. 50°-45'-15"N Long. 1°-18'-18" W
Time of Observation 8:30 A.M.
Nearest Railway Station Cowes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·04	Hail, Snow & Rain ·17	—	·20	·01	—	—	·12	·15	·34	—	1
2	·29	·12	·04	—	·25	—	·01	—	—	·29	·03	—	2
3	—	·50	·05	—	·02	Trace of Rain	·03	—	Trace of Rain	·65	·50	—	3
4	·23	·14	—	—	—	·35	—	—	·50	·01	·42	—	4
5	·05	·10	Trace of Snow	·01	·13	·14	—	—	—	·06	·64	—	5
6	·01	·06	Snow ·12	Trace of Rain	Trace of Rain	·09	·29	—	—	·07	·53	—	6
7	·03	Trace of Rain	Snow ·33	—	·04	·06	·06	—	—	·04	·61	·07	7
8	—	—	Snow ·10	—	·22	—	—	—	—	—	·03	·65	8
9	Trace of Rain	—	—	—	·15	—	—	—	—	·01	—	·21	9
10	·01	·55	·03	·03	·01	Trace of Rain	·11	—	—	—	·01	·04	10
11	·14	·06	Trace of Rain	·08	—	·19	—	—	—	—	—	·17	11
12	·02	·08	·06	·05	·04	·03	·14	·03	—	·02	Fog ·02	·01	12
13	—	·17	·05	·01	—	·01	—	—	—	—	Fog ·01	—	13
14	—	·75	—	—	·09	Trace of Rain	—	—	—	·04	—	—	14
15	—	·38	·23	—	·01	—	—	·02	—	—	—	—	15
16	·06	·06	·18	·12	—	—	·03	·11	—	—	—	—	16
17	·24	·27	—	·13	—	—	—	·16	·40	·82	Rain & Snow ·20	—	17
18	·04	·05	·07	·08	—	—	—	·04	·10	·09	Snow & Rain ·51	Snow & Rain ·21	18
19	·14	—	·13	Trace of Rain	—	—	—	—	·02	—	·30	·03	19
20	·23	Trace of Rain	·88	·11	—	—	—	—	—	—	·16	Hail & Rain ·84	20
21	·02	·05	·32	—	—	—	—	—	—	—	·01	Hail & Rain ·47	21
22	—	Trace of Snow	·01	—	·02	·04	—	—	—	·21	·01	—	22
23	·02	Snow ·02	Snow ·01	—	—	·30	—	·03	—	·28	·10	·65	23
24	—	Trace of Snow	—	Trace of Rain	·20	·04	—	·03	—	·37	·18	·01	24
25	—	Snow ·625	·08	—	—	—	—	·15	·04	·05	·04	·015	25
26	·03	Snow ·20	—	—	—	·05	—	·02	·08	·42	·02	·08	26
27	·01	Sleet & Snow ·02	Snow & Rain 1·00	—	—	·25	—	—	·33	·38	—	—	27
28	Trace of Rain	Snow & R ·52	Snow ·07	—	—	—	—	·19	·15	·28	·01	·35	28
29	—	·42	·03	—	—	·38	—	1·18	·29	·21	—	·42	29
30	—	X	—	—	·10	—	137° F Temps in Sun	·02	—	·35	—	—	30
31	—	X	—	X	—	X	—	·08	X	·03	X	·02	31
Total	1·67	5·185	3·96	·62	1·48	1·94	·67	2.06	2.03	4·83	4·68	4.245	YEAR'S TOTAL 33·370
Rain Days.	18	22	21	9	14	14	7	13	10	22	22	17	189

W. 8,000, VIII. 16

651

FORM A.
2 JAN 1918
RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at "Corbiere" Upper Moor Green
in the County of Cowes, Isle of Wight,
by James. G. K. Day.

Lat. 50°-45'-15" Long. 1°-18'-18" W
Time of Observation 8·30 a.m.
Nearest Railway Station Cowes,
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	SLIGHT SNOW	·21	SNOW ·23	–	·03	–	1·32	·04	FOG ·01	·06	–	1
2	–	SLIGHT SNOW	·10	SNOW ·67	–	–	–	TRACE OF RAIN	–	·03	·06	–	2
3	·02	SLIGHT SNOW	–	SNOW. HAIL SLEET & RAIN ·30	–	–	·22	·25	–	·05	·31	–	3
4	–	SNOW ·19	SLEET & SNOW ·27	–	–	–	TRACE OF RAIN	·05	–	·25	–	·02	4
5	·17	–	·03	·30	–	·10	–	·20	·08	–	·13	–	5
6	–	–	·40	TRACE OF RAIN	–	–	–	–	–	·36	·25	TRACE OF RAIN	6
7	·37	–	SNOW ·03	·10	–	–	·65	–	–	·03	–	·10	7
8	·30	–	SNOW ·14	SLIGHT SNOW	–	–	·48	·08	·01	·22	·21	·39	8
9	·01	–	·02	SLIGHT SNOW	·01	–	·02	–	·02	·34	·05	TRACE OF RAIN	9
10	·15	–	·23	SNOW ·33	·08	·02	–	·15	–	·07	–	Do.	10
11	·10	–	·24	RAIN HAIL & SNOW ·14	–	–	–	–	–	·32	·01	–	11
12	·05	–	·03	–	·05	–	–	·13	–	·32	TRACE OF RAIN	–	12
13	SNOW ·02	–	·24	–	–	–	–	·08	·02	·35	–	FOG ·01	13
14	–	–	TRACE OF RAIN	·06	–	–	–	·08	–	·03	–	–	14
15	–	–	–	–	·28	–	·12	–	–	·25	–	·01	15
16	SLIGHT SNOW	·12	–	·05	·04	–	TRACE OF RAIN	–	TRACE OF RAIN	·90	–	·45	16
17	–	–	–	·14	·13	–	·36	·11	·48	·15	–	–	17
18	SLIGHT SNOW	HEAVY FOG ·03	–	–	·01	TRACE OF RAIN	·11	·11	·45	TRACE OF RAIN	–	–	18
19	–	·23	·10	–	–	·13	–	–	·46	–	–	–	19
20	–	·11	SNOW & RAIN ·50	–	·62	·03	–	–	–	–	·02	–	20
21	SLEET ·02	–	RAIN & SNOW ·07	–	–	TRACE OF RAIN	–	–	–	·02	·01	–	21
22	SNOW ·03	–	SNOW ·03	–	·01	·07	–	·02	–	·31	–	–	22
23	–	·26	–	–	·08	–	–	·25	–	·06	–	·02	23
24	–	·12	–	–	–	·08	·10	–	FOG	·22	·05	–	24
25	–	·19	HAIL & RAIN ·06	–	–	–	·06	·03	–	·02	·01	–	25
26	–	–	TRACE OF RAIN	–	–	–	–	·43	·12	·02	·18	–	26
27	–	–	–	–	·41	·03	–	1·18	–	TRACE OF RAIN	–	–	27
28	–	–	·05	–	·03	1·27	–	·13	–	–	–	–	28
29	–	–	·02	–	·05	·09	·41	·04	–	·55	–	·06	29
30	SLIGHT SNOW	✕	·35	–	–	·01	·62	·20	HEAVY FOG ·02	·02	–	·02	30
31	SLIGHT SNOW	✕	HAIL & RAIN ·07	✕	–	✕	·14	·02	✕	·20	✕	SNOW ·04	31
Total	1·24	1·25	3·19	2·32	1·80	1·86	3·29	4·86	1·70	5·10	1·35	1·12	YEAR'S TOTAL 29·08
Rain Days.	11	8	21	10	13	11	12	20	10	25	13	10	164
		2·49	5·68	8·00	9·80	11·66	14·95	19·81	21·51	26·61	27·96	29·08	
		FOR 2 MONTHS	3 M	4 M	5 M	6 M	7 M	8 M	9 M	10 M	11 M	12 M	

W. 8,000, IX. 17.

Exd EFE 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
1·19

Kept at "Corbiere" Upper Moor Green
in the County of Cowes, I, o W,
by James, G. K. Day

Lat. 50°-45'-15" N Long. 1°-18'-18" W
Time of Observation 8·30 A·M·
Nearest Railway Station Cowes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
„ „ „ „ Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Note dates marked with × should be on the previous day

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	–	–	–	~~·08×~~	·01	–	–	·39	–	–	·37	·09	1
	–	·05	–	Hail & Rain ·20	–	–	–	·72	Trace	–	·42	·21	2
3	–	·02	Trace	·29	·33	–	–	·06	–	–	·07	·06	3
4	–	·15	·03	·01	–	–	–	·05	·15	–	·62	·05	4
5	–	·03	·07	–	·22	–	–	·20	Fog ·01	·20	–	·02	5
6	·20	·04	–	·18	–	–	–	·27	·04	·02	–	·06	6
7	Slight Snow	·13	–	·08	·62	·01	–	·03	·13	·06	·15	·02	7
8	–	·08	–	–	–	–	–	–	·05	Hail & Rain ·08	·09	·05	8
9	–	–	–	·30	–	·10	·17	–	·49	·27	Trace	·60	9
10	·01	–	–	·16	–	·08	·22	–	·13	Trace	Trace	·38	10
11	–	–	–	–	–	–	·13	–	·03	·14	Der Tag ·05	·06	The Day 11
12	–	·14	–	–	·24	–	Trace	–	·14	–	–	·08	12
13	Snow ·35	–	–	–	·11	–	·27	–	·08	–	–	·06	13
14	Snow & Rain ·23	–	·02	–	Trace	·08	·08	–	·56	·18	–	·15	14
15	1·50	–	–	·16	–	·08	·09	–	–	–	–	·25	15
16	·36	–	Trace	·02	–	·04	Trace	–	·44	·04	–	Trace	16
17	·12	–	Trace	·16	–	–	·53	·05	–	·03	–	·22	17
18	·40	–	–	–	–	·63	–	–	·87	·01	–	·08	18
19	·03	–	·15	–	–	Trace	·22	–	–	·02	–	·02	19
20	·01	·15	Fog ·01	·39	–	·02	·05	Fog ·02	·115	·06	–	·09	20
21	·10	Trace	Fog ·01	–	–	Trace	–	–	·37	·10	–	·25	21
22	·12	Trace	Fog ·01	–	·16	–	·29	–	·13	–	–	–	22
23	·08	–	–	–	Trace	–	·38	·02	·08	–	–	·03	23
24	Trace	·28	–	–	–	·06	·04	–	·17	–	·10	–	24
25	–	–	–	·09	–	–	Trace	·21	·03	·04	–	–	25
26	–	–	–	–	–	–	·50	–	–	·03	·05	·19	26
27	–	·05	·03	·01	–	–	·02	·06	·41	·02	·16	·02	27
28	–	Trace	–	·02	–	·03	–	–	–	–	·07	Trace	28
29	–	×	·21×	·02	–	–	–	–	1·07	–	–	·01	29
30	Fog ·02	×	·04×	–	–	–	–	–	Trace	·04	·07	·10	30
31	Fog ·01	×	·39×	×	–	×	–	–	×	·32	×	–	31
Total	3·54	1·12	·08 ~~·97~~ 1·05	~~2·17~~ 2·09	1·69	1·13	2·99	2·08	5·495	1·66	2·22	3·15	YEAR'S TOTAL 28·215
Rain Days.	15	11	12	15	7	10	14	12	20	18	12	25	175
		4·66	5·63	7·80	9·49	10·62	13·61	15·69	21·185	22·845	25·065	28·215	

504

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at "Corbiere" Upper Moor Green
in the County of Cowes, I of Wight.
by James, G. K. Day.

Lat. 50°-45'-15"N Long. 1°-18'-18" W.
Time of Observation 8-30 A.M.
Nearest Railway Station Cowes.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	—	·03	Snow ·06	·01	—	·28	—	—	·03	Trace	1·16	1
2	·27	—	Trace	—	·08	—	·08	—	·33	—	—	·20	2
3	·41	—	·75	—	—	—	·07	—	·08	—	—	·25	3
4	·29	Snow & Rain ·04	·55	—	·04	·02	Trace	·06	·04	—	·06	·11	4
5	Trace	·45	·61	—	—	—	—	—	·33	—	·16	·17	5
6	·32	·01	·10	Trace	·19	—	Trace	—	—	—	·02	·26	6
7	·05	—	·49	·01	—	—	—	—	—	—	·03	—	7
8	Hail & Rain ·28	—	·15	·02	—	—	—	—	—	—	—	—	8
9	H & R ·12	—	·09	H & R ·05	·02	—	—	—	Fog ·02	—	·37	—	9
10	H & R ·75 Thunder Storm	—	·20	·05	·01	—	—	—	—	—	—	·27	10
11	H & R ·28	—	·05	·30	·09	—	·01	—	—	—	—	·06	11
12	·07	—	·02	—	—	—	·16	—	—	·04	Snow ·10	—	12
13	·04	—	·03	·60	—	—	·03	—	—	—	—	·04	13
14	·35	·04	—	·19	—	—	·03	—	—	·01	—	·05	14
15	·24	—	—	Trace	Trace	—	—	—	—	—	—	1·08	15
16	—	·86	—	—	—	—	—	—	—	—	·11	—	16
17	Hail ·09	Three days Rain & Snow	—	—	—	—	—	—	—	—	·05	·08	17
18	—		·19	—	—	—	—	·07	Trace	—	·14	—	18
19	·25	·62	·75	—	—	·13	·41	·15	·02	—	·10	·05	19
20	·50	·06	·03	—	—	·62	—	·20	·03	—	·04	Trace	20
21	·05	·58	—	—	—	·01	·02	—	·01	—	01	·03	21
22	—	—	Trace Snow	—	—	—	·18	—	·44	—	—	·10	22
23	—	—	—	—	—	Trace	·03	—	·03	—	·05	·02	23
24	—	—	—	·02	—	·03	—	·02	—	·06	·08	·15	24
25	·05	·02	—	H & R ·10	—	·06	—	·18	—	·38	Trace	·13	25
26	·03	·15	·10	·10	—	—	—	·07	·11	—	·33	·49	26
27	Rain & Snow ·11	—	·01	R & S ·26	—	—	Trace	·62	—	—	·01	·10	27
28	Snow ·12	—	H. R. & S ·49	—	—	—	—	·92	—	—	H & R ·58	·50	28
29	Trace		—	Trace	—	—	—	·30	—	·09	—	·33	29
30	Trace Snow		Trace Snow	·19	—	·05	—	·45	—	Trace	·58	·77	30
31	Snow ·03		Trace		—		—	—		—		·16	31
TOTAL	5·20	2·83	4·64	1·95	·44	·92	1·30	3·04	1·44	·61	2·82	6·56	YEAR'S TOTAL 31·75
Days with ·01 in. or more	23	12	18	13	7	7	11	11	1[illegible]	6	18	24	159
	Months Totals	8·03	12·67	14·62	15·06	15·98	17·28	20·32	21·76	22·37	25·19	31·75	31·75

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at "Corbiere" Upper Moor Green
in the County of Cowes. I. O. W.
by James, G. K. Day.

Lat. 50°-45′-15″ N Long. 1°-18′-18″ W.
Time of Observation 8-30 A.M.
Nearest Railway Station Cowes.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	–	·01	·23	·13	–	·33	–	Trace	·67	·30	·43	1
2	·06	–	–	·10	·04	–	Trace	·11	·12	·06	–	·16	2
3	–	Trace	–	·01	–	–	·39	–	·01	·26	–	·05	3
4	–	·11	·02	Trace	–	–	·28	·32	–	·23	–	–	4
5	–	–	·11	Trace	Trace	–	·63	Trace	–	·41	–	–	5
6	–	–	·21	–	·30	–	·26	–	–	·04	–	–	6
7	·06	–	–	·15	·06	–	·25	–	–	–	–	–	7
8	·02	·03	–	·04	·04	–	·32	–	–	–	–	–	8
9	·35	·05	·02	–	·06	·06	Trace	–	–	–	–	–	9
10	·95	·19	·14	–	–	·15	·31	–	–	–	–	–	10
11	·20	–	·06	·28	·04	·03	·29	–	–	–	–	Snow ·15	11
12	·12	·12	Trace	·17	–	·83	·06	–	–	–	·02	Snow ·10	12
13	·22	–	·39	·02	–	–	–	–	–	–	·03	Slight Snow	13
14	·03	Trace	·47	·38	–	–	Trace	–	·16	·28	·60	–	14
15	·12	Trace	Snow + Rain ·02	·28	·07	–	–	–	·58	·45	·10	–	15
16	Trace	·04	·03	–	–	–	–	–	·15	·09	–	–	16
17	·03	–	–	·37	·23	Trace	·02	–	·60	–	–	–	17
18	·13	Trace	Trace	–	·05	·11	–	·78	·14	–	–	·05	18
19	·07	–	–	Thr. + Ltg ·20	–	–	–	–	·02	–	–	·02	19
20	·06	·05	–	·11	–	·95	–	–	–	–	–	·03	20
21	–	–	–	–	–	–	1·03	–	·04	–	–	·25	21
22	·06	–	–	·15	–	–	–	·03	–	–	–	·21	22
23	–	–	–	–	–	–	·36	·06	–	–	–	·42	23
24	·01	–	·79	–	·08	–	–	–	–	–	–	·11	24
25	·01	·02	Trace	–	·05	–	·43	–	–	–	–	–	25
26	·03	–	·61	·01	Trace	–	·07	–	–	–	·03	·15	26
27	·47	·02	Trace	·09	Trace	·07	·11	–	–	–	·21	·22	27
28	·35	·02	–	·08	Trace	·01	·09	–	–	–	–	·05	28
29	Hail + Rain ·73	·01	·06	Hail + Rain ·03	Trace	–	–	–	–	–	·19	·30	29
30	·03	×	–	–	–	·02	·10	–	·33	–	·23	·32	30
31	·02	×	–	×	–	×	–	–	×	·51	×	·25	31
Total	4·29	·66	2·34	2·70	1·15	2·23	5·33	1·30	2·15	3·00	1·71	3·27	Year's Total 30·13
Days with ·01 in. or more	24	11	14	18	12	9	18	5	10	10	9	18	158
Days with ·04 in. or more	16	6	9	14	12	6	17	4	8	10	6	16	124
	For Months	4·95	7·29	9·99	11·14	13·37	18·70	20·00	22·15	25·15	26·86	30·13	30·13

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KNIGHTON W. W.
I. O. W.
1914

FORM A.
BRITISH RAINFALL.
JAN 1915

R

Kept at Knighto

in the County of Isl

by J.T. Harve

church

" in.

und 2 ft. 0 in.

Level 53. ft.

IMPORTANT result entered to the previous day. If an rule, he is earnestly requested to add the the space provided for it at the end of of rain, the selection and placing of rain gauges, and particulars as to the Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·05				0·28			0·07	0·09	1
2								0·18			0·21	0·14	2
3				0·06	0·40		0·15				·01	0·25	3
4				0·33				0·12			[illegible]	0·05	4
5	0·17		0·12	0·23			0·37				·03	0·58	5
6		0·21		0·13		0·03					·01	1·16	6
7	0·02	0·53	0·23	0·31	0·07		0·20				·01	0·45	7
8	0·16	0·52	0·75	0·02		0·09		0·12			~~·00~~	0·05	8
9		0·01	0·81	0·20					0·05		~~·00~~	1·95	9
10	0·10	0·46		0·09	0·35				0·42		·03	0·05	10
11		0·46	0·80		0·03		0·30		0·06	0·04	·10	0·90	11
12		0·23	0·25				0·26		0·71	0·33	·02	0·57	12
13		0·58	0·15						0·25	0·05	·09	1·10	13
14		0·16	0·32			0·21	0·09	0·55		1·20	·50		14
15			0·25				0·29	0·77		0·10	1·13		15
16		0·01					0·24		0·28	0·02	·02		16
17		0·74	0·10								·01	0·76	17
18		0·08	0·40						0·09			0·40	18
19		0·10	0·88				1·32				0·14	0·20	19
20		0·55	0·36			0·05				0·02		·22 ~~0·10~~	20
21		0·62								0·30		·17	21
22		0·11	0·03		0·06	0·06	0·15					—	22
23		0·12	0·34			0·10				0·15		—	23
24		0·01	0·08							0·06	0·27	—	24
25	0·03		0·30				0·02	0·02		0·56	0·05	·51	25
26								0·10		0·05	0·19	·44	26
27	0·10										0·26	·64	27
28		0·07	0·06		0·14					0·75	0·43	·70	28
29	0·30		0·18	0·02	0·06					0·56	0·14	·03	29
30	0·02		0·05	0·03						0·46	1·24	·78	30
31					0·03		0·01			0·13		·02	31
Total	0·90	5·57	6·46	1·47	1·14	0·54	3·40	2·14	1·86	4·78	5·73	12·22	YEAR'S TOTAL 46·20
Rain Days.		6·47	12·93	14·38	15·52	16·06	19·26	21·40	23·26	28·04	33·77	49·99	~~49·99~~
	8	19	20	11	8	6	12	8	7	16	23	25	163

W.7,000, XI. 13

[illegible] 9-11-15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Knighton Water Works
in the County of Isle of Wight
by J. T. Harvey Resident Water Engineer

Lat. .... Long. ....
Time of Observation 9·0 a.m.
Nearest Railway Station Newchurch
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 53. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·05				0·28			0·07	0·09	1
2								0·18			0·2	0·14	2
3				0·06	0·40		0·15				·01	0·25	3
4				0·33				0·12			·37	0·05	~~0·58~~ 4
5	0·17		0·12	0·23			0·37				·03	0·58	5
6		0·21		0·13		0·03					·01	1·16	~~1·16~~ 6
7	0·02	0·53	0·23	0·31	0·07		0·20				·01	0·45	7
8	0·16	0·52	0·75	0·02		0·09		0·12			~~·00~~	0·05	8
9		0·01	0·81	0·20					0·05		~~·00~~	1·95	9
10	0·10	0·46		0·09	0·35				0·42		·03	0·05	10
11		0·46	0·80		0·03		0·30		0·06	0·04	·10	0·90	11
12		0·23	0·25				0·26		0·71	0·33	·02	0·57	12
13		0·58	0·15						0·25	0·05	·09	1·10	13
14		0·16	0·32			0·21	0·09	0·55		1·20	·50		14
15			0·25				0·29	0·77		0·10	1·13		15
16		0·01					0·24		0·28	0·02	·02		16
17		0·74	0·10								·01	0·76	17
18		0·08	0·40						0·09			0·40	18
19		0·10	0·88				1·32				0·14	0·20	19
20		0·55	0·36			0·05				0·02		·22 ~~0·10~~	20
21		0·62								0·30		·17	21
22		0·11	0·03		0·06	0·06	0·15					—	22
23		0·12	0·34			0·10				0·15		—	23
24		0·01	0·08							0·06	0·27	—	24
25	0·03		0·30				0·02	0·02		0·56	0·05	·57	25
26								0·10		0·05	0·19	·44	26
27	0·10										0·26	·64	27
28		0·07	0·06		0·14					0·75	0·43	·70	28
29	0·30		0·18	0·02	0·06					0·56	0·14	·03	29
30	0·02		0·05	0·03						0·46	1·24	·78	30
31					0·03		0·01			0·13		·02	31
Total	0·90	5·57	6·46	1·47	1·14	0·54	3·40	2·14	1·86	4·78	5·73	12·22	YEAR'S TOTAL 46·20
Rain Days.		6·47	12·93	14·38	15·52	16·06	19·26	21·40	23·26	28·04	33·77	49·99	~~49·99~~
	8	19	20	11	8	6	12	8	7	16	23	25	163

W.7,000, XI. 13

Correction

Rydd Waterworks
Knighton
12/2/15

Dear Sir

Many thanks for copy of Rainfall sheet and Daily register

I beg to tell you the daily entries are correct but the totals were not thank you for pointing out our mistake

Yours faithfully

A & A McCarthy

FORM A. 1. METEORO … ZATION 26 JAN 1921

R …

NEWPORT

I. O. W

1920

Kept at 125 Pa… … 8' W.

… a.m.

in the County of … …port.

…ge 5 in.

by M. A. C… …ound 1 ft. in.

… Level 36 ft.

IMPORTANT NO… … to the previous day.

If an Observer prefers … to add the reading at 9 a.m. on … end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	—	—	·20	·16	—	·33	—	·01	·53	·15	·52	1
2	·11	—	—	·17	·10	—	·12	·19	·10	—	—	·22	2
3	—	—	·04	·01	—	—	·25	—	·01	·29	—	·01	3
4	—	·16	—	—	—	—	·32	·38	—	·25	—	—	4
5	—	—	·19	·20	—	—	·70	·03	—	·45	—	·02	5
6	—	—	·14	—	·28	—	·32	—	—	—	—	·01	6
7	—	—	—	·18	·14	—	·21	—	—	·01	—	—	7
8	·10	·02	—	·02	·06	—	·58	—	—	—	—	—	8
9	·46	·04	·02	·02	—	·09	—	—	—	—	—	—	9
10	1.11	·12	·09	·01	—	·14	·46	—	—	—	—	—	10
11	·39	—	·15	·44	·04	·16	·44	—	—	—	—	·22	11
12	·10	·20	·36	·18	—	·75	—	—	—	—	·03	·09	12
13		·02	·24	·04	—	—	—	—	—	—	|	·03	13
14		·04	·60	·37	—	·02	—	—	·22	·20	·83	—	14
15		—	·03	·22	·05	—	—	—	·55	·85	·16	—	15
16		·02	·05	·02	—	—	—	—	·38	—	·03	—	16
17		—	—	·05	·27	—	—	—	·40	—	—	—	17
18		—	—	—	·09	·11	—	·66	·04	—	—	·04	18
19		—	—	·32	—	·13	—	—	·16	—	—	·01	19
20	·77	·05	—	·11	—	·88	—	—	—	—	—	·04	20
21	—	—	—	—	—	—	1.10	—	·10	—	—	·24	21
22	·11	—	—	·30	—	—	—	·05	·17	—	—	·24	22
23	—	—	—	—	—	—	·36	·11	—	—	—	·65	23
24	—	—	·20	—	—	—	—	—	—	—	—	·17	24
25	—	·03	·04	—	·09	—	48	—	—	—	—	—	25
26	·09	—	·22	—	—	—	·03	—	—	—	·05	·21	26
27	·42	—	—	·17	—	·05	·06	—	—	—	·14	·23	27
28	·38	·02	—	·22	—	—	·22	—	—	—	—	·10	28
29	·74	—	·12	·10	—	—	—	—	—	—	·20	·36	29
30	·11	✕	—	—	—	·13	·05	—	·36	—	·28	·39	30
31	·03	✕	·12	✕	—	✕	—	—	✕	·83	✕	·39	31
TOTAL	5.15	·72	2.61	3.35	1.28	2.46	6.03	1.42	2.50	3.41	1.87	4.19	YEAR'S TOTAL (34.99)
Days with ·01 in. or more	(21) ~~18~~	11	16	21	10	10	17	6	12	8	9	21	(162) ~~159~~
Days with ·04 in. or more	(18) ~~16~~	6 5	14	16	10	9	16	5	10	7	7	16	13~~1~~4

Observer away for a week. 3 days assumed to have been wet.

not taken on Nov 13th.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEORO ZATION.

26 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at 125 Pyle St. Newport.
in the County of Isle of Wight
by M. A. Orme (Miss)

Lat. 50° 42′ Long. 1° 18′ W.
Time of Observation 9 a.m.
Nearest Railway Station Newport.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	—	—	·20	·16	—	·33	—	·01	·53	·15	·52	1
2	·11	—	—	·17	·10	—	·12	·19	·10	—	—	·22	2
3	—	—	·04	·01	—	—	·25	—	·01	·29	—	·01	3
4	—	·16	—	—	—	—	·32	·38	—	·25	—	—	4
5	—	—	·19	·20	—	—	·70	·03	—	·45	—	·02	5
6	—	—	·14	—	·28	—	·32	—	—	—	—	·01	6
7	—	—	—	·18	·14	—	·21	—	—	·01	—	—	7
8	·10	·02	—	·02	·06	—	·58	—	—	—	—	—	8
9	·46	·04	·02	·02	—	·09	—	—	—	—	—	—	9
10	1.11	·12	·09	·01	—	·14	·46	—	—	—	—	—	10
11	·39	—	·15	·44	·04	·16	·44	—	—	—	—	·22	11
12	·10	·20	·36	·18	—	·75	—	—	—	—	·03	·09	12
13		·02	·24	·04	—	—	—	—	—	—	|	·03	13
14		·04	·60	·37	—	·02	—	—	·22	·20	·83	—	14
15		—	·03	·22	·05	—	—	—	·55	·85	·16	—	15
16		·02	·05	·02	—	—	—	—	·38	—	·03	—	16
17		—	—	·05	·27	—	—	—	·40	—	—	—	17
18		—	—	—	·09	·11	—	·66	·04	—	—	·04	18
19		—	—	·32	—	·13	—	—	·16	—	—	·01	19
20	·77	·05	—	·11	—	·88	—	—	—	—	—	·04	20
21	—	—	—	—	—	—	1.10	—	·10	—	—	·24	21
22	·11	—	—	·30	—	—	—	·05	·17	—	—	·24	22
23	—	—	—	—	—	—	·36	·11	—	—	—	·65	23
24	—	—	·20	—	—	—	—	—	—	—	—	·17	24
25	—	·03	·04	—	·09	—	48	—	—	—	—	—	25
26	·09	—	·22	—	—	—	·03	—	—	—	·05	·21	26
27	·42	—	—	·17	—	·05	·06	—	—	—	·14	·23	27
28	·38	·02	—	·22	—	—	·22	—	—	—	—	·10	28
29	·74	—	·12	·10	—	—	—	—	—	—	·20	·36	29
30	·11	✕	—	—	—	·13	·05	—	·36	—	·28	·39	30
31	·03	✕	·12	✕	—	✕	—	—	✕	·83	✕	·39	31
TOTAL	5.15	·72	2.61	3.35	1.28	2.46	6.03	1.42	2.50	3.41	1.87	4.19	YEAR'S TOTAL (34.99)
Days with ·01 in. or more	(21) ~~18~~	11	16	21	10	10	17	6	12	8	9	21	(162) ~~159~~
Days with ·04 in. or more	(18) ~~16~~	6 5	14	16	10	9	16	5	10	7	7	16	13~~1~~4

Observer away for a week.
3 days assumed to have been wet.

not taken on Nov 13th.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

NEWPORT
I. O. W.
GRAMMAR SCH.
1911- 1913

FORM A2.
BRITISH RAINFALL

10 MAY 1912

Kept at Newport (I

in the County of Han

by C. D. Vibert

1 ft. in.

l ft.

Newport, I of W.

400 yds Direction N.E

IMPORTANT NO sult entered to the previous day. If an Observer prefers not to conform to this almost un rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·23	·01			·01			·04	·04	1
2	·02			·03	·45						·28	·33	2
3					·23			·08	·01		·39	·14	3
4			·06	·07					·01	·02	·22	·29	4
5				·03		·06		·02		·57	·06		5
6	·55		·07							·27	·04	·94	6
7	·08									·40	·85	·07	7
8	·05		·21								·44	·59	8
9	·05		·05								·10	·26	9
10		·14	·32	·03	·06						·01	·86	10
11	·50	·01	·02								1·36		11
12			1·20					·01			·08	·13	12
13					·10				·35	·10		·45	13
14		·04			·02							·36	14
15		·03				·02					·14	·02	15
16						·60					·99	·25	16
17			·05			·06					·60	·26	17
18		·14	·08	·02		·13				·09	·33	·58	18
19		·08				·08			·74	·22		·35	19
20	·01	·01	·15					·03	·35	·01		·79	20
21	·03	·24	·05						·01	·47		·27	21
22	·20	·03	·06			·40		·02		·64		·53	22
23		·12	·02			·36			·12	·39	·03	·39	23
24	·02	·16				·19	·01	·06		1·72		·42	24
25		·02	·01	·14	1·15	·03	·27		·10	·09		·02	25
26				·43	·01	·05				·35		·54	26
27		·55	·08	·02					·07	·75	·13	·13	27
28		·24		·35	·01			·24			·01		28
29				·15		·23	·07	·01	·18	·33			29
30				·03	·04	·02		·03		·44		·01	30
31													31
Total	1·54	1·81	2·43	1·53	2·08	2·23	·35	·51	1·94	6·86	6·10	9·02	TOTAL for year 3640
No. of Rain Days.	11	14	15	12	10	13	3	10	10	17	19	26	160

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
10 MAY 1912

REGISTER OF RAINFALL IN 191

Kept at Newport (I.W.) Grammar School

in the County of Hampshire

by C. D. Vibert

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Newport, I of W.
Distance 400yds Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·23	·01			·01			·04	·04	1
2	·02			·03	·45						·28	·33	2
3					·23			·08	·01		·39	·14	3
4			·06	·07					·01	·02	·22	·29	4
5				·03		·06		·02		·57	·06		5
6	·55		·07							·27	·04	·94	6
7	·08									·40	·85	·07	7
8	·05		·21								·44	·59	8
9	·05		·05								·10	·26	9
10		·14	·32	·03	·06						·01	·86	10
11	·50	·01	·02								1·36		11
12			1·20					·01			·08	·13	12
13					·10				·35	·10		·45	13
14		·04			·02							·36	14
15		·03				·02					·14	·02	15
16						·60					·99	·25	16
17			·05			·06					·60	·26	17
18		·14	·08	·02		·13				·09	·33	·58	18
19		·08				·08			·74	·22		·35	19
20	·01	·01	·15					·03	·35	·01		·79	20
21	·03	·24	·05						·01	·47		·27	21
22	·20	·03	·06			·40		·02		·64		·53	22
23		·12	·02			·36			·12	·39	·03	·39	23
24	·02	·16				·19	·01	·06		1·72		·42	24
25		·02	·01	·14	1·15	·03	·27		·10	·09		·02	25
26				·43	·01	·05				·35		·54	26
27		·55	·08	·02					·07	·75	·13	·13	27
28		·24		·35	·01			·24			·01		28
29				·15		·23	·07	·01	·18	·33			29
30				·03	·04	·02		·03		·44		·01	30
31													31
Total	1·54	1·81	2·43	1·53	2·08	2·23	·35	·51	1·94	6·86	6·10	9·02	TOTAL for year 36·40
No. of Rain Days.	11	14	15	12	10	13	3	10	10	17	19	26	160

W. 8,000, X. '11.

Ec 76

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 MAY 1913

Kept at The Grammar School, Newport,
in the County of Hampshire I. of W.
by C. D. Viberd

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Newport, Wight
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·25		·01	·14	·15	·04	·07	·68		·30	1
2		·01	·33	·01			·28						2
3		·01	·02			·36		·46	·01		·02		3
4	·18	·15	·54			·34		·16			·19		4
5	·50	·09	·17		·01			·50			·04	·03	5
6	·61	·04	·03		·17	·03		·91				·29	6
7	·03	·04	·02		·27	·81		·12				·13	7
8	·56	·37	·36	·01		·04		·10	·01				8
9		·32	·17	·02		·06	·06	·11				·29	9
10		·05						·03			·05	·31	10
11	·09	·19				·36		·15				·37	11
12	·01	·06	·18		·41	·47	·07	·35					12
13		·04	·01				·21	·03		·02	·01	·06	13
14	·06		·03		·03			·13	·01	·02		·01	14
15	·03	·15	·15		·04	·70		·03				·25	15
16	·48		·55		·07			·29		·17	·13		16
17	1·02		·25		·05	·08		·39				·11	17
18	·09		·22					·16				·11	18
19	·05	·04	·18			·11	·03	·27					19
20		·02	·42				·01	·12		·61	·01		20
21	·01	·22	·10		·22			·10		·12			21
22	·08	·65	·16					·23				·03	22
23	·50	·16	·36					·76		·09	·15	·08	23
24	·15	·06						·33		·01		·22	24
25	·19					·39		·54		·08	·33	·56	25
26		·06				·01	·45	·11		·34	·46	·27	26
27		·01	·01	·01		·12	·29			·12	·01	·62	27
28		·08				·03	·14	·26	·09	·80	·88	·26	28
29		·06					·09	·18	1·60	·60	·03		29
30			·01		·09		·02		1·37	·25			30
31			·14				·17	·16				·03	31
Total	4·64	2·88	4·66	·05	1·37	4·05	1·97	7·02	3·16	3·91	2·31	4·33	YEAR'S TOTAL 40·35 ✓
Rain Days.	18	23	24	4	11	16	13	28	7	14	13	20	191 ✓

W. 7,500, XI. ·12

Ex. [illegible]

FORM A.
BRITISH RAINFALL.

13 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at The Grammar School, Newport, I. of W.

in the County of Hampshire

by C. D. Vibert

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Newport, I. of W.

Diameter of Rain Gauge 5 ~~4~~ in.

Height of top of Gauge above Ground One ft. in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·40	·34	·14					·67		·36		1
2	·02	·13		·01			·07		·01	·01	·08	·03	2
3	·10		·06	·06	·26				·01	·14		·17	3
4	·40		·10		·54	·03	·25		1·00	·15	·15	·01	4
5	·39	·09	·04			·18	·02		·73	·03	·27	·05	5
6	·02	·07	·05		·14	·17	·33		·01	·44	·13	·44	6
7		·29	·06		·31	·04	·13			·38	·13	·01	7
8	·01	·09			·20	·03	·02	·01		·12		·04	8
9		·06		·01	·01		·13	·01	·08	·02	·07	·01	9
10	·10			·02		·01	·03				·58		10
11	1·00	·01		·21	·08				·01	·34	·37		11
12					·38				·01		·49		12
13	·17		·08			·01			·11		·21		13
14	·30		·20	·02			·01	·02	·06	·02	·01		14
15	·22	·17	·20	·59	·02		·10		·06			·01	15
16	·08		·47	·14		·40	·03		·28				16
17	·12			·11			·02				·07		17
18	·04		·21	·11							·09		18
19	·57		·01		·02	·04	·02		·32				19
20	·58		·23	·08						·47	·04		20
21			·17	·13						·46	·60		21
22	·26		·34					·24	·35	·01		·05	22
23			·03			·05		·03			·01	·85	23
24	·74			·09				·04			·01		24
25		·02		·28							·04		25
26				·11				·19		·48		·22	26
27			·36	·03									27
28	·21	·02	·02	·14						·26			28
29	·23		·15	·36	·74			·02		·23	·01	·05	29
30	·66							·04		·15			30
31	·05		·02		·01			1·34		·20			31
Total	5·72	1·35	3·14	2·64	2·71	·96	1·16	1·94	3·71	3·91	3·72	1·94	YEAR'S TOTAL 32·90
Rain Days.	23	11	20	19	12	10	13	10	15	18	20	13	184

W.7,000, XI. 13

NITON UNDERCLIFFE
WESTCLIFFE
I. O. W.
1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REG

Kept at Westcliffe .... ton.
.... n
in the County of I of W .... Lawrence
by E. L. Holland

Diameter of Funnel of Rain Gauge ... 5 in.
Height of Top above Ground ... 1 ft. 9½ in.
Height of Ground above Sea Level ... 300 ft.

IMPORTANT NO ... he result entered to the previous day. If an Observer prefers ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.09	.10		.34				.23		.35		1
2	.19	.07			.33		.01			.92	.04		2
3	drops	.21	.07				.04			.58	.61		3
4	.13	.23				.17			.35		.19		4
5	.03	.02			.16	.19				.06	.51		5
6	.03	.10	.02		.03	.01	.25			.08	.26		6
7		.10			.03					.30	.21	.04	7
8		.04	.68								.03	.43	8
9					.31							.17	9
10		.74	.01	.01	.02	.15					01	.07	10
11		.03	.02	.15		.08						.26	11
12	.01	.06		.08	.03	.06				.06			12
13	.01	.18	.06				.07						13
14		.44			.10								14
15		.06	.15										15
16	.08		.17	.17				.14		.04		.33°	16
17	.16	.26		.02			.09	.05		.48	.30+		17
18	.02	.02	.08					.02	.35	.13	.41+	.16	18
19	.11	~~.04~~	.11	.05					.15		.30		19
20	.06	.04	.73								.17	.73	20
21	.01	.21	.28								.03	.47	21
22						.02				.06		.63	22
23	drops					.08		.02		.17			23
24					.21			.08		.20	.08	.21	24
25	drops		.10					.10	.09	.17	.02		25
26		.90				.21			.07	.33		.09	26
27	.01		.70			.10			.43	.48			27
28		.63						.17	.19	.23		.20	28
29		.38	.03			.37	.48	1.12	.08	.25		.52	29
30		X			.05		.13	.01		.12			30
31		X		X		X		.01	X	.03	X	.02	31
Total	.93	4.81	3.31	.48	1.61	1.44	1.07	1.72	1.94	4.69	3.52	4.33	YEAR'S TOTAL 29.85
Rain Days.	14	21	16	6	11	11	7	10	9	19	16	15	155

W. 8,000, X. 15.

+ partly snow   o the rain had frozen & had to be melted

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFA

Kept at Westcliffe Niton-undercliff
in the County of I of Wight Hants
by E. L. Holland

Lat. 50 34 N Long. 1. 20 W.
Time of Observation 9 AM
Nearest Railway Station St Lawrence
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9½ in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.09	.10		.34				.23		.35		1
2	.19	.07			.33		.01			.92	.04		2
3	drops	.21	.07				.04			.58	.61		3
4	.13	.23				.17			.35		.19		4
5	.03	.02			.16	.19				.06	.51		5
6	.03	.10	.02		.03	.01	.25			.08	.26		6
7		.10			.03					.30	.21	.04	7
8		.04	.68								.03	.43	8
9					.31							.17	9
10		.74	.01	.01	.02	.15					.01	.07	10
11		.03	.02	.15		.08						.26	11
12	.01	.06		.08	.03	.06				.06			12
13	.01	.18	.06				.07						13
14		.44			.10								14
15		.06	.15										15
16	.08		.17	.17				.14		.04		.33 o	16
17	.16	.26		.02			.09	.05		.48	.30 +		17
18	.02	.02	.08					.02	.35	.13	.41 +	.16	18
19	.11	~~.04~~	.11	.05					.15		.30		19
20	.06	.04	.73								.17	.73	20
21	.01	.21	.28								.03	.47	21
22						.02				.06		.63	22
23	drops					.08		.02		.17			23
24					.21			.08		.20	.08	.21	24
25	drops		.10					.10	.09	.17	.02		25
26		.90				.21			.07	.33		.09	26
27	.01		.70			.10			.43	.48			27
28		.63						.17	.19	.23		.20	28
29		.38	.03			.37	.48	1.12	.08	.25		.52	29
30		X			.05		.13	.01		.12			30
31		X		X		X		.01	X	.03	X	.02	31
Total	.93	4.81	3.31	.48	1.61	1.44	1.07	0.72	1.94	4.69	3.52	4.33	YEAR'S TOTAL 29.85
Rain Days.	14	21	16	6	11	11	7	10	9	19	16	15	155

W. 8,000. X. 15.

+ partly snow   o the rain had frozen & had to be melted

S. made ✓

FORM A2.
BRITISH RAINFALL.

APR 1912

RYDE
PIER ST
I. O. W.
1911- 1920

Kept at 13 Pier
in the County of H
by George

ound 10 ft. 8 in.
a Level 15 ft.
m
ame Ryde Esplanade
istance Direction

IMPORTANT N he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02298			·44811				·01915			·04979	·05745	1
2	·00383			·05362	·46726						·24512	·29874	2
3					·34661			·09192			·53620	·09192	3
4			·02681	(Snow) ·01532						·00766	·43662	·27576	4
5						·04596				·52088	·01532	·00383	5
6	·66642		·09575								·01149	1·62392	6
7	·05362									·49790	1·03410	·08234	7
8	·03064	·00766	·13405								·29108	·84260	8
9	·06128		~~·23937~~								·05362	·45960	9
10		·12639	·23937		·00766						·00383	1·16432	10
11	·6128	·00383	·01149								1·48604		11
12			1·02644								·33704	·05745	12
13					·1532				·28342	·02298		·55152	13
14		·04596										·27576	14
15											·23746	·01532	15
16		·00383				·49024					1·41901	·36002	16
17						·01532					·70472	·30831	17
18		·20682	·01144	·01532		·08426				·02298	·30640	·77749	18
19		·05745				·11107			·92686	·04596		·30640	19
20	·00383	·00766	·04596					·08043	·19916	·07660		1·05708	20
21	·00383	·43662	·01149					·00766		·91920		·19916	21
22	·13022	·01149	·00766			·60154		·19916		·66642		·59748	22
23	·00766	·26044				·33704			·13022	·47492		·49024	23
24		·18001				·11490	·00766	·03447		1·84606			24
25		·02298	·00766	·09958	·85026	·02298	·55918		·07760	·05362		·48258	25
26				·52854	·01532	·03830				·33321	·05362	·13788	26
27		·59748	·04596	·02681			·24512		·04596	·2298	·00383	·00766	27
28		·44428		·47492									28
29				·09575		·21065	·06511		·26044	·33704		·00766	29
30					·03064	·03064				·63578			30
31							·00766						31
Total	1·59711	2.4129	1·66413	1·75397	1·87095	2·10290 2·1025	·88473 ·89573	·43279	1·92366	6·69101	7·22529	2997 ~~11·13249~~ 10.53249	TOTAL for year 39.08
No. of Rain Days.	11	15	12	9	7	12	5	6	7	16	18	25	
	1·60	2·41	1·66	1·76	1·87	2·10	·88	·43	1·92	6·69	7·23	10·53	

39·70541 on 144 days.

W. 8,000, X. '11.

S. made ✓

FORM A2. BRITISH RAINFALL.

23 APR 1912

Kept at 13 Pier St. Ryde. I.W.

in the County of Hampshire

by George Nicholson



RAIN GAUGE
Pattern
Diameter of top 12 n
Height of top above Ground 10 ft. 8 in.
" " " Sea Level 15 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Ryde Esplanade
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02298			·44811				·01915			·04979	·05745	1
2	·00383			·05362	·46726						·24512	·29874	2
3					·34661			·09192			·53620	·09192	3
4			·02681	(Snow) ·01532						·00766	·43662	·27576	4
5						·04596				·52088	·01532	·00383	5
6	·66642		·09575								·01149	1·62392	6
7	·05362									·49790	1·03410	·08234	7
8	·03064	·00766	·13405								·29108	·84260	8
9	·06128		~~·23937~~								·05362	·45960	9
10		·12639	·23937		·00766						·00383	1·16432	10
11	·6128	·00383	·01149								1·48604		11
12			1·02644								·33704	·05745	12
13					·1532				·28342	·02298		·55152	13
14		·04596										·27576	14
15											·23746	·01532	15
16		·00383				·49024					1·41901	·36002	16
17						·01532					·70472	·30831	17
18		·20682	·01149	·01532		·08426				·02298	·30640	·77749	18
19		·05745				·11107			·92686	·04596		·30640	19
20	·00383	·00766	·04596					·08043	·19916	·07660		1·05708	20
21	·00383	·43662	·01149					·00766		·91920		·19916	21
22	·13022	·01149	·00766			·60154		·19916		·66642		·59748	22
23	·00766	·26044				·33704			·13022	·47492		·49024	23
24		·18001				·11490	·00766	·03447		1·84606			24
25		·02298	·00766	·09958	·85026	·02298	·55918		·07760	·05362		·48258	25
26				·52854	·01532	·03830				·33321	·05362	·13788	26
27		·59748	·04596	·02681			·24512		·04596	·2298	·00383	·00766	27
28		·44428		·47492									28
29				·09575		·21065	·06511		·26044	·33704		·00766	29
30					·03064	·03064				·63578			30
31							·00766						31
Total	1·59711	2.4129	1·66413	1·75397	1·87095	2.1029 2·1024	·88473 ·89513	·43279	1·92366	6·69101	7·22529	1·0 ~~2997~~ ~~11·12249~~ 10.53249	TOTAL for year 39.08
No. of Rain Days.	11	15	12	9	7	0290 12	5	6	7	16	18	25	39·70541 in 143 days.
	1·60	2·41	1·66	1·76	1·87	2·10	·88	·43	1·92	6·69	7·23	10·53	

W. 8,000, X. '11.

[illegible] 6.11.43

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

17 JAN 1913

Kept at 13 Pier St, Ryde, I.W.

in the County of Hampshire.

by George Nicholson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ryde Esplanade

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground 10 ft. in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·347			·107	·038	·007	·003	·735		·444	1
2			·513				·222					·007	2
3	·011		·011			·241	·023	·367					3
4	·210		1·080			·229		·107			·241		4
5	·474	*·053						·358			·007	·138	5
6	·674	·007			·172	·011		1·317				·344	6
7	·007	·015	·122		·225	·654		·038				·145	7
8	·658	·344	·451			·007		·084				·007	8
9	·007	·252	·088	·042		·038	·007	·091				·329	9
10		·063						·122				·306	10
11	·091	·137				·214		·107				·556	11
12	·011	·045	·153		·199	·490	·118	·291				·007	12
13		·068	·045				·053	·057				·130	13
14	·038		·030		·007			·264		·015		·015	14
15	·003	·099	·086		·038	·582		·038				·337	15
16	·245	·007	·459		·011			·268		·153	·068		16
17	·861		·271		·026	·076		·337				·130	17
18	·072		·153					·405				·084	18
19	·030		·180					·482			·007	·007	19
20	·003		·444					·061		·551	·003		20
21		·180	·137		·088			·076		·061			21
22	·107	·865	·026					·367		·076		·022	22
23	·517	·153	·325					·873			·183	·088	23
24	·068	·061	·007					·214		·145	·007	·421	24
25	·130	·003				·482		·543		·459	·337	·689	25
26		·076					·222	·072		·260	·735	·398	26
27		·007				·091	·268			·788		·942	27
28		·122				·022	·214	·444	·076	·248	·620	·287	28
29		·065					·045	·084	2·451	·199	·015		29
30			·015		·091		·068	·080	1·340				30
31			·091				·337	·091				·022	31
Total	4·217	2·612	5·034	·042	·857	3·244	1·615	7·645	3·87	3·69	2·223 2·223	5·855	YEAR'S TOTAL ~~40·904~~ 40·904
Rain Days.*	~~16~~ 18	~~16~~ 19	~~21~~ 22	1	~~8~~ 9	13 14	~~11~~ 12	28 29	3	12	~~11~~ 10	20 22	~~15~~6

SNOW *

W. 7,500, XI. ·12 * = ·01 & over.

170

x This is always done here.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

12 FEB 1914

Kept at Ryde, I. O. W. ~~W~~ Cor for WD

in the County of Hampshire

by George Nicholson.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Ryde Esplanade.
Diameter of Rain Gauge 12 in.
Height of top of Gauge above Ground 9 ft. 7 in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the + previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·0383	·30640	·383	·05362		·01532			·37534		·39832	·01532	1
2		·12256					·0383			·06123	·06894	·02298	2
3	·12256		·06894	·04596	·20682					·21448		·2298	3
4	·383		·20682		·2681		·22957		·81196	·0766			4
5	·32172	·06745	·05745			·23746			·82728	·02064	·42896	·0766	5
6	·02298	·1149	·06894		·0766		·02298			·33470	·12256	·3064	6
7		·55152	·06617		·13022	·17618	·25278			·49024	·16852	·00766	7
8		·13788			·1149	·06128				·06128	~~·00383~~	·0383	8
9		·01149				·01532	·33704		·06128		·00383		9
10	·06128			·02298		·01532	·01532				·6894		10
11	·766			·22980	·02298					·33704	·58216		11
12	·00766				·383						·58992		12
13	·12256								·09192		·19916		13
14	·42896		·36768				·01532		·06128				14
15	·2298	·12256	·26044	1·05708			·14937	·01532					15
16	·0766		·67408	·19916		·08809							16
17	·05362			·08809			·02681		·05362		·05362		17
18			·4596	·13022							·10724		18
19	·4979								·22214				19
20	·46726		·20682	·16086						·66642	·02298		20
21			·10724	·10724						·4213	·58216		21
22	·26044		·26044					·19916	·30640	·00766		·0383	22
23			·00383			·01532		·04596			·02296	·94984	23
24	·12256			·04596		+		·01532					24
25		·01532		·28342						·03067	·00766		25
26				·0383				·10724		·41364		·20682	26
27			·24512	·08809						·00766			27
28	·16469			·1915						·22214			28
29	·21448		·04596	·87324	·94984					·12256		·03064	29
30	1·10304							·02298		·19916			30
31	·01532							1·13368		·1915			31
Total	5·48073 5.48	1·45008 1.45	3·50253 3.50	3·61552 3·62	2·15246 2·15	·62429 ·62	1·08749 1·09	1·53966 1·54	2·81122 2·81	3·87892 3·88	4·04869 4·05	1·92266 1·92	YEAR'S TOTAL 32·11395. 32·11
Rain Days.	21	9	~~16~~ 15	16	8	8	9	7	9	18	~~16~~ 15	11	14~~8~~ 6

W. 7,500, XI. 12 148 Days is counting less than ·01. My printed report is a little less.

Slip made 2/3/15

re correct [illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - JAN 1915

Kept at 13 Pier St, Ryde, I. W.

in the County of Hampshire 1, E4 RA

by George Nicholson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ryde Esplanade

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground 9 ft. in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·026			·015	·229			·068	·076	1
2							·007	·076			·022	·076	2
3			·015	·034	·375			·015				·011	3
4				·337			·252	·114			·436	·628	4
5	·130	·191	·076	·195	·007						·015		5
6		·643	·015	·114	·002	·015	·118	·030				·888	6
7	·022	·551	·229	·145								·451	7
8	·045		·643	·019				·137				·122	8
9	·007	·398	·934	·134			·229		·015			1·884	9
10	·038	·574		·076	·229		·130		·268		·007		10
11		·222	·965		·022	·022			·114		·015	·612	11
12		·949	·237				·084		·467	·068		·658	12
13		·275	·137				·137		·168	·047	·038	·842	13
14		·030	·252			·628	·080	·444		1·096	·459	·245	14
15			·367					·474		·007	·819	·007	15
16		·766							·390				16
17		·022	·076						·130			·566	17
18		·137	·482									·352	18
19		·490	·666			·038	·811				·061	·130	19
20		·651	·352									·229	20
21		·068	·015			·030				·229		·007	21
22			·011		·053	·199	·061	·007		·160			22
23			·291							·045			23
24			·007							·019	·160		24
25	·022		·260					·360		·428	·022	·260	25
26	·061		·045					·030		·076	·130	·605	26
27			·007				·022				·241	·478	27
28	·275	·045	·065		·333					·903	·597	·497	28
29	·030		·091	·022	·061					·260	·275	·007	29
30	·015		·061	·011						·160	1·040	·643	30
31					·030		·045			·076		·084	31
Total	·645	6·012	6·299	1·113	1·112	·932	1·991	1·916	1·552	3·573	4·405	10·358	YEAR'S TOTAL 39·908
Rain Days.	~~9~~ 10	16	~~23~~ 25	11	~~7~~ 8	6	~~12~~ 13	~~10~~ 11	7	~~13~~ 14	~~16~~ 17	~~22~~ 25	~~152~~ 163

W. 8,000. X. 14. days of Rain Counting ·01 and over make slip

Ent RR

680

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 - JAN 1916

Kept at 13 Pier St, Ryde.

in the County of Hampshire 1

by George Nicholson

Lat. ...... Long. ......
Time of Observation 9 a.m
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 9 ft. 7 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·735	·26						·122	·41	·107	·015	·306	1
2	·36	·306	·206	·015	·015	·019		·038	·015	·038		·314	2
3	·766		·107	·084				·107				·605	3
4	·053		·003	·03	·019							·85	4
5	·007	·375		·007			·451	·072				·551	5
6	·849	·222		·72			·049	·072				·13	6
7	·229	·574		·022			·187					·183	7
8	·011	·949						·076			·045	·03	8
9		·107		·003		·072		·095			·405	·857	9
10	·245	·137	·011									·298	10
11	·038		·053		·505						1·11	·015	11
12	·068	·245		·137	1·44						·594		12
13		·566							·107		·022		13
14	·061				·068		·015	·015	·044			1·455	14
15	·057				·459		·022	·566			·038	·451	15
16		1·279			·597		1·394	·099				·061	16
17		·333			·03							·022	17
18		·153			·068						·034		18
19		·019			·011		·045						19
20	·298			·03								·072	20
21	·045									·03		·13	21
22	·712	·436	·114				·903			·421		·352	22
23		·022	·03				·007		·574	·256		·85	23
24									·812	·444		·612	24
25							·011					·264	25
26	·007	·061				·164	·291					·796	26
27										·582		·007	27
28		·022				·237	·068		·428	·091	·022		28
29	·26					·344		·038		·015	·559	·011	29
30						·003				·459	·811	·053	30
31	~~4·801~~							·268		·873		·413	31
Total	4·801	6·066	·524	1·048	3·212	·839	3·443	1·568	2·39	3·316	3·655	9·688	YEAR'S TOTAL 40·55
Rain Days.	~~16~~	18	6	~~7~~ 8	10	5	~~11~~ 12	12	7	11	11	~~25~~ 26	~~139~~ 144

W. 8,000. 1.15.

·01 + over only counted as rain days.

Exd FW

671

FORM A.
BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 13 Pier St, Ryde

in the County of Hampshire

by George Nicholson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 9 ft. 7 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·137	·053	·030		·038	·007			·091	·153	·321		1
2	·275	·107	·061		·137		·007			·149	·030		2
3	·030	·635	·026				·030			·834	·643		3
4	·237	·130				·513			·543	·003	·551		4
5	·026	·153			·091	·030				·068	·965		5
6	·007	·114		·007	·053	·061	·413			·176	·666		6
7	·003		SNOW+RAIN ·405		·007	·015					1·149	·045	7
8					·367						·053	·505	8
9					·153							·153	9
10		·635	·011	·022	·003		·076					·214	10
11	·011	·030		·122		·083	·007					·084	11
12	·007	·103	·007	·022	·015		·137			·030			12
13		·237	·015		·003								13
14		1·011								·045			14
15		·421	·157										15
16	·076		·199	·149			·045	·137					16
17	·268	·298		·053				·045	·367	·980	·053		17
18	·264	·022	·045	·022				·038	·045	·042	·352	·214	18
19	·007		·080						·007		·459	·019	19
20	·164	·022	·750	·003							·015	·720	20
21	·011		·260									·291	21
22						·045				·068		·536	22
23	·019	·022	·007			·245		·030		·114	·183	·007	23
24					·137	·011		·003		·283	·337	·245	24
25		·413	·038					·076	·168	·091	·038		25
26	·068	·183				·099		·030	·022	·574		·099	26
27		·107	·459			·022			·114	·658			27
28		·428	·007					·183	·199	·520		·306	28
29		·451	·026			·574		·520	·137	·275		·444	29
30		X			·068			·084	·045	·375		·007	30
31		X		X		X		·045	X	·084	X	·003	31
Total	1·610	5·575	2·583	·400	1·072	1·705	·715	1·191	1·738	5·572	5·815	3·892	YEAR'S TOTAL 31·868
x Rain Days.	~~13~~ 16	21	~~15~~ 18	~~6~~ 7	9 10	~~11~~ 12	~~5~~ 7	10	~~10~~ 11	19	15	~~14~~ 16	~~148~~ 162

W. 8,000, VIII. 16

x ·01 or more

644

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
7. JAN 1918

Kept at 13 Pier St, Ryde, I.W.

in the County of Hampshire

by George Nicholson.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 9 ft. 7 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·291		·011		1·417	·022		·030		1
2			·275	·122				·003		·007	·026		2
3		SNOW ·045		SNOW ·612			·164	·114		·038	·038		3
4			·222	·007			·003	·061		·237			4
5	·210		·026	·168		·045			·122	·444	·164		5
6			·107	·007						·084	·084		6
7	·459						·352			·306		·091	7
8	·118			·045			·176	·061	·007	·394	·229	·260	8
9			SNOW ·183		·214		·030			·153	·022	·007	9
10	·114		·114	SNOW ·222	·007	·(224)		·091		·007			10
11	·076		·306	·214						·413			11
12	·011		·076					·045		·383			12
13			·214					·030	·012	·099			13
14			·007	·061				·068		·007			14
15				·030	·030		·003			·268		·245	15
16		·080		·214	·153					1·355		·268	16
17				·007	·030		·306	·153	·605	·107			17
18					·022		·107		·337	·015			18
19		·191							·925				19
20		·061	·229		·459	·015							20
21			·091		·007	·030	·030						21
22			·038					·068		·268			22
23								·145				·022	23
24		·130				·061	·168			·107			24
25		·137					·007			·091			25
26			·007		·022			·352	·122		·275		26
27					·605	·091		2·317					27
28			·022		·007	1·992		·099					28
29						·003		·003		·689		·038	29
30		✕	·321				·490	·237		·003			30
31		✕		✕		✕	·091	·084	✕	·176	✕	~~31~~	31
Total	·988	·644	2·238	2·	1·556	2·272	1·927	5·348	1·652	5·651	·868	·931	YEAR'S TOTAL 26·075
Rain Days.	6	6	~~14~~ 16	~~10~~ 13	8 11	8	10 11	16	7 8	19 22	8	6 7	~~118~~ 132

W. 8,000, IX. 17. Readings TAKEN at 9·A.M. & 10 a.m. during operation of Daylight Savings Act, i.e to MAKE IT REAL 9 A·M TIME THROUGH OUT THE YEAR.

10

FORM A.
BRITISH RAINFALL.

9 . 1 . 18

REGISTER OF RAINFALL IN 1918

Kept at 13 Pier St. Ryde, I. W
in the County of Hampshire
by George Nicholson.

L Long.
Time of Observation 9 a.m.
Nearest Railway Station Ryde Esplanade.
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 9 ft. 7 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·65			·22	·06	1
2		·01		·14				·19			·16	·23	2
3		·02		·16	·21			·10			·3		3
4		·14	·1					·01	·08		1·17	·03	4
5		·08			·17			·35		·36			5
6	·19	·11		·22	·04			·08	·02	·01		·07	6
7		·19			·44				·14	·04	·21		7
8		·01							·05	·09		·01	8
9				·06		·06	·52		·77	·21		·68	9
10							·14		·19		·03	·45	10
11							·29		·05	·21	·01	·07	11
12		·14			·28				·03			·06	12
SNOW. 13	·17	·03					·26		·21			·06	13
14	·45					·06	·02		·63	·18		·08	14
15	1·62					·06	·02					·22	15
16	·27			·1		·03			·69				16
17	·09		·02	·06			·29			·05		·42	17
18	·61					·5	·09		·99			·06	18
19	·01		·09										19
20		·22		·5			·03		·18	·04			20
21	·15								·38	·15			21
22	·2				·28		·65		·22			·25	22
23	·09						·06		·05			·03	23
24		·3		·04			·06		·20		·08		24
25				·36				·19					25
26							·4	·06	·03	·03		·38	26
27		·08	·03						·57		·15		27
28			·27								·04		28
29			·02						·84				29
30		×	·41								·05	·03	30
31		×		×		×			×	·11	×		31
Total	3·85	1·33	·94	1·64	1·42	·71	2·83	1·63	6·32	1·48	2·42	3·19	YEAR'S TOTAL 27·76
Rain Days.	11	12	7	9	6	5	13	8	20	12	11	18	132

W, 6,500, VII. 18. w w c

During official "Summertime" readings were taken at 10 a.m. which is 9 a.m. Greenwich. 596

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at 13 Pier St, Ryde, I.W.

in the County of Hampshire

by George Nicholson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ryde Esplanade

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 10 ft. 8 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·582									·107		·988	1
2	·214		·007		·061		·122		·168			·038	2
3	·685		·612		·045		·099		·003			·199	3
4	·195	·061	·49			·022	·015	·030	·011		·122	·053	4
5		·367	·743				·068		·582		·145	·16	5
6	·183		·199		·084						·003	·13	6
7	·095		·773				·007						7
8	·321												8
9	·321		·245	·03	·015						·321		9
10	1·516		·26	·019								·268	10
11	·612		·022	·283	·076		·015					·026	11
12	·042				·003		·061			·045	·076		12
13	·022		·022	·811			·007		·015			·045	13
14	·65			·099			·03					·061	14
15	·421	·183										·972	15
16	·091	·459									·124		16
17		·222									·038	·042	17
18		·03	·16					·068			·168	·007	18
19	·306	·298	·811			·122	·137	·122	·007		·088	·003	19
20	·505	·038	·083			·965		·206			·003		20
21	·038	·712					·011		·011		·003	·015	21
22									·551			·084	22
23										~~·045~~	·045	·011	23
24	·015					·045				·291	·091	·095	24
25	·022			·045		·007		·306			·022	·114	25
26	·199	·061	·053					·033			·413	·796	26
27	·053			·383			·168	·52			·015	·068	27
28			·398					·536			·428	·493	28
29								·275		·049	·007	·107	29
30		✕		·191		·053		·444			·628	1·003	30
31		✕	·011	✕		✕			✕		✕	·122	31
TOTAL	~~7·088~~ 7·09	~~2·431~~ 2·43	~~4·889~~ 4·89	1·861	·284	1·214	·74	2·54	~~1·348~~ 1·35	~~·537~~ ·54	2·74 ~~2·93~~ 2·74	5·90 ~~5·89~~ 5·98	YEAR'S TOTAL ~~31·55~~ 31·57
Days with ·01 in. or more	22	10	~~17~~ 16	8	5	~~5~~ 6	~~10~~ 12	10	~~6~~ 7	5	15 16	23 24	~~134~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Rain taken at 9 a.m. placed to previous day.

V41

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 13 Pier St, Ryde, I.W.
in the County of Hampshire
by George Nicholson, Pharmacist

Lat. .... Long. ....
Time of Observation 9 a.m. (10 a.m. Summer time
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 10 ft. 8 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·057		·007	·122	·122		·153		·015	·344	·153	·383	1
2	·084		·045	·076	·084		·03	·134	·122	·061		·26	2
3	·015						·275		·007	·206		·022	3
4		·122					·528	·321		·183			4
5			·13	·015			·689	·03		·459			5
6			·137		·291		·306					·011	6
7	·099			·114	·107		·459						7
8	·015	·015		·022	·03		·394						8
9	·589	·038	·015		·022	·045							9
10	1·232	·229	·122	·053		·095	·367						10
11	·502		·072	·421	·034	·107	·474					(SNOW)	11
12	·114	·229		·137		·804						·0764	12
13	·344	·015	·291	·03							·034		13
14	·03	·011	·52	·329					·176	·275	·888		14
15	·049	·011	·015	·137	·038				·704	·689	·13		15
16			·011	·053		·007			·275	·015			16
17	·003			·015	·214		·007		·528				17
18	·114			·019	·053	·084		·552	·061			·022	18
19	·038			·233		·068			·03				19
20	·076	·053		·107		(·85)						·061	20
21							1·103		·045			·275	21
22	·030			·252				·045	·114			·26	22
23							·367	·053				·501	23
24	·038		·183		·071						·003	·176	24
25		·007	·030		·053		·352						25
26	·038		·225	·038			·118				·015	·107	26
×007 27	·681	·011	×·007	·053		·053	·011					·222	27
28	·398		·015	·053	·007		·114				·099	·061	28
29	1·164		·061	·042	·034		·003				·134	·337	29
30	·091	×				·068	·107		·183		·367	·428	30
31	·038	×	·137	×		×			×	·566	×	·405	31
TOTAL	5·839	·741	~~2·066~~ 2·023	2·321	1·100	~~1·331~~ 2·181	5·857	1·135	2·260	2·798	1·823	3·607	YEAR'S TOTAL ~~30·87~~ 31·085
Days with ·01 in. or more	23	10	16	21	13	~~8~~ 9	17	6	11	9	8	17	~~159~~ 160
Days with ·04 in. or more	15	4	11	15	7	~~8~~ 9	15	5	9	8	6	14	~~117~~ 118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

amend
entered
(.85)
June 20

Physician's
Prescriptions
Accurately
Dispensed.

G. NICHOLSON, M.Ph.S.
DISPENSING CHEMIST,
By Exam., Lond.

KODAK
DEPOT.
Developing.
Printing.
Enlarging.

PHONE: 141.

13, *PIER STREET,*
RYDE, I.W.

18 MAR 1921

March 16th 1921.

Dear Sir,

I am entirely at a loss to account for my omission of rainfall on June 20th as I must have done if other observers in Ryde recorded a heavy fall for that day.

I can only account for it, by the supposition that I was called away whilst copying in the figures.

I am a very busy man especially in the "season", & with half a dozen things requiring my attention at the same time I do not wonder if I omitted to put down the rainfall, though I never remember doing such a thing before. I send you my June chart for inspection.

Will you kindly return it.

And if you will be good to confirm your statement that other observers in Ryde registered ·85 inch on June 20th (i.e reading taken at 10 a.m summertime on the 21st)

I will add same to my June total.

With compliments

Yours Sincerely

George Nicholson

RYDE
BELDOR TOWER
HANTS
1911 - 1918

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

R

Kept at Beldor ... dor
in.
nd 1 ft. — in.
in the County of
Level 30 ft.
by P. Gaw
ne Ryde, Esplanade
ance 1/2 Mile Direction E

IMPORTANT NO ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	—	0.01	0.43	0.01	—	—	0.03	—	—	0.07	0.05	1
2	0.01	—	—	0.06	0.33	—	—	—	—	—	0.21	0.22	2
3	—	—	—	—	0.16	—	—	0.08	0.01	—	0.22	0.10	3
4	—	—	0.03	0.04	—	—	—	—	—	0.02	0.11	0.21	4
5	—	—	—	0.01	—	0.04	—	—	—	0.58	0.02	—	5
6	0.42	—	0.10	—	—	—	—	—	—	0.01	0.02	0.87	6
7	0.03	—	—	—	—	—	—	—	—	0.46	0.88	0.06	7
8	0.01	0.01	0.11	—	—	—	—	—	—	—	0.26	0.60	8
9	0.03	—	—	—	—	—	—	—	—	—	0.06	0.19	9
10	—	0.13	0.19	0.01	0.02	—	—	—	—	—	—	0.66	10
11	0.36	0.01	0.02	—	—	—	—	—	—	—	1.20	—	11
12	—	—	0.99	—	—	—	—	—	0.01	—	0.22	0.11	12
13	—	—	—	—	0.13	—	—	—	0.35	0.03	—	0.45	13
14	—	0.03	—	—	0.02	—	—	—	—	—	—	0.41	14
15	—	0.01	0.01	—	—	—	—	—	—	—	0.12	0.01	15
16	—	—	—	—	—	0.46	—	—	—	—	0.89	0.23	16
17	—	—	—	—	—	0.02	—	—	—	—	0.60	0.27	17
18	—	0.09	0.05	0.02	—	0.08	—	—	—	0.03	0.30	0.59	18
19	—	0.04	—	—	—	0.08	—	—	0.72	0.20	0.01	0.23	19
20	0.02	0.01	0.07	—	—	—	—	0.10	0.19	0.01	—	0.85	20
21	0.01	0.12	0.03	—	—	—	—	0.01	0.01	0.54	—	0.32	21
22	0.13	0.01	0.01	—	—	0.28	—	0.28	—	0.35	—	0.45	22
23	—	0.08	0.01	—	—	0.35	—	—	0.12	0.39	0.02	0.26	23
24	0.01	0.10	—	—	—	0.12	0.01	0.04	—	1.58	—	0.49	24
25	—	0.02	0.02	0.07	0.61	0.03	0.76	—	0.06	0.06	—	0.01	25
26	—	—	—	0.30	0.03	0.04	—	—	—	0.24	—	0.41	26
27	—	0.30	0.08	0.02	—	—	0.19	—	0.04	0.40	0.07	0.15	27
28	—	0.22	—	0.34	—	—	—	0.19	—	—	—	0.01	28
29	—		—	0.10	—	0.16	0.08	0.01	0.16	0.20	0.01	—	29
30	—		—	—	0.05	0.02	—	—	—	0.36	—	0.01	30
31	—		—		—		0.02	—		—		—	31
Total	1.05	1.18	1.73	1.40 1 40	1.36	1.68	1.06	0.74	1.67	5.46	5.29	8.22	TOTAL for year 30.84
No. of Rain Days.	11	15	15	11	9	12	5	8	10	17	19	27	159

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Beldornie Tower, Ryde I.o.W.
in the County of Hants
by P. Craven Hall

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 30 ft.

Time of Observation 9 a.m.
Nearest Railway Station { Name Ryde, Esplanade
Distance ½ Mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	0.01	0.43	0.01	—	—	0.03	—	—	0.07	0.05	1
2	0.01	—	—	0.06	0.33	—	—	—	—	—	0.21	0.22	2
3	—	—	—	—	0.16	—	—	0.08	0.01	—	0.22	0.10	3
4	—	—	0.03	0.04	—	—	—	—	—	0.02	0.11	0.21	4
5	—	—	—	0.01	—	0.04	—	—	—	0.58	0.02	—	5
6	0.42	—	0.10	—	—	—	—	—	—	0.01	0.02	0.87	6
7	0.03	—	—	—	—	—	—	—	—	0.46	0.88	0.06	7
8	0.01	0.01	0.11	—	—	—	—	—	—	—	0.26	0.60	8
9	0.03	—	—	—	—	—	—	—	—	—	0.06	0.19	9
10	—	0.13	0.19	0.01	0.02	—	—	—	—	—	—	0.66	10
11	0.36	0.01	0.02	—	—	—	—	—	—	—	1.20	—	11
12	—	—	0.99	—	—	—	—	—	0.01	—	0.22	0.11	12
13	—	—	—	—	0.13	—	—	—	0.35	0.03	—	0.45	13
14	—	0.03	—	—	0.02	—	—	—	—	—	—	0.41	14
15	—	0.01	0.01	—	—	—	—	—	—	—	0.12	0.01	15
16	—	—	—	—	—	0.46	—	—	—	—	0.89	0.23	16
17	—	—	—	—	—	0.02	—	—	—	—	0.60	0.27	17
18	—	0.09	0.05	0.02	—	0.08	—	—	—	0.03	0.30	0.59	18
19	—	0.04	—	—	—	0.08	—	—	0.72	0.20	0.01	0.23	19
20	0.02	0.01	0.07	—	—	—	—	0.10	0.19	0.01	—	0.85	20
21	0.01	0.12	0.03	—	—	—	—	0.01	0.01	0.54	—	0.32	21
22	0.13	0.01	0.01	—	—	0.28	—	0.28	—	0.35	—	0.45	22
23	—	0.08	0.01	—	—	0.35	—	—	0.12	0.39	0.02	0.26	23
24	0.01	0.10	—	—	—	0.12	0.01	0.04	—	1.58	—	0.49	24
25	—	0.02	0.02	0.07	0.61	0.03	0.76	—	0.06	0.06	—	0.01	25
26	—	—	—	0.30	0.03	0.04	—	—	—	0.24	—	0.41	26
27	—	0.30	0.08	0.02	—	—	0.19	—	0.04	0.40	0.07	0.15	27
28	—	0.22	—	0.34	—	—	—	0.19	—	—	—	0.01	28
29	—		—	0.10	—	0.16	0.08	0.01	0.16	0.20	0.01	—	29
30	—		—	—	0.05	0.02	—	—	—	0.36	—	0.01	30
31	—		—		—		0.02	—		—		—	31
Total	1.05	1.18	1.73	1.40 1.40	1.36	1.68	1.06	0.74	1.67	5.46	5.29	8.22	TOTAL for year 30.84
No. of Rain Days.	11	15	15	11	9	12	5	8	10	17	19	27	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

1 JAN 1913

Kept at Beldornie Tower, Ryde

in the County of Hants

by P. Craven Hall

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Ryde (Esplanade)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	0.17	—	—	0.13	0.07	0.01	0.01	0.71	—	0.30	1
2	—	—	0.35	—	—	—	0.23	—	—	—	—	—	2
3	—	—	0.03	—	—	0.21	0.04	0.50	0.01	—	0.02	0.01	3
4	0.10	0.06	0.60	—	—	0.22	—	0.13	—	—	0.19	—	4
5	0.31	0.05	0.13	—	—	—	—	0.33	—	—	0.01	0.06	5
6	0.45	0.02	—	—	0.12	0.02	—	1.10	—	—	—	0.29	6
7	0.01	0.02	0.15	—	0.21	0.88	—	0.04	—	—	—	0.09	7
8	0.41	0.29	0.30	—	—	0.03	—	0.07	—	—	—	—	8
9	0.02	0.20	0.11	0.04	—	0.05	0.04	0.10	—	—	—	0.16	9
10	—	0.06	0.01	—	—	—	—	0.09	—	—	0.01	0.29	10
11	0.09	0.20	—	—	—	0.21	—	0.13	—	—	—	0.27	11
12	0.02	0.05	0.09	—	0.22	0.49	0.11	0.31	—	—	—	—	12
13	—	0.04	0.01	—	—	—	0.05	0.04	—	—	—	0.03	13
14	0.04	—	0.01	—	0.03	—	—	0.27	—	0.01	—	0.01	14
15	0.02	0.08	0.10	—	0.04	0.47	—	0.03	—	—	—	0.16	15
16	0.27	0.01	0.30	—	0.04	—	—	0.16	—	0.07	0.08	—	16
17	1.00	—	0.29	—	0.03	0.08	—	0.29	—	—	—	0.10	17
18	0.08	0.01	0.20	—	—	—	—	0.23	—	—	0.01	0.09	18
19	0.05	0.02	0.15	—	—	0.02	0.04	0.37	—	—	—	0.01	19
20	—	0.01	0.34	—	—	—	—	0.08	—	0.44	0.01	—	20
21	—	0.12	0.11	—	0.10	—	—	0.07	—	0.06	—	—	21
22	0.15	0.45	0.02	—	—	—	—	0.27	—	—	—	0.02	22
23	0.50	0.10	0.26	—	—	—	—	0.43	—	0.09	0.17	0.06	23
24	0.08	0.05	0.01	—	—	—	—	0.15	—	—	—	0.21	24
25	0.15	—	—	—	—	0.38	—	0.57	—	0.07	0.16	0.59	25
26	—	0.03	—	—	—	—	0.30	0.08	—	0.40	0.35	0.16	26
27	—	—	—	—	—	0.08	0.33	—	—	0.18	0.01	0.46	27
28	—	0.06	—	—	—	0.04	0.26	0.22	0.06	0.70	0.51	0.17	28
29	—	0.09	—	—	—	—	0.05	0.12	1.58	0.20	0.02	—	29
30	—		0.02	—	0.08	—	0.07	0.11	1.16	0.23	—	—	30
31	—		0.12		—		0.24	0.08		—		0.01	31
Total	3.75	2.02	3.88	0.04	0.87	3.31	1.83	6.38	2.82	3.16	1.55	3.55	YEAR'S TOTAL 33.16
Rain Days.	18	22	24	1	9	15	13	29	5	12	13	22	183

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

6 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Beldornie Tower, Ryde
in the County of Hants
by P. Craven Hale

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ryde Esplanade
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04	0.30	0.25	0.05	—	0.02	—	—	0.41	—	0.27	—	1
2	—	0.08	0.01	—	—	—	0.04	—	0.01	0.07	0.05	0.02	2
3	0.07	0.01	0.03	0.08	0.13	—	—	—	—	0.32	—	0.13	3
4	0.30	—	0.05	0.01	0.21	—	0.24	—	0.78	0.09	0.11	—	4
5	0.28	0.11	0.04	—	—	0.19	—	—	0.73	0.03	0.31	0.08	5
6	0.04	0.05	0.04	—	0.09	0.09	0.15	—	0.01	0.60	0.14	0.51	6
7	—	0.26	0.09	—	0.20	0.03	0.13	—	—	0.57	0.15	0.01	7
8	—	0.09	—	—	0.25	0.01	—	—	—	0.10	—	0.01	8
9	—	0.02	—	—	0.01	—	0.27	0.03	0.06	—	0.02	—	9
10	0.06	—	—	0.04	—	—	0.04	—	—	0.02	0.52	—	10
11	0.90	—	—	0.19	0.05	—	—	—	—	0.28	0.45	—	11
12	0.01	—	—	—	0.43	—	—	—	0.01	—	0.59	—	12
13	0.19	—	0.04	—	—	0.01	—	0.01	0.06	—	0.12	—	13
14	0.31	—	0.12	0.01	—	—	0.02	0.02	0.10	0.01	0.02	—	14
15	0.20	0.16	0.15	0.51	—	—	0.17	—	0.02	—	—	—	15
16	0.09	0.01	0.37	0.14	—	0.12	0.01	—	0.15	—	—	—	16
17	0.07	0.01	0.01	0.09	—	—	0.03	—	—	—	0.03	—	17
18	—	—	0.17	0.07	—	—	0.01	—	—	—	0.03	—	18
19	0.34	—	0.01	—	0.01	0.02	0.01	—	0.21	—	—	—	19
20	0.39	—	0.10	0.13	—	—	—	—	—	0.57	0.01	—	20
21	—	—	0.10	0.13	—	—	—	—	—	0.40	0.52	—	21
22	0.23	—	0.25	—	—	—	—	0.16	0.29	0.02	—	0.04	22
23	0.01	—	0.05	—	—	0.04	—	0.05	—	—	0.03	0.89	23
24	0.03	—	—	0.05	—	—	—	0.04	—	—	0.01	0.01	24
25	—	0.03	—	0.23	—	—	—	—	—	—	0.01	—	25
26	—	0.01	—	0.06	—	—	—	0.13	—	0.41	—	0.14	26
27	—	—	0.30	0.10	—	—	—	0.01	—	0.02	—	0.01	27
28	0.19	—	0.01	0.12	—	—	—	—	—	0.20	—	—	28
29	0.21		0.12	0.71	0.82	—	—	0.01	—	0.11	—	0.03	29
30	0.49		—	0.01	—	—	—	0.05	—	0.19	—	—	30
31	0.02		0.01		—		—	1.10		0.18		—	31
Total	4.47	1.14	2.32	2.73	2.20	0.53	1.12	1.61	2.84	4.17	3.89	1.88	YEAR'S TOTAL 28.40
Rain Days.	22	13	22	19	10	9	12	11	13	19	19	12	181

W. 7,500, XI. 12

Ex h.9.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
5 - JAN 1915

Kept at Beldornie Tower Ryde
in the County of Hants
by P. Craven Hall

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Ryde (Esplanade)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0.03	—	—	—	0.20	—	—	0.13	0.12	1
2	—	—	—	—	—	—	0.05	0.09	—	—	0.12	0.05	2
3	—	—	0.01	0.03	0.26	—	0.01	0.01	—	—	0.01	0.02	3
4	—	—	—	0.26	0.01	—	0.02	0.13	—	—	0.50	0.36	4
5	0.10	—	0.05	0.09	—	—	0.28	0.01	—	—	0.03	0.01	5
6	—	0.19	0.01	0.09	0.02	0.01	0.01	0.01	—	—	—	0.46	6
7	0.03	0.45	0.12	0.10	—	0.01	0.12	—	—	—	—	0.31	7
8	0.02	0.46	0.31	0.03	—	0.02	0.01	0.12	—	—	—	0.14	8
9	0.01	0.01	0.72	0.11	—	—	—	0.01	0.05	—	—	2.10	9
10	0.03	0.30	—	0.08	0.18	—	—	—	0.21	—	—	0.01	10
11	—	0.41	0.68	—	0.03	0.04	0.34	—	0.09	—	0.02	0.60	11
12	—	0.16	0.20	—	—	—	0.04	—	0.36	0.07	—	0.60	12
13	—	0.47	0.12	—	—	—	—	—	0.18	0.07	0.02	0.83	13
14	—	0.16	0.13	—	—	0.55	0.12	0.45	0.01	1.02	0.30	0.23	14
15	—	0.03	0.18	—	—	—	0.18	0.48	—	0.03	0.86	—	15
16	—	—	0.01	—	—	—	0.09	—	0.28	—	0.01	—	16
17	—	0.56	0.08	—	—	—	—	—	0.10	—	—	0.39	17
18	—	0.03	0.41	—	—	—	—	—	—	—	—	0.33	18
19	—	0.11	0.73	—	—	—	1.01	—	—	0.01	0.07	0.11	19
20	—	0.38	0.33	—	—	0.05	—	—	—	—	—	0.22	20
21	—	0.61	0.02	—	—	—	—	—	—	0.14	—	0.01	21
22	—	0.08	0.02	—	0.04	0.03	0.08	0.01	—	0.37	—	—	22
23	—	0.14	0.21	—	—	0.21	0.01	—	—	0.06	—	—	23
24	0.01	—	0.01	—	—	—	—	—	—	0.03	0.15	—	24
25	0.01	—	0.27	—	—	—	0.01	0.29	—	0.35	0.03	0.15	25
26	—	—	0.10	—	—	—	0.02	0.04	—	0.08	0.10	0.50	26
27	0.05	—	0.02	—	—	—	0.03	—	—	—	0.12	0.37	27
28	0.01	0.03	0.03	—	0.25	—	—	—	—	0.93	0.43	0.53	28
29	0.16	×	0.18	0.03	0.07	—	—	—	—	0.33	0.13	0.01	29
30	0.02	×	0.05	0.02	—	—	—	—	—	0.23	0.67	0.50	30
31	0.02	×	—	×	0.04	×	0.08	—	×	0.15	×	0.03	31
Total	0.47	4.56	5.00	0.87	0.90	0.92	2.51	1.85	1.28	3.87	3.70	8.99	YEAR'S TOTAL 34.92 ✓
Rain Days.	12	18	~~27~~ 26	11	9	8	19	13	8	15	18	26	~~184~~ 183

W. 8,000. X. 14.

682

FORM A.
BRITISH RAINFALL

24 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Beldornie Tower, Ryde
in the County of Hants
by P. George Hall

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Ryde (Esplanade)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.58	0.17	—	—	0.01	—	—	0.08	0.33	0.10	0.01	0.28	1
2	0.31	0.19	0.12	0.01	0.01	—	—	0.05	0.05	0.09	—	0.32	2
3	0.62	—	0.08	0.10	0.07	0.02	—	0.10	0.02	0.01	—	0.54	3
4	0.04	—	—	0.03	0.01	—	—	—	—	—	—	0.56	4
5	0.01	0.41	—	0.01	—	—	—	0.12	—	—	—	0.61	5
6	0.65	0.20	—	0.53	—	—	0.47	0.08	—	—	—	0.13	6
7	0.15	0.42	—	0.04	—	—	0.05	0.01	—	—	—	0.16	7
8	0.01	0.69	0.01	—	—	—	0.16	0.08	—	—	0.05	0.06	8
9	—	0.04	—	0.02	—	0.09	—	0.09	—	—	0.30	0.68	9
10	0.14	0.14	0.01	—	—	—	—	—	—	0.02	—	0.29	10
11	0.04	0.01	0.04	—	—	—	—	—	—	—	0.95	0.01	11
12	0.07	0.35	—	0.20	0.46	—	—	0.01	—	0.01	0.52	—	12
13	—	0.40	—	—	1.22	—	—	—	0.11	—	0.04	—	13
14	0.02	0.01	—	—	—	—	0.04	—	0.03	—	—	0.90	14
15	0.03	—	—	—	0.11	—	0.05	0.02	—	—	0.04	0.36	15
16	—	0.90	—	—	0.50	—	1.04	0.37	—	—	—	0.12	16
17	—	0.30	—	—	0.59	—	—	0.09	—	—	—	0.02	17
18	—	0.14	0.01	—	0.10	—	—	0.01	—	—	0.06	—	18
19	—	0.02	—	—	0.09	—	0.05	—	—	—	—	—	19
20	0.19	—	—	0.05	0.02	—	—	—	—	0.03	—	0.05	20
21	0.07	—	—	—	—	—	0.03	—	—	0.36	—	0.08	21
22	0.64	0.40	0.11	0.01	—	—	0.71	—	0.01	0.01	—	0.25	22
23	0.01	0.03	0.09	0.01	—	—	0.03	—	0.54	0.34	—	0.58	23
24	—	—	0.01	—	—	—	0.01	—	0.90	0.62	—	0.37	24
25	—	—	0.01	0.01	—	0.02	0.01	—	—	0.01	—	0.34	25
26	0.03	0.04	—	—	—	0.14	0.22	—	—	—	—	0.79	26
27	—	0.01	—	—	—	0.01	—	—	—	0.45	—	0.01	27
28	—	0.03	—	—	—	0.21	0.08	—	0.54	0.12	0.01	—	28
29	—	X	—	—	—	0.30	—	0.06	—	0.03	0.40	0.02	29
30	0.22	X	—	—	—	0.01	—	—	—	0.55	0.66	0.05	30
31	—	X	—	X	—	X	—	0.23	X	1.05	X	0.38	31
Total	3.83	4.90	0.49	1.02	3.19	0.80	2.95	1.40	2.53	3.80	3.04	7.96	YEAR'S TOTAL 35.91
Rain Days.	19	21	~~11~~ 10	12	12	8	14	15	9	16	11	26	~~174~~ 173

W. 8,000. X. 15.

Ex D.

693

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
23. JAN 1917

Kept at Beldornie Tower, Ryde
in the County of I. o. W.
by F. Craven Gale

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05	0.06	0.09	—	0.03	0.01	—	—	0.12	0.16	0.39	—	1
2	0.12	0.09	0.07	—	0.14	—	0.02	—	0.01	0.26	0.04	—	2
3	0.01	0.49	0.05	—	0.01	—	0.06	—	—	0.70	0.55	—	3
4	0.10	0.14	—	—	0.01	0.30	—	—	0.58	0.01	0.28	—	4
5	0.02	0.04	—	—	0.12	0.03	—	—	0.01	0.03	0.74	—	5
6	—	0.03	0.01	0.02	0.03	0.12	0.39	—	—	0.06	0.42	—	6
7	—	—	0.40	—	0.04	0.01	0.01	—	—	0.01	0.85	0.04	7
8	—	0.01	0.02	—	0.28	—	—	—	—	—	0.04	0.52	8
9	—	—	—	—	0.12	0.02	—	—	—	—	0.01	0.16	9
10	—	0.58	0.01	0.02	0.01	0.13	0.13	—	—	—	0.01	0.21	10
11	0.03	0.03	0.03	0.07	0.01	0.03	0.01	—	—	—	—	0.07	11
12	0.02	0.07	0.02	0.01	0.02	0.01	0.09	—	—	—	—	0.01	12
13	—	0.15	0.01	0.01	—	0.02	0.01	—	—	0.01	—	—	13
14	—	0.63	—	—	0.02	—	—	—	—	0.01	—	—	14
15	—	0.27	0.19	—	—	—	—	—	—	—	—	0.01	15
16	0.09	0.02	0.19	0.12	—	—	0.05	0.21	—	—	—	—	16
17	0.20	0.27	—	0.06	—	—	—	0.06	0.32	0.64	0.18	—	17
18	—	0.02	0.11	0.02	—	—	—	0.06	0.06	0.05	0.29	0.20	18
19	0.09	—	0.11	0.01	—	—	—	—	0.08	—	0.39	0.03	19
20	0.11	0.03	0.70	0.01	—	—	—	—	0.01	—	0.03	1.20	20
21	0.01	0.02	0.29	—	—	—	0.04	—	—	—	—	0.30	21
22	—	—	0.01	—	—	0.06	—	—	—	0.15	—	0.75	22
23	0.01	0.03	0.01	—	—	0.25	—	0.05	—	0.14	0.06	—	23
24	—	0.02	—	—	0.16	0.01	—	0.02	—	0.27	0.12	—	24
25	—	0.45	0.04	—	—	—	—	0.12	0.15	0.11	0.02	0.11	25
26	0.06	0.27	0.01	—	—	0.12	—	0.01	0.08	0.45	—	—	26
27	0.01	0.10	0.83	—	—	0.05	—	0.09	0.14	0.39	—	—	27
28	—	0.48	0.02	—	—	—	—	0.09	0.21	0.36	0.01	0.45	28
29	—	0.41	0.03	—	—	0.40	—	0.90	0.15	0.39	—	0.30	29
30	—	X	—	—	0.09	—	—	0.05	0.01	0.23	—	0.02	30
31	—	X	—	X	—	X	—	0.09	X	0.08	X	0.02	31
Total	0.93	4.71	3.25	0.35	1.09	1.54	0.80	1.45	1.93	4.51	4.43	4.40	YEAR'S TOTAL 29.72
Rain Days.	15	25	23	10	15	16	10	12	14	21	18	17	196

W. 8,000, VIII. 16

646

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
19. JAN 1918

Kept at Beldornie Tower, Ryde
in the County of Hants
by C. Craven Hale

Lat. 50° 46' 35" Long. 1° 5' 15"
Time of Observation 9 a.m.
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.21	0.14	—	0.02	—	1.17	0.02	—	0.03	0.01	1
2	—	—	0.07	0.28	—	—	*—	0.01	—	0.02	0.03	—	2
3	—	—	—	0.16	—	—	0.18	0.15	*—	0.01	0.12	—	3
4	—	0.14	0.32	—	—	*—	0.01	0.08	—	0.15	—	0.02	4
5	0.20	—	0.05	0.13	—	0.11	—	0.01	0.11	0.41	0.06	—	5
6	—	—	0.28	0.01	—	—	—	*—	0.01	0.05	0.06	—	6
7	0.35	—	—	—	*—	—	0.22	—	0.02	0.18	—	0.05	7
8	0.20	—	0.03	0.04	—	—	0.30	0.08	—	0.25	0.15	0.30	8
9	—	—	0.12	*—	0.26	—	*0.02	0.01	0.01	0.14	0.02	0.01	9
10	0.12	—	0.22	0.13	0.01	0.04	—	0.11	*—	0.01	—	—	10
11	0.05	—	0.20	0.16	—	*—	—	—	—	0.29	0.01	—	11
12	—	—	0.06	0.01	0.09	—	—	0.04	—	0.22	—	—	12
13	0.03	—	0.23	—	—	—	—	0.05	0.01	0.14	—	0.01	13
14	—	—	—	0.04	*—	—	—	0.08	—	0.01	—	—	14
15	—	—	—	—	0.05	—	0.01	0.02	—	0.19	—	0.07	15
16	—	0.11	—	*0.02	0.18	—	*—	0.01	—	0.41	—	0.45	16
17	—	0.01	—	0.17	0.01	—	0.26	0.15	0.46	0.11	—	0.01	17
18	—	0.01	—	—	—	*0.02	0.05	—	0.27	0.02	—	—	18
19	—	0.16	0.02	—	—	0.01	—	—	0.21	—	—	—	19
20	—	0.06	0.31	—	0.55	0.12	—	*—	—	—	—	—	20
21	0.02	0.01	0.03	—	*0.01	0.02	0.06	—	—	0.01	0.01	—	21
22	0.03	—	0.02	—	0.07 ~~0.08~~	0.01	—	0.09	—	0.19	—	—	22
23	—	0.22	—	*—	0.08 ~~—~~	—	*—	0.21	—	0.02	—	0.03	23
24	—	0.16	—	—	—	0.08	0.19	0.01	—	0.13	0.03	—	24
25	—	0.13	0.01	—	— ~~0.05~~	*—	0.02	—	—	0.02	—	—	25
26	—	—	0.03	—	0.05 ~~0.06~~	0.01	—	0.34	0.10	0.01	0.17	—	26
27	—	—	0.01	—	0.56 ~~—~~	0.08	—	1.65	—	—	—	—	27
28	—	—	0.02	—	~~*0.01~~	1.40	—	0.07	—	—	—	—	28
29	—	╳	0.01	—	0.01 ~~—~~	0.01	0.20	0.01	—	0.48	—	0.05	29
30	—	╳	0.27	*—	—	—	*0.55	0.21	—	0.02	—	0.01	30
31	—	╳	0.11	╳	—	╳	0.15	0.05	╳	0.20	╳	—	31
Total	1.00	1.01	2.63	1.29	1.87	2.23	2.22	4.61	1.22	3.99	0.69	1.02	YEAR'S TOTAL 23.78
Rain Days.	8	10	22	12	13	13	14	23	10	26	11	12	174

W. 8,000, IX. 17. *Taken at 9. am Summer Time (= 10 am GT) 2.23

exd @ 72

11

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Beldornie Tower Ryde
in the County of Isle of Wight
by P. Craven Hall.

Lat. 50' 46" 35" N Long. 1' 5" 15" W
Time of Observation 9 a.m
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.03	—	—	0.01	—	—	0.61	—	—	0.36	0.09	1
2	—	0.04	—	0.16	—	—	—	0.22	—	0.01	0.35	0.15	2
3	—	0.05	0.01	0.22	0.25	—	—	0.06	—	0.01	0.16	0.01	3
4	—	0.12	0.15	0.01	0.01	—	—	0.03	0.11	—	0.76	0.04	4
5	—	0.08	0.04	—	0.18	—	—	0.21	0.03	0.26	—	0.02	5
6	0.16	0.06	—	0.19	0.01	—	—	0.21	0.04	0.02	—	0.05	6
7	—	0.15	—	0.14	0.54	—	—	0.02	0.19	0.06	0.18	0.02	7
8	—	0.03	—	0.01	—	—	0.03	—	0.08	0.10	0.06	0.03	8
9	—	—	—	0.32	—	0.10	0.35	—	0.54	0.22	—	0.58	9
10	—	—	—	0.08	—	0.02	0.16	—	0.19	0.02	0.01	0.42	10
11	—	—	—	—	—	—	0.16	—	0.08	0.23	0.03	0.07	11
12	—	0.11	—	—	0.28	—	0.01	—	0.07	—	—	0.08	12
13	0.06	0.03	—	—	0.02	—	0.31	—	0.19	0.01	—	0.04	13
14	0.37	—	0.05	—	0.01	0.07	0.07	—	0.52	0.19	—	0.07	14
15	1.40	—	—	0.11	—	0.10	0.03	—	—	—	—	0.18	15
16	0.37	—	0.01	0.01	—	0.03	0.01	—	0.67	0.02	—	0.01	16
17	0.10	—	—	0.12	—	—	0.32	0.02	0.01	0.07	—	0.29	17
18	0.47	—	0.01	—	—	0.52	0.01	—	0.80	0.01	—	0.09	18
19	0.02	—	0.13	—	—	0.01	0.12	0.01	—	0.02	—	0.03	19
20	0.02	0.14	—	0.44	—	0.02	0.04	—	0.17	0.06	—	—	20
21	0.16	0.01	—	0.01	—	0.01	—	—	0.35	0.16	—	0.15	21
22	0.18	—	—	—	0.32	—	0.33	—	0.18	—	—	0.21	22
23	0.08	0.01	—	—	0.01	—	0.32	0.01 ~~0.23~~	0.08	—	0.01	0.05	23
24	—	0.26	—	0.05	—	0.09	0.01	—	0.14	0.01	0.10	—	24
25	0.01	—	—	0.38	—	—	—	0.23	—	0.03	—	—	25
26	—	—	—	—	—	—	0.38	—	0.03	0.04	0.05	0.25	26
27	—	0.11	0.05	—	—	—	0.03	0.07	0.56	0.01	0.17	0.01	27
28	—	—	0.21	0.01	—	0.01	—	—	—	0.01	0.06	—	28
29	—	✕	0.04	0.01	—	—	—	—	0.96	—	0.03	—	29
30	—	✕	0.39	—	—	—	—	—	0.01	0.02	0.05	0.06	30
31	—	✕	0.01	✕	—	✕	—	—	✕	0.12	✕	—	31
Total	3.42	1.23	1.10	2.27	1.64	0.98	2.69	1.70	6.00	1.71	2.38	3.00	YEAR'S TOTAL 28.12
Rain Days.	14	15	12	17	11	17	18	12	23	24	15	25	~~203~~ 197

W. 8,000, IX. 17.

RYDE
ESPLANADE GDNS

1918 – 1920

RE 8

FORM A.
BRITISH RAINFALL
2. 1. 19

Kept at Ry 9 A·M
Ryde Esplanade

in the County of Ha

by Mr F.

ain Gauge 8 in.

bove Ground 1 ft. 3 in.

„ Sea Level — ft.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are give n application to THE DIRECTOR, British , N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05						·28			·34	·07	1
2		·02		·17							·28	·16	2
3		·03	·01	·22	·26			·55			·20	·01	3
4		·12	·13					·03	·10		·85	·04	4
5		·09	·04		·17			·25		·27		·01	5
6	·17	·08		·18				·19	·14	·01		·04	6
7		·14		·17	·53				·15	·08	·14	·01	7
8		·02							·06	·07	·07	·03	8
9				·34		·09	·38		·58	·21	·02	·57	9
10				·07		·01	·14		·20	·01		·40	10
11							·20		·06	·22	·02	·06	11
12		·10			·17				·06			·07	12
13		·03			·09		·33		·15			·05	13
14	·58		·04		·01	·07	·06		·52	·17		·08	14
15	1·44			·10		·10	·02					·16	15
16	·38			·03		·03	·01		·55	·02			16
17	·11		·01	·11			·30	·02				·28	17
18	·43					·53			·84			·09	18
19	·01		·12				·11			·05		·03	19
20	·02	·13		·45		·02	·06		·17				20
21	·18								·34	·20		·14	21
22	·17				·20		·39		·19			·20	22
23	·08						·22		·05			·65	23
24		·24		·03		·08			·13		·10		24
25				·45				·24		·02			25
26							·36		·04	·02	·04	·22	26
27		·10	·04				·03	·06	·54	·02	·14	·03	27
28			·20	·01		·01					·05	·01	28
29			·04						·77			·01	29
30		X	·40							·02	·05	·05	30
31		X		X		X			X	·12	X		31
Total	3·54	1·15	1·03	2·33	1·43	·94	2·61	1·62	5·84	1·51	2·30	2·87	YEAR'S TOTAL 27·23
Rain Days.	11	13	10	13	7	9	14	8	20	16	13	26	160

W. 6,500, VII. 18. W W C

RE 8

FORM A.
BRITISH RAINFALL
2. 1. 19

Kept at Ryde
in the County of Hampshire
by Mr F. B. Goodman

Lat. Long.
Time of Observation 9 A·M
Nearest Railway Station Ryde Esplanade
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05						·28			·34	·07	1
2		·02		·17							28	·16	2
3		·03	·01	·22	·26			·55			·20	·01	3
4		·12	·13					03	·10		·85	·04	4
5		·09	·04		·17			·25		·27		·01	5
6	·17	·08		·18				·19	·14	·01		·04	6
7		·14		·17	·53				·15	·08	·14	·01	7
8		·02							·06	·07	·07	·03	8
9				·34		·09	·38		·58	·21	·02	·57	9
10				·07		·01	·14		·20	·01		·40	10
11							·20		·06	·22	·02	·06	11
12		·10			·17				·06			·07	12
13		·03			·09		·33		·15			·05	13
14	·58		·04		·01	·07	·06		·52	·17		·08	14
15	1·44			·10		·10	·02					·16	15
16	·38			·03		·03	·01		·55	·02			16
17	·11		·01	·11			·30	·02				·28	17
18	·43					·53			·89			·09	18
19	·01		·12				·11			·05		·03	19
20	·02	·13		·45		·02	·06		·17				20
21	·18								·34	·20		·14	21
22	·17				·20		·39		·19			·20	22
23	·08						·22		·05			·65	23
24		·24		·03		·08			·13		·10		24
25				·45				·24		·02			25
26							·36		·04	·02	·04	·22	26
27		·10	·04				·03	·06	·54	·02	·14	·03	27
28			·20	·01		·01					·05	·01	28
29			·04						·97			·01	29
30		X	·40							·02	·05	·05	30
31		X		X		X			X	·12	X		31
Total	3·54	1·15	1·03	2·33	1·43	·94	2·61	1·62	5·87	1·51	2·30	2·87	YEAR'S TOTAL 27·23
Rain Days.	11	13	10	13	7	9	14	8	20	16	13	26	160

W, 6,500, VII. 18. W W C

cordly B + ly mm stats G+R cordly M.O.

597

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Ryde

in the County of Hampshire

by F. B. Goodman

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Ryde Esplanade

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44				·01		·13			·04		·94	1
2	·26		·02		·06		·09		·16		·01	·06	2
3	·62		·72		·04		·01		·01			·22	3
4	·30	·06	·41			·01	·07	·02	·01		·14	·10	4
5		·49	·70						·53		·16	·15	5
6	·23		·12		·08							·18	6
7	·11		·60	·01								·01	7
8	·26		·15										8
9	·34		·08	·02	·02						·39		9
10	1·17		·10	·03								·25	10
11	·47		·05	·24	·06		·01					·02	11
12	·19		·03	·49			·06						12
13	·03		·03	·17			·01			·04			13
14	·40	·03					·03		·02			·75	14
15	·36	·10										1·12	15
16	·10	·68									·17	·01	16
17		·27									·04	·04	17
18		·05	·20					·03	·01		·11		18
19	·17	·31	·78			·11	·21	·13			·12	·01	19
20	·52	·03	·07			·97		·21	·01				20
21	·04	·56					·01					·01	21
22							·17		·49			·08	22
23			·01						·01	·04	·04	·07	23
24		·01				·04				·50	·08	·27	24
25	·02	·01		·07		·01		·27			·03	·16	25
26	·03	·12	·08	·01				·02	·07		·45	·88	26
27	·21			·34				·79			·02	·04	27
28	·07		·51					·59				·55	28
29				·02				·28		·08		·09.	29
30				·19		·04		·58		·01	·54	·75.	30
31	·03		·03									(·22)	31
TOTAL	6·37	2·12	4·69	1·59	·27	~~1·14~~ 1·18	·84 ·80	2·92	1·32	·71	2·30.	6·32	YEAR'S TOTAL 31·19
Days with ·01 in. or more	23	13	19	11	6	6	11	10	10	6	14	25	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

597

FORM A.
BRITISH RAINFALL.

9 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Ryde, Isle of Wight. (M.O.)

in the County of Hampshire.

by The Borough Engineer

Lat. 50° 44' Long. 1° 10' W.

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0.44	-	-	-	0.01	-	0.13	-	-	0.04	-	0.94	1
2	0.26	-	0.02	-	0.06	-	0.09	-	0.16	-	0.01	0.06	2
3	0.62	-	0.72	-	0.04	-	0.01	-	0.01	-	-	0.22	3
4	0.30	0.06	0.41	-	-	0.01	0.07	0.02	0.01	-	0.14	0.10	4
5	-	0.49	0.70	-	-	-	-	-	0.53	-	0.16	0.15	5
6	0.23	-	0.12	-	0.08	-	-	-	-	-	-	0.18	6
7	0.11	-	0.60	0.01	-	-	-	-	-	-	-	0.01	7
8	0.26	-	0.15	-	-	-	-	-	-	-	-	-	8
9	0.34	-	0.08	0.02	0.02	-	-	-	-	-	0.39	-	9
10	1.17	-	0.10	0.03	-	-	-	-	-	-	-	0.25	10
11	0.47	-	0.05	0.24	0.06	-	0.01	-	-	-	-	0.02	11
12	0.19	-	0.03	-	-	-	0.06	-	-	0.04	-	-	12
13	0.03	-	0.03	0.49	-	-	0.01	-	-	-	-	-	13
14	0.40	0.03	-	0.17	-	-	0.03	-	0.02	-	-	0.15	14
15	0.36	0.10	-	-	-	-	-	-	-	-	-	1.12	15
16	0.10	0.68	-	-	-	-	-	-	-	-	0.17	0.01	16
17	-	0.27	-	-	-	-	-	-	-	-	0.04	0.04	17
18	-	0.05	0.20	-	-	-	-	0.03	0.01	-	0.11	-	18
19	0.17	0.31	0.78	-	-	0.11	0.21	0.13	-	-	0.12	0.01	19
20	0.52	0.03	0.07	-	-	0.97	-	0.21	0.01	-	-	-	20
21	0.04	0.56	-	-	-	-	0.01	-	-	-	-	0.01	21
22	-	-	-	-	-	-	0.17	-	0.49	-	-	0.08	22
23	-	-	0.01	-	-	-	-	-	0.01	0.04	0.04	0.01	23
24	-	0.01	-	-	-	0.04	-	-	-	0.50	0.08	0.27	24
25	0.02	0.01	-	0.07	-	0.01	-	0.27	-	-	0.03	0.16	25
26	0.03	0.12	0.08	0.01	-	-	-	0.02	0.07	-	0.45	0.88	26
27	0.21	-	-	0.34	-	-	-	0.79	-	-	0.02	0.04	27
28	0.07	-	0.51	-	-	-	-	0.59	-	-	-	0.55	28
29	-		-	0.02	-	-	-	0.28	-	0.08	0.03	0.09	29
30	-	X	-	0.19	-	0.04	-	0.58	-	0.01	0.54	0.75	30
31	0.03	X	-	X	-	X	-	-	X	-	X	0.22	31
Total	6.37	2.72	4.66	1.59	0.27	1.18	0.80	2.92	1.32	0.71	2.33	6.32	YEAR'S TOTAL 31.19 ✓
Rain Days	23	13	18	11	6	6	11	10	10	6	15	25	154 ✓

Copied from M.O. Form 3203.

W. 6,500, VII. 18. w w c

565

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ryde

in the County of Hampshire

by B J Holness

Lat. 50°-44" Long. 1°-10" W

Time of Observation 9 a.m.

Nearest Railway Station Ryde Esplanade

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·03	·14		·15		·02	·41	·25	·49	1
2	·10		·04	·05	·03			·13	·13	·09		·22	2
3	·02	·15					·25		·01	·26		·04	3
4		·15	·01				·65	·24		·28			4
5			·12	·01			·64	·03		·45			5
6			·13		·28		·35			·03			6
7	·05			·09	·09		·42						7
8	·01	·02		·02	·04		·44						8
9	·44	·04	·01		·01	·06							9
10	1·25	·22	·12	·05		·12	·30						10
11	·30		·08	·44	·03	·11	·48						11
12	·11	·14		·25		·85					·02		12
13	·33	·02	·31	·02							·03	·10	13
14	·02	·04	·49	·40					·13	·30	·68		14
15	·11		·01	·13	·15				·40	·41	·14		15
16		·01	·01	·12					·26	·05	·01		16
17					·15				·60				17
18	·09			·01	·04	·09		·55	·04				18
19	·05			·24					·03			·02	19
20	·08	·04		·11		·84						·05	20
21							1·08		·04			·25	21
22	·02			·24				·06	·15			·31	22
23							·41	·06				·52	23
24			·16								·01	·12	24
25	·04				·03		·33						25
26			·18	·03			·15					·10	26
27	·52			·03		·03	·01				·15		27
28	·49		·02	·02	·01		·09					·06	28
29	·45	·01	·08	·02	·03	·01					·15	·28	29
30	·08	✕				·03	·10		·15		·38	·35	30
31		✕	·16	✕		✕			✕	·60	✕	·31	31
TOTAL	5·18	·42	1·93	2·34	1·06	2·14	5·85	1·10	2·32	3·18	1·82	3·22	YEAR'S TOTAL 30·86
Days with ·01 in. or more	21	10	16	20	13	9	16	6	12	10	10	15	158
Days with ·04 in. or more	14	6	11	11	7	6	15	5	9	9	6	14	116

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 MAR 1921

Kept at Ryde, Isle of Wight (M.O.)
in the County of Hampshire
by The Borough Engineer

Lat. 50° 44' N Long. 1° 10' W
Time of Observation 9 h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	-	-	0·03	0·14	-	0·15	-	0·02	0·41	0·25	0·49	1
2	0·10	-	0·04	0·05	0·03	-	-	0·13	0·13	0·09	-	0·22	2
3	0·02	-	-	-	-	-	0·25	-	0·01	0·26	-	0·04	3
4	-	0·15	0·01	-	-	-	0·65	0·27	-	0·28	-	-	4
5	-	^	0·12	0·01	-	-	0·64	0·03	-	0·45	-	-	5
6	-	-	0·13	-	0·28	-	0·35	.	.	0·03	-	-	6
7	0·05	-	-	0·09	0·09	-	0·42	-	-	-	-	-	7
8	0·01	0·02	-	0·02	0·07	-	0·44	-	-	-	-	-	8
9	0·47	0·04	0·01	-	0·01	0·06	-	-	-	-	-	-	9
10	1·25	0·22	0·12	0·05	-	0·12	0·30	-	-	-	-	-	10
11	0·50	-	0·08	0·44	0·03	0·11	0·48	-	-	-	-	-	11
12	0·11	0·14	-	0·25	-	0·85	-	-	-	-	0·02	-	12
13	0·33	0·02	0·31	0·02	-	-	-	-	-	-	0·03	0·10	13
14	0·02	0·04	0·49	0·40	-	-	-	-	0·13	0·30	0·68	-	14
15	0·11	-	0·01	0·13	0·15	-	-	-	0·70	0·71	0·14	-	15
16	-	0·01	0·01	0·12	-	-	-	-	0·26	0·05	0·01	-	16
17	-	-	-	-	0·15	-	-	-	0·60	-	-	-	17
18	0·09	-	-	0·01	0·04	0·09	.	0·55	0·07	-	-	-	18
19	0·05	-	-	0·24	-	-	-	-	0·03	-	-	0-02	19
20	0·08	0·07	-	0·11	-	0·84	-	-	-	-	-	0·05	20
21	-	-	-	.	-	-	1·08	-	0·07	-	-	0·25	21
22	0·02	-	-	0·27	-	-	-	0·06	0·15	-	-	0·31	22
23	-	-	-	.	-	-	0·41	0·06	-	-	-	0·52	23
24	-	-	0·16	.	-	-	-	-	-	-	0·01	0·12	24
25	0·04	-	-	.	0·03	-	0·33	-	-	-	-	-	25
26	-	-	0·18	·03	-	-	0·15	-	-	-	-	0·10	26
27	0-52	-	-	·03	-	0·03	0·01	-	-	-	0·15	-	27
28	0·49	-	0·02	0·2	0·01	-	0·09	.	-	-	-	0·06	28
29	0·75	0·01	0·08	0·2	0·03	0·01	-	.	-	-	0·15	0·28	29
30	0·08	✕	-	-	.	·03	0·10	.	0·15	-	0·38	0·35	30
31	-	✕	0·16	✕	.	✕	-	.	✕	0·60	✕	0·31	31
TOTAL	5,18	0·72	1·93	2·34	1·06	2·14	5·85	1·10	2·32	3·18	1·82	3·22	YEAR'S TOTAL 30·86
Days with ·01 in. or more	21	10 6	16 11	20 ~~16~~ 11	13	8 9	16	6	12	10	10	15	158
					7	6	15	5	9	9	6	14	116

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.
copied from M 3203.

RE

RYDE
I. O. W.
1914 – 1920

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at New ... a. m.
... St Johns Road
in the County of I... ... 5 in.
by Mrs Do... Ground 1 ft. ... in.
Sea Level 147 ft.

IMPORTANT N... he result entered to the previous day. If an ... rsal rule, he is earnestly requested to add the ... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·04	—	—	—	·29	—	—	·14	·07	1
2	—	—	—	—	—	—	—	·08	—	—	·10	·12	2
3	·01	—	·03	·03	·32	—	·04	·02	—	—	·02	·04	3
4	·11	—	·01	·30	·01	—	·02	·12	—	—	·13	·53	4
5	·09	—	·10	·18	·02	·01	·28	—	—	—	·02	—	5
6	—	·18	·03	·20	·04	·03	—	·05	—	—	—	·78	6
7	·05	·58	·18	·18	·01	·01	·15	·02	—	—	—	·42	7
8	·05	·48	·52	·05	·01	·03	—	·15	—	—	—	·09	8
9	·03	·02	·68	·17	·07	—	—	·02	·08	—	—	1·52	9
10	·06	·44	·01	·09	·17	—	—	—	·31	·01	—	—	10
11	—	·40	·75	—	·03	·03	·29	—	·06	—	·07	·60	11
12	—	·25	·23	—	—	—	·09	—	·47	·11	·02	·64	12
13	—	·68	·13	—	—	—	—	—	—	·06	·07	·92	13
14	—	·21	·22	—	—	·75	·09	·46	·01	·96	·37	·25	14
15	—	·04	·29	—	—	—	·23	·52	·34	·03	·97	—	15
16	—	·01	—	—	—	—	·10	—	·05	—	//	—	16
17	—	·69	·10	—	—	—	—	—	—	—	—	·45	17
18	—	·06	·45	—	—	—	—	—	—	—	~~[illegible]~~	·40	18
19	—	·14	·75	—	—	—	1·11	—	—	·01	~~·10~~	·18	19
20	—	·42	·30	—	—	·06	—	—	—	—	—	·23	20
21	—	·69	·04	—	—	—	—	—	—	·28	—	·01	21
22	—	·08	·02	—	·07	·03	·07	·02	~~[illegible]~~	·21	—	—	22
23	—	·15	·26	—	—	·23	—	—	—	·18	~~[illegible]~~	—	23
24	—	—	—	—	—	—	·02	—	—	·04	·12	—	24
25	·03	—	·31	—	—	—	·02	·37	—	·38	·04	·22	25
26	—	·01	·07	—	—	—	·03	·05	—	·05	·13	·51	26
27	·08	·01	·01	—	—	—	·08	—	—	—	·19	·45	27
28	·02	·06	·07	—	·31	—	—	—	—	1·05	·41	·60	28
29	·23		·19	·04	~~[illegible]~~	—	—	—	—	·32	·21	·02	29
30	·03		·08	·06	~~[illegible]~~	—	—	—	—	·26	·86	·62	30
31	·04		—		·06		·07	—		·13		·09	31
Total	·83	5·60	5·83	1·34	1·12	1·18	2·69	2·17	1·32	4·08	3·97	9·76	YEAR'S TOTAL 39·89
Rain Days.	13	21	26	11	12	9	16	13	7	16	1·18	24	186

W.7,000, XI. 13

REGISTER OF RAINFALL IN 19

4

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at New Lodge Ryde

in the County of Isle of Wight

by Mrs. Dobie.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station St. Johns Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·04	—	—	—	·29	—	—	·14	·07	1
2	—	—	—	—	—	—	—	·08	—	—	·10	·12	2
3	·01	—	·03	·03	·32	—	·04	·02	—	—	·02	·04	3
4	·11	—	·01	·30	·01	—	·02	·12	—	—	·13	·53	4
5	·09	—	·10	·18	·02	·01	·28	—	—	—	·02	—	5
6	—	·18	·03	·20	·04	·03	—	·05	—	—	—	·78	6
7	·05	·58	·18	·18	·01	·01	·15	·02	—	—	—	·42	7
8	·05	·48	·52	·05	·01	·03	—	·15	—	—	—	·09	8
9	·03	·02	·68	·17	·07	—	—	·02	·08	—	—	1·52	9
10	·06	·44	·01	·09	·17	—	—	—	·31	·01	—	—	10
11	—	·40	·75	—	·03	·03	·29	—	·06	—	·07	·60	11
12	—	·25	·23	—	—	—	·09	—	·47	·11	·02	·64	12
13	—	·68	·13	—	—	—	—	—	—	·06	·07	·92	13
14	—	·21	·22	—	—	·75	·09	·46	·01	·96	·37	·25	14
15	—	·04	·29	—	—	—	·23	·52	·34	·03	·97	—	15
16	—	·01	—	—	—	—	·10	—	·05	—	—	—	16
17	—	·69	·10	—	—	—	—	—	—	—	—	·45	17
18	—	·06	·45	—	—	—	—	—	—	—	~~[illegible]~~	·40	18
19	—	·14	·75	—	—	—	1·11	—	—	·01	~~·10~~	·18	19
20	—	·42	·30	—	—	·06	—	—	—	—	—	·23	20
21	—	·69	·04	—	—	—	—	—	—	·28	—	·01	21
22	—	·08	·02	—	·07	·03	·07	·02	~~[illegible]~~	·21	—	—	22
23	—	·15	·26	—	—	·23	—	—	—	·18	—	—	23
24	—	—	—	—	—	—	·02	—	—	·04	·12	—	24
25	·03	—	·31	—	—	—	·02	·37	—	·38	·04	·22	25
26	—	·01	·07	—	—	—	·03	·05	—	·05	·13	·51	26
27	·08	·01	·01	—	—	—	·08	—	—	—	·19	·45	27
28	·02	·06	·07	—	·31	—	—	—	—	1·05	·41	·60	28
29	·23		·19	·04	~~[illegible]~~	—	—	—	—	·32	·21	·02	29
30	·03		·08	·06	~~[illegible]~~	—	—	—	—	·26	·86	·62	30
31	·04		—		·06		·07	—		·13		·09	31
Total	·83	5·60	5·83	1·34	1·12	1·18	2·69	2·17	1·32	4·08	3·97	9·76	YEAR'S TOTAL 39·89
Rain Days.	13	21	26	11	12	9	16	13	7	16	18	24	186

W.7,000, XI. 13

✓ [illegible] cord. [illegible] 24.2.16. 678

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 7 JAN 1916

Kept at New Lodge
in the County of Isle of Wight
by Ellen C. Dobie

Lat. Long.
Time of Observation 9.30 a.m.
Nearest Railway Station St John's Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·61	·25	—	—	·03	—	—	·14	·36	·13	·01	·55	1
2	·40	·25	·19	·03	—	·03	—	·06	·04	·09	—	·40	2
3	·76	—	·12	·10	·10	·01	—	·11	—	—	—	·63	3
4	·08	—	—	·05	·01	—	—	—	—	—	—	·62	4
5	·01	·41	—	·01	—	—	—	·16	—	·01	—	·63	5
6	·88	·25	·02	·59	—	·01	·47	·08	—	—	—	·17	6
7	·25	—	—	·05	—	—	·13	—	—	—	—	·20	7
8	·03	1·41	—	—	—	—	·19	·20	—	—	·11	·09	8
9	—	·14	—	·03	—	·08	—	·09	—	—	·40	·85	9
10	·25	·19	·03	—	—	—	—	—	—	·02	—	·35	10
11	·08	·01	·06	—	—	—	—	—	—	·01	1·12	·02	11
12	·08	·48	—	·23	·57	—	—	—	—	·02	·49	—	12
13	—	·46	—	—	1·22	—	—	—	·11	·01	·04	—	13
14	·06	—	—	—	—	—	·04	·02	·06	—	—	1·16	14
15	·08	—	—	—	·10	—	·08	·02	—	—	·07	·32	15
16	—	1·03	—	—	·66	—	1·11	·72	—	—	·01	·07	16
17	—	·28	—	—	·57	—	—	·15	—	—	—	·03	17
18	—	·18	—	—	·03	—	—	·01	—	—	·06	—	18
19	—	·12	—	—	·09	—	·04	—	—	—	—	—	19
20	·42	—	—	·07	·02	—	—	—	—	—	—	·09	20
21	·78	·02	—	—	—	—	·06	—	—	·07	—	·18	21
22	—	·45	·21	·01	—	—	·75	—	·01	·36	—	·27	22
23	—	·05	·06	·03	—	—	·01	—	·42	·37	—	·81	23
24	—	—	—	—	—	—	—	—	·92	·58	—	·48	24
25	—	—	·02	·01	—	—	·02	—	—	·01	—	·32	25
26	·03	·06	—	—	—	·25	·26	—	—	—	—	·88	26
27	—	·01	—	—	—	—	—	—	—	·46	—	·02	27
28	—	·05	—	—	—	·26	·11	—	·55	·07	·05	·01	28
29	—		—	—	—	·42	—	·07	—	·09	·59	·03	29
30	·25	×	—	—	—	—	—	—	—	·54	·71	·10	30
31	·02	×	—	×	—	×	—	·21	×	·86	×	·38	31
Total	5·07	6·10	·71	1·21	3·40	1·06	3·27	2·04	2·47	3·69	3·66 ~~2·86~~	9·65	YEAR'S TOTAL 42·33 ~~42·53~~
Rain Days.	18	20	8	12	11	7	13	14	8	17	12	27	167

W. 8,000. X. 15.

[illegible] [illegible]

669

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at New Lodge Ryde

in the County of Isle of Wight

by Mr. Dobie

Lat. Long.

Time of Observation 9.30

Nearest Railway Station St. Johns Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·10	·05	—	·04	·01	—	—	·11	·22	·47	—	1
2	·28	·58	·07	—	·18	—	·02	—	·03	·29	·08	—	2
3	·02	·18	·04	—	—	—	·16	—	—	·67	·58	—	3
4	·21	·09	—	—	—	·49	—	—	·56	·02	·29	—	4
5	·04	·08	—	—	·12	·07	—	—	—	·08	·92	—	5
6	·01	·01	·03	·04	·03	·34	·41	—	—	·11	·54	—	6
7	·02	·02	·41	—	·05	—	·01	—	—	(03)	·64	·05	7
8	—	·01	·11	—	·50	—	—	—	—	—	·05	·54	8
9	·01	·57	—	—	·09	·01	—	—	—	—	—	·19	9
10	·01	·04	·03	·03	·01	·12	·04	—	—	—	·01	·24	10
11	·03	·10	·03	·15	·01	·02	—	—	—	—	—	·05	11
12	·04	·24	·03	·03	·04	·01	·15	·01	—	·03	—	—	12
13	—	—	·03	·02	—	·02	·01	—	—	—	—	—	13
14	—	·81	·01	—	·03	—	—	—	—	·05	—	—	14
15	—	·48	·18	·01	—	—	—	—	—	—	—	—	15
16	·11	·01	·20	·17	—	—	·07	·12	—	·01	—	—	16
17	·22	·28	·01	·16	—	—	—	·06	·37	·79	·20	—	17
18	·02	·03	·08	·05	—	—	—	·05	·14	·05	·40	·23	18
19	·20	—	·17	·03	—	—	—	—	·03	—	·40	·03	19
20	·16	·05	·63	·01	—	—	—	—	—	—	·03	1·07	20
21	·01	·01	·20	—	—	—	·03	—	—	—	—	·38	21
22	—	—	·02	—	—	·04	—	—	—	·14	—	·91	22
23	·03	·03	·01	—	—	·26	—	·05	—	·14	·15	—	23
24	—	—	·01	—	·15	·02	—	·03	—	·28	·15	·39	24
25	—	—	·07	—	—	—	—	·14	·20	·15	·06	—	25
26	·06	·71	·03	—	—	·11	—	·01	·02	·47	—	·12	26
27	·01	·08	·95	—	—	·05	—	—	·22	·69	—	·01	27
28	—	·52	·02	—	—	—	—	·23	·18	·37	·01	·38	28
29	—	·49	·03	—	—	·46	—	·66	·15	·40	—	·41	29
30	—	X	·01	—	·06	—	—	·08	·01	·46	—	·02	30
31	—	X	—	X	—	X	—	·05	X	·08	X	·01	31
Total	1·55	5·52	3·46	·70	1·31	2·03	·93	1·52	2·02	5·53	5·01	5·03	YEAR'S TOTAL 34·61
Rain Days.	20	25 4	27	11	13	15	9	12	12	22	17	17	199

W. 8,000, VIII. 16

642

FORM A.
BRITISH RAINFALL.

3. JAN 1918

W J L only one day

REGISTER OF RAINFALL IN 1917

Kept at New Lodge. Ryde
in the County of Southampton
by Mrs Dobie

Lat. Long.
Time of Observation 9·30
Nearest Railway Station St John's Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·21	·24	—	·02	—	—	·03	—	·05	·01	1
2	—	—	·08	·58	—	—	—	·12	—	·06	·04	—	2
3	—	—	—	·17	—	—	·19	1·36	—	·02	·12	—	3
4	—	·16	·33	—	—	—	·04	·02	—	·20	—	·03	4
5	·23	—	·05	·19	—	·16	—	·19	·(03)	·46	·12	—	5
6	—	—	·28	—	—	~~·09~~	—	·08	—	·09	·10	·01	6
7	·45	—	—	—	—	—	·25	·02	—	·25	·01	·12	7
8	·21	—	(25)	·10	—	—	·36	—	—	·43	·24	·29	8
9	—	—	·02	—	·25	—	(~~05~~)	·11	·02	·13	·06	·02	9
10	·15	—	·26	·22	·07	·05	—	·15	—	—	·01	—	10
11	·07	—	·25	·28	—	—	—	—	—	·34	·01	—	11
12	·04	—	·05	·01	·08	—	—	·10	—	·45	·01	·01	12
13	·01	—	·24	—	—	—	—	·07	·02	·11	—	·01	13
14	—	—	—	·06	—	—	—	·03	—	·03	—	—	14
15	—	—	—	—	·03	—	—	·01	—	·29	—	·01	15
16	—	·12	—	·05	·09	—	—	—	—	·83	·01	·40	16
17	—	·02	—	·20	·09	—	·31	·14	·49	·11	·01	—	17
18	—	·01	—	·01	—	·15	·09	·02	·28	·04	—	—	18
19	—	·22	·05	—	—	·03	—	—	·30	—	·01	—	19
20	—	·04	·40	—	·52	·07	—	—	—	—	·02	·02	20
21	—	—	·02	—	—	·02	·05	—	—	—	·02	—	21
22	·03	—	·02	—	—	·03	—	·09	—	·28	·01	—	22
23	—	·27	—	—	·05	·08	—	·16	—	·03	—	·03	23
24	—	·13	—	—	—	—	·17	—	—	·22	·02	·03	24
25	—	·13	·03	—	—	—	·03	—	—	·02	—	—	25
26	—	—	·03	—	·09	·02	—	·41	·13	·03	·27	·01	26
27	—	—	·01	—	·54	·22	—	1·73	—	—	·01	—	27
28	—	—	·06	—	—	1·38	—	·22	—	—	—	·01	28
29	—		·04	—	·01	·02	·18	·13	—	·50	—	·05	29
30	—		·24	—	—	—	·49	·26	—	—	—	·03	30
31	—		·15		—		·12	·05		(·20)		·04	31
Total	1·19	1·10	3·00 ✓	2·11	1·82	2·25	2·33 ✓	5·47	1·31 ✓	5·15 ✓	1·15	1·13	YEAR'S TOTAL 28·01 ✓
Rain Days.	8	9	22	12	11	13 ✓	13 ✓	22	8	23	20	18	179 ✓

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL
3 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at New Lodge, Ryde
in the County of Southampton HANTS
by Mrs Dobie

Lat. Long.
Time of Observation 9. 30
Nearest Railway Station St Johns Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	—	—	·02	—	—	·63	—	—	·30	·09	1
2	—	·05	—	·12	—	—	—	—	—	·01	·38	·20	2
3	—	·07	·01	·23	·27	—	—	·38	—	·03	·11	·03	3
4	—	·10	·11	·01	·01	—	—	·04	·14	—	·83	·05	4
5	—	·11	·05	—	·20	—	—	·40	·01	·26	—	·02	5
6	·15	·10	—	·21	·03	—	—	·20	·08	·03	—	·06	6
7	—	·15	—	·19	·50	—	—	·03	·11	·07	·22	·03	7
8	—	·02	—	·01	—	—	—	—	·12	·15	·05	·03	8
9	—	—	—	·35	—	·11	·35	—	·61	·20	·02	·59	9
10	·01	—	—	·09	—	·03	·15	—	·29	·03	·01	·47	10
11	·02	·01	—	—	—	—	·20	—	·10	·26	·04	·10	11
12	—	·15	—	—	·24	—	·35	—	·10	—	·01	·05	12
13	·96	·04	—	—	·07	—	·08	—	·20	·02	—	·07	13
14	·27	—	·06	—	·04	·09	—	—	·53	·21	—	·08	14
15	1·36	—	—	·11	—	·10	·03	—	·02	·01	—	·18	15
16	·40	—	·02	·02	—	·04	·02	—	·59	·03	—	·01	16
17	·12	—	·01	·14	—	—	·32	·04	·01	·09	—	·27	17
18	·48	—	·02	—	—	·56	·02	—	·70	·01	—	·08	18
19	·03	—	·13	—	—	·02	·15	·02	·02	·03	·01	·04	19
20	·03	·77	—	·45	—	·01	·12	·01	·17	·07	—	—	20
21	·21	·01	·01	—	—	·02	—	—	·39	·10	—	·19	21
22	·19	—	—	—	·26	—	·61	—	·27	·01	—	·21	22
23	·10	·01	—	·05	·02	—	—	·02	·11	—	·01	·06	23
24	—	·26	—	·49	—	·08	—	—	·09	·02	·13	—	24
25	·01	—	—	·01	—	·01	·01	·36	—	·03	·01	—	25
26	—	·01	—	—	—	—	·39	—	·05	·04	·05	·26	26
27	—	·11	·06	—	—	—	·05	·09	·70	·05	·18	·01	27
28	·01	—	·24	·03	—	—	—	—	—	·02	·07	—	28
29	—	—	·06	—	—	—	—	—	1·08	(·03)	·04	·02	29
30	·01	✕	·43	—	—	—	—	—	·03	·03	·07	·05	30
31	·01	✕	·04	✕	—	✕	—	·01	✕	·11	✕	—	31
Total	4·37	1·39	1·25	2·51	1·66	1·07	2·85	2·23	6·52	1·93	2·57	3·25	YEAR'S TOTAL 31.60
Rain Days.	18	16	14	16	11	11	15	13	25	27	19	26	211

G+R

594

8 JAN 920

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at New Lodge. Ryde. I of W.

in the County of Southampton

by Mr Dobie

Lat. Long.

Time of Observation 9.30 a.m.

Nearest Railway Station St John's Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 144 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	—	·02	—	·02	—	·15	—	—	·05	·01	1·10	1
2	·28	—	·01	—	·06	—	·12	—	·18	·01	·02	·04	2
3	·43	—	·42	—	·04	—	·02	—	·03	—	—	·21	3
4	·35	·12	·42	—	·01	·03	·07	·05	·03	—	·18	·10	4
5	·01	·40	·65	—	—	—	—	—	·56	—	·23	·16	5
6	·25	—	·18	—	·12	—	·02	—	—	—	·02	·26	6
7	·14	—	·55	·02	—	—	—	—	—	—	·01	·01	7
8	·32	—	·22	—	—	—	—	—	—	—	·01	—	8
9	·56	—	·03	·05	·03	—	—	—	—	—	·44	—	9
10	1·60	—	·15	·02	·01	—	—	—	—	—	—	·33	10
11	·52	—	·05	·28	·08	—	·02	—	—	—	—	·02	11
12	·08	—	·02	·01	·01	—	·08	—	—	·08	·10	—	12
13	·03	·02	·05	·60	—	—	·01	—	—	·01	—	·05	13
14	·47	·05	—	·17	—	—	·05	—	—	·02	—	·09	14
15	·33	·18	—	·02	—	—	—	—	—	—	·12	1·29	15
16	·16	·42	—	—	—	—	—	—	—	—	·06	—	16
17	·02	·25	—	—	—	—	—	—	·03	—	—	·05	17
18	·02	·05	·24	—	—	—	—	·03	·02	—	·18	·01	18
19	·35	·38	·48	—	—	·11	·24	·13	·03	—	·09	·01	19
20	·48	·04	·06	—	—	1·06	—	·19	—	·01	—	—	20
21	·06	·22	—	—	—	·01	·21	—	·02	—	·02	·02	21
22	·01	·02	—	—	—	—	—	—	·53	—	—	·08	22
23	—	—	·03	—	—	—	—	—	·02	·04	·05	·02	23
24	—	·02	—	—	—	·04	·01	—	·01	·56	·12	·14	24
25	·04	·02	—	·08	—	·03	—	·37	—	·01	·02	·14	25
26	·04	·14	·09	·03	—	—	—	·05	·10	—	·44	·50	26
27	·21	·01	·01	·34	—	—	·02	·84	·01	—	·03	·08	27
28	·08	—	·50	—	—	—	—	·56	—	—	·45	·55	28
29	—		·01	·05	—	—	—	·29	—	·09	·02	·08	29
30	—	×	—	·20	—	·04	—	·39	—	·02	·69	·91	30
31	·02	×	·03	×	—	×	—	·05	×	—	×	·20	31
TOTAL	7·64	3·04	4·82	1·84	·41	1·38	1·05	2·95	1·54	·87	3·31	6·48	YEAR'S TOTAL 35·39
Days with ·01 in. or more	27	16	22	13	9	7	13	11	13	11	22	26	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

562

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at New Lodge. Ryde
in the County of Southampton
by (Mrs) Ellen A. C. Bobie

Lat. Long.
Time of Observation 9.30 a.m.
Nearest Railway Station St John's Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01	·01	·14	·15	—	·16	—	·02	·48	·15	·52	1
2	·09	—	·03	·11	·09	—	·01	—	·15	·04	·01	·20	2
3	·02	—	·01	·01	—	—	·15	·15	—	·34	—	·02	3
4	—	·12	·02	—	—	—	·53	—	—	·28	—	·02	4
5	—	·01	·12	·02	—	—	·66	·28	—	·47	—	—	5
6	—	·01	·13	—	·26	—	·29	·04	—	—	—	·01	6
7	·07	·01	—	·16	—	—	·36	—	—	·01	—	—	7
8	·02	·02	—	·03	·16	—	·43	—	—	—	—	—	8
9	·56	·06	·03	·02	·04	·11	·01	—	—	—	—	—	9
10	1·06	·20	·12	·07	·04	·13	·32	—	—	—	—	—	10
11	·27	—	·10	·44	—	·12	·43	—	—	·01	—	·18	11
12	·17	·17	·01	·16	·04	·75	—	—	—	·02	·02	·06	12
13	·35	·01	·34	·02	—	·01	—	—	—	·01	·06	·02	13
14	·03	·02	·49	·44	—	·02	—	—	·18	·35	·66	—	14
15	·03	·02	·02	·17	—	—	—	—	·63	·59	·12	—	15
16	·01	·01	·02	·13	·08	·01	—	—	·40	·05	·02	·01	16
17	·01	·01	·01	·03	·49	—	·01	—	·68	—	—	·01	17
18	·15	—	·01	·02	—	·14	—	·56	·16	—	·01	·04	18
19	·04	—	—	·15	—	·02	—	—	·03	—	—	·01	19
20	·11	·07	—	·11	—	·85	—	—	—	—	—	·08	20
21	·01	—	—	·01	—	—	1·13	—	·09	—	·01	·23	21
22	·03	—	—	·30	—	—	—	—	·21	—	—	·30	22
23	—	—	—	·01	—	—	·42	—	·01	·01	—	·55	23
24	·06	—	·17	—	·02	—	—	—	—	·01	·02	·14	24
25	·01	·01	·05	—	·05	—	·39	—	—	—	·01	—	25
26	·06	·02	·16	·16	—	·02	·14	—	—	—	·03	·13	26
27	·56	·02	·02	·06	—	·06	·03	—	—	·01	·14	·32	27
28	·49	·02	·03	·09	·06	·01	·13	—	—	—	·01	·06	28
29	·75	·01	·10	·04	·04	·01	—	—	·01	—	·13	·25	29
30	·08	╳	—	—	—	·07	—	—	·22	—	·40	·40	30
31	·03	╳	·16	╳	—	╳	·12	—	╳	·76	╳	·28	31
Total	5·17 ~~6·11~~	·83	2·16	2·40	1·22	2·33	5·72	1·03	2·79	3·44	1·80	3·84	Year's Total 33·23 ~~34·14~~
Days with ·01 in. or more	27 ~~70~~	15 20	12 23	~~9~~ 25	~~7~~ 13	~~7~~ 15	~~4~~ 19	— 4	~~4~~ 13	~~4~~ 16	~~9~~ 16	~~7~~ 23	~~85~~ 214
Days with ·04 in. or more	17	5	11	16	12	8	15	4	9	9	7	16	129

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

March 5th 1921

562

8 MAR 1921

TEL. No. 9.

NEW LODGE,
ST. JOHN'S PARK,
RYDE.

Dear Sir,

Thanks for your letter of the 3rd inst., & I am Sorry Sorry that I should have made such an error in January 1920—

On looking over the Chart now, for that month, I find I made an error of 1 inch, making the Rainfall 5.11. instead of 6.11. which again makes the total for the year 33.17. instead 34.17—

5.11

I much regret the trouble
I have given you. –

Yrs Sincerely
Ellen A C Dobie

✓

FORM A.
BRITISH RAINFALL.
10 FEB 1913

REG

RYDE
PERIVALE
I. O. W
1912

Kept a Perivale Ryd ... m

in the County of Hamp

by Major E. C.

5 in.

Ground 1 ft. 3 in.

Sea Level 193 ft.

IMPORTANT NOT ... the result entered to the previous day. If an Ob ... ersal rule, he is earnestly requested to add the read ... in the space provided for it at the end of thi ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3								·55					3
4								·13					4
5								.32					5
6								1.04					6
7								.02					7
8								·07					8
9								·13					9
10								.08					10
11								.15					11
12								·41					12
13								.06					13
14								.25					14
15								·01					15
16								.23					16
17								·29					17
18								·41					18
19								·37					19
20								·07					20
21								08					21
22								·34					22
23								·68					23
24								·14					24
25								·66					25
26								·13					26
27								.					27
28								·27					28
29								.14					29
30								·04					30
31								·12					31
Total								7·19					YEAR'S TOTAL
Rain Days.								28					

W. 7,500, XI. 12

✓

REG

FORM A.
BRITISH RAINFALL.

10 FEB 1913

Kept a Perwale Ryde Isle of Wight

in the County of Hampshire

by Major E. C. Murray

Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 193 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3								.55					3
4								.13					4
5								.32					5
6								1.04					6
7								.02					7
8								.07					8
9								.13					9
10								.08					10
11								.15					11
12								.41					12
13								.06					13
14								.25					14
15								.01					15
16								.23					16
17								.29					17
18								.41					18
19								.37					19
20								.07					20
21								.08					21
22								.34					22
23								.68					23
24								.14					24
25								.66					25
26								.13					26
27													27
28								.27					28
29								.14					29
30								.04					30
31								.12					31
Total								7.19					YEAR'S TOTAL
Rain Days.								28					

✓

W. 7,500, XI. 12

RYDE
TOWN HALL
I.O.W.
1912 - 1916

FORM A.
BRITISH RAINFALL.

2 JAN 19

R

Kept at Ry

am
Ryde Esplanade

in the County of

in.

by C Ma

e Ground 2 ft. in.

Sea Level Sea ft.

IMPORTANT the result entered to the previous day. If versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·23	—	—	—	·05	—	—	·70	—	·32	1
2	—	—	·35	—	—	·12	·22	—	—	—	·01	—	2
3	—	—	·04	—	—	·22	—	·62	—	—	—	01	3
4	·20	·205	·82	—	—	·28	—	·10	—	—	·20	—	4
5	·30	·02	·19	—	—	—	—	12	—	—	·01	·04	5
6	·65	·02	—	—	·13	·02	—	1·15	—	—	—	·31	6
7	·01	—	·14	—	·23	·96	—	·04	—	—	—	·10	7
8	·45	·29	·34	—	—	·02	—	·12	—	—	—	—	8
9	·02	·20	·10	·07	—	·05	·03	·10	—	—	—	·18	9
10	—	·05	—	—	—	—	—	·13	—	—	·02	·29	10
11	·10	·18	—	—	—	·21	—	·13	—	—	—	·32	11
12	·02	·04	·10	—	·20	·50	·10	·25	—	—	—	—	12
13	—	·07	·02	—	—	—	·06	·06	—	—	—	·07	13
14	·05	—	—	—	·03	—	—	·25	—	·03	—	·02	14
15	·02	09	·14	—	·05	·60	—	·02	—	—	—	·27	15
16	·25	·01	·30	—	·04	—	—	·17	—	·10	·08	—	16
17	·90	—	·30	—	·03	·13	—	·25	—	—	—	·12	17
18	·05	—	·21	—	—	—	—	·43	—	—	·02	·10	18
19	·05	·02	·16	—	—	—	·02	·44	—	—	—	—	19
20	·02	·01	·40	—	—	—	—	·08	—	·54	—	—	20
21	—	·12	·14	—	·10	—	—	·08	—	—	—	—	21
22	—	·54	·04	—	—	—	—	·30	—	—	—	·03	22
23	·46	·11	·28	—	—	—	—	·61	—	·08	·15	·07	23
24	·09	·05	—	—	—	—	—	·13	—	·02	—	·72	24
25	·13	—	—	—	—	·34	—	·52	—	·08	·26	·25	25
26	—	·06	—	—	—	—	·17	·09	—	·40	·48	·26	26
27	—	·01	—	—	—	·08	·35	—	—	·18	—	·62	27
28	—	·06	—	—	—	·04	·19	·26	·05	·73	·57	·18	28
29	—	·09	—	—	—	—	·06	·13	1·75	·14	·03	—	29
30	—		·03	—	·11	·01	·09	·10	1·15	·23	—	—	30
31	—		·10		—		·25	·10		—		—	31
Total	3·77	2·23	4·43	0·07	0·92	3·58	1·59	6·78	2·95	3·23 3·23	1·83	4·28	YEAR'S TOTAL 35·56 35·66
Rain Days.	18	21	21	1	9	15	12	28	3	12	11	20	171

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Ryde
in the County of Isle of Wight
by C Mathew

Time of Observation 9 am
Nearest Railway Station Ryde Esplanade
Diameter of Rain Gauge ..... in.
Height of top of Gauge above Ground 2 ft. ..... in.
" " " " Sea Level Six ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·23	—	—	—	·05	—	—	·70	—	·32	1
2	—	—	·35	—	—	·12	·22	—	—	—	·01	—	2
3	—	—	·04	—	—	·22	—	·62	—	—	—	·01	3
4	·20	·20	·82	—	—	·28	—	·10	—	—	·20	—	4
5	·30	·02	·19	—	—	—	—	·12	—	—	·01	·04	5
6	·65	·02	—	—	·13	·02	—	1·15	—	—	—	·31	6
7	·01	—	·14	—	·23	·96	—	·04	—	—	—	·10	7
8	·45	·29	·34	—	—	·02	—	·12	—	—	—	—	8
9	·02	·20	·10	·07	—	·05	·03	·10	—	—	—	·18	9
10	—	·05	—	—	—	—	—	·13	—	—	·02	·29	10
11	·10	·18	—	—	—	·21	—	·13	—	—	—	·32	11
12	·02	·04	·10	—	·20	·50	·10	·25	—	—	—	—	12
13	—	·07	·02	—	—	—	·06	·06	—	—	—	·07	13
14	·05	—	—	—	·03	—	—	·25	—	·03	—	·02	14
15	·02	·09	·14	—	·05	·60	—	·02	—	—	—	·27	15
16	·25	·01	·30	—	·04	—	—	·17	—	·10	·08	—	16
17	·90	—	·30	—	·03	·13	—	·25	—	—	—	·12	17
18	·05	—	·21	—	—	—	—	·43	—	—	·02	·10	18
19	·05	·02	·16	—	—	—	·02	·44	—	—	—	—	19
20	·02	·01	·40	—	—	—	—	·08	—	·54	—	—	20
21	—	·12	·14	—	·10	—	—	·08	—	—	—	—	21
22	—	·54	·04	—	—	—	—	·30	—	—	—	·03	22
23	·46	·11	·28	—	—	—	—	·61	—	·08	·15	·07	23
24	·09	·05	—	—	—	—	—	·13	—	·02	—	·72	24
25	·13	—	—	—	—	·34	—	·52	—	·08	·26	·25	25
26	—	·06	—	—	—	—	·17	·09	—	·40	·48	·26	26
27	—	·01	—	—	—	·08	·35	—	—	·18	—	·62	27
28	—	·06	—	—	—	·04	·19	·26	·05	·73	·57	·18	28
29	—	·09	—	—	—	—	·06	·13	1·75	·14	·03	—	29
30	—		·03	—	·11	·01	·09	·10	1·15	·23	—	—	30
31	—		·10		—		·25	·10		—		—	31
Total	3·77	2·23	4·43	0·07	0·92	3·58	1·59	6·78	2·95	3·23 3·23	1·83	4·28	YEAR'S TOTAL 35·56 35·66
Rain Days.	18	21	21	1	9	15	12	28	3	12	11	20	171

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

- 3 JAN 1914

cnd by Be[illegible] 11.II.14

Kept at Town Hall. Ryde
in the County of Isle of Wight
by C. Mathew A.M.I.C.E.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Esplanade St
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·30	—	·06	—	·03	—	—	·40	—	·33	·02	1
2	—	·11	·28	—	—	—	·04	—	—	·06	·08	·06	2
3	·08	—	·06	·06	·20	—	—	—	—	·18	—	·19	3
4	·30	—	·12	—	·35	—	·24	—	·76	·13	·11	—	4
5	·26	·12	·03	—	—	·23	—	—	·73	·03	·35	·09	5
6	·04	·05	·06	—	·10	·12	·77	—	—	·68	·11	·51	6
7	—	·30	·09	—	·19	·04	·10	—	—	·40	·15	·02	7
8	·02	·06	—	—	·22	·02	—	—	—	·07	—	·02	8
9	—	·0~~4~~ (04)	—	—	—	—	·29	—	·08	—	·01	—	9
10	·05	—	—	·03	·06	·02	·04	—	—	·01	·64	—	10
11	1·00	—	—	·24	—	—	—	—	—	·27	·44	—	11
12	—	—	—	—	·39	—	—	—	—	—	·53	—	12
13	·18	—	·05	—	—	—	—	—	·08	—	·15	—	13
14	·33	—	·22	—	—	—	·03	—	·10	·02	·02	—	14
15	·22	·17	·25	·58	—	—	·20	—	—	—	—	—	15
16	·09	—	·52	·27	—	·08	·04	—	·17	—	—	—	16
17	·08	—	—	·13	—	—	·01	—	—	—	·04	—	17
18	—	—	·21	·10	—	—	—	—	—	—	·11	—	18
19	·36	—	·02	—	—	—	—	—	·21	—	—	—	19
20	·39	—	·17	·14	—	—	—	—	—	·63	·01	—	20
21	—	—	·14	·12	—	—	—	—	—	·41	·49	—	21
22	·25	—	·28	—	—	—	—	·16	·29	·02	—	·04	22
23	—	—	·04	—	—	·02	—	·07	—	—	—	·88	23
24	·14	—	—	·05	—	—	—	·04	—	—	·04	—	24
25	—	·02	—	·26	—	—	—	—	—	·45	—	—	25
26	—	—	—	·06	—	—	—	·13	—	·01	—	·26	26
27	—	—	·29	·10	—	—	—	—	—	·20	—	—	27
28	·19	—	·02	·18	—	—	—	—	—	·14	—	—	28
29	·20		·15	·69	·78	—	—	—	—	·17	—	·04 M.S.	29
30	·65		—	—	—	—	—	·07	—	·12	—	—	30
31	·02		—		—		—	1·29		·12		—	31
Total	4·85	1·17	3·00	3·07	2·29	·56	1·16	1·76	2·82	4·12	3·61	2·13	YEAR'S TOTAL 30·54
Rain Days.	20	9	19	16	8	8	10	6	9	20	17	11	153

W. 7,500, XI. 12

M.S. melted Snow.

[illegible] 20.11.15 W. M.

FORM A. BRITISH RAINFALL. 5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Ryde ~~Town Hall~~ Esplanade Gardens

in the County of Isle of Wight

by C. Mathew Esq. A.M.I.C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Same as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·65

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03				·18			·15	·09	1
2							·02	·12			·09	·11	2
3				·04	·28		·01	·02			·01	·02	3
4				·28				·12			·44	·56	4
5	·18	·28	·10	·17			·29				·02		5
6				·16	·03			·02				·55	6
7		·45	·17	·16		·02	·12					·37	7
8	·01	·47	·46	·06		·01		·12				·11	8
9	·03		·75	·12					·06			2·09	9
10	·05	·32			·19				·11		·03		10
11		·42	·68		·03	·03	·33		·54		·03	·64	11
12	·02	·18	·20				·04					·64	12
13		·56	·11		·01				·43	·07	·06	·86	13
14		·17	·22			·70	·08	·43		·05	·34	·22	14
15		·07	·25				·16	·46		·98	·80		15
16							·09		·28	·02			16
17		·62	·08						·08			·38	17
18		·04	·41									·35	18
19		·14	·75				1·10				·10	·15	19
20		·39	·30									·22	20
21		·64	·02					·01		·21		·01	21
22		·08	·03		·07	·03	·09	·01		(·20) ·12			22
23		·15	·21			·23				·06			23
24											·15		24
25	·02		·29				·01	·31		·36	·04	·20	25
26			·04				·03	·05		·07	·13	·46	26
27	·07		·02				·05				·21	·38	27
28		·05	·02		·31					·81	·50	·56	28
29	·20		·16	·02	·06					·34	·13	·02	29
30	·03	X	·05	·02						·20	·78	·53	30
31		X		X	·04	X	·05		X	·13	X	·04	31
Total	·61	5·03	5·32	1·06	1·02	1·02	2·47	1·85	1·50	3·62	4·01	9·56	YEAR'S TOTAL 39·07
Rain Days.	9	17	22	10	9	6	15	12	6	13	18	24	167

W. 8,000. X. 14.

W DL Cor. [illegible] 24.2.16

681

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1915

Kept at Esplanade, Ryde I.W.

in the County of Hampshire

by C. Mathew

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station Esplanade

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 2' ft. 0" in.

" " " " Sea Level 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	·18						·12	·31	·10		·22	1
2	·32	·22	·13	·01	·01	·06		·04	·03	·07		·45	2
3	·82		·08	·10	·07			·20		·01		·63	3
4	·02											·85	4
5	·70	·38		·04				·11				64	5
6	·28	·20		·54			·43	·08				·16	6
7	·02	·48		·05			·09					·21	7
8	·08	·76					·18	·09			·05	·06	8
9		·07		·03		·08		·11			·37	·84	9
10	·22	·24	·02							·02		·33	10
11	·10		·04								·98		11
12	·18	·35		·21	·47			·02		·02	·50		12
13	·04	·52			1·26				·12		·03		13
14	·07						·03	·05	·05			1·02	14
15					·11		·06	·01			·06	·38	15
16		·91			·59		1·03	·48				·09	16
17		·29			·58			·19				·02	17
18		·15			·07						·05		18
19		·05			·08		·06						19
20	·27			·04	·02					·05		·07	20
21	·08									·35		·22	21
22	·77	·48	·15	·01			·75		·01	·29		·26	22
23		·04	·07	·03			·03		·47	·62		·78	23
24			·01				·02		·88			·48	24
25												·29	25
26	·01	·05				·18	·28					·82	26
27										·42		·01	27
28		·04				·21	·08		·53	·08			28
29						·34		·06		·03	·49	·02	29
30	·30	✕								·50	·69	·04	30
31		✕		✕		✕		·22	✕	·93	✕	·37	31
Total	4·93 4·~~8~~3	5·41	·50	1·06	3·26	·87	3·04	1·78	2·40	3·49	3·22	9·26	YEAR'S TOTAL 39·~~1~~2 39·22
Rain Days.	18	18	7	10	10	5	12	14	8	14	9	26	150

W. 8,000. X. 15.

612

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ryde I.W.

in the County of Hampshire

by C. Mathew.

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Esplanade.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.		*Date.*
1	·06	·07	·08		·06	·01			·10	·14	·36			1
2	·24	·08	·08		·14				·01	·27	·08			2
3	·02	·51	·05				·04			·68	·55			3
4	·18	·13				·34			·53	·01	1·22			4
5	·03	·08			·11	·05				·06				5
6	·01	·10	·015	·02	·03	·14	·37			·11	·45			6
7	·01		·385		·04	·02					·98			7
8					·37						·07	·54		8
9					·09	·02						·16		9
10		·68		·03	·01	·10	·10				·01	·23		10
11	·02			·10			·01					·07		11
12	·02	·13	·03	·03	·01	·01	·11			·02				12
13		·18	·02			·01								13
14		·73			·02					·03				14
15	·05	·44	·16											15
16		·02	·18	·13			·05	·13						16
17	·20	·27		·10				·06	·30	·72	·20			17
18	·03	·03	·08	·04				·05	·16	·04	·43	·21		18
19	·17	·05	·12						·01		·40	·02		19
20	·14		·70	·01							·03	1·08		20
21	·02	·01	·26				·03					·26		21
22	·03					·05		·03		·12		·84		22
23		·035				·23				·13	·10			23
24					·17	·04		·01		·25	·16	·38		24
25		·755	·03					·09	·16	·12	·06			25
26	·06	·54				·09				·46		·11		26
27		·11	·94			·03		·04	·20	·57				27
28	·01	·54	·02					·20	·15	·40		·38		28
29		·40	·03			·42		·67	·17	·37		·40		29
30		✕			·07			·07		·41				30
31		✕		✕		✕		·12	✕	·12	✕	~~·20~~	·02	31
													YEAR'S TOTAL	
Total	1·30	5·88	3·17	·46	1·12	1·56	·71	1·41	1·79	5·03	5·10	4·70	32·23	
Rain Days.	18 17	22	17	8	12	15	7	11	10	20	16	14	179	

W. 8,000, VIII. 16.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

SANDOWN
—
LIBRARY

I. O. W.

1911-1920

RE

Kept at Sandown .... in.

in the County of Isle .... Ground .... ft. .... in.

Sea Level .... ft.

by Charles E. G ....

Name ....

Distance .... Direction ....

IMPORTANT NOT ... the result entered to the previous day. If an Ob ... ersal rule, he is earnestly requested to add the rea ... ear in the space provided for it at the end of thi ... nent of rain, the selection and placi ... itish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04			·36				·05			·05	(·04) ·24	1
2	·04			·06	·35						·24	·30	2
3					·20			·09	·01		·35	·08	3
4			·05	·06					·02	·03	·31	·17	4
5				·01						·45	·04	·01	5
6	·55		·12							·11	·10	·72	6
7	·06									·46	·93	·02	7
8	·05	·01	·12								·39	·48	8
9	·10		·01			·01					·13	·15	9
10		·14	·29								·01	·45	10
11	·61	·04	·04								1·25	·05	11
12			·92						·02		·10	·08	12
13					·18				·14	·03		·49	13
14		·07			·02							·27	14
15		·02				·01					·15	·07	15
16						·39					1·12	·28	16
17		·01	·05			·02					·83	·15	17
18		·16	·07	·03		·14				·03	·38	·44	18
19		·09				·06		·01	·18	·11	·01	·19	19
20	·02		·08					·06	·12	·02		·68	20
21	·03	·23	·01						·02	·65		·27	21
22	·14	·04	·08			·27		·57		·51		·64	22
23	·01	·12				·37			·12	·66	·01	·32	23
24	·03	·16				·15	·01	·04		·97		·47	24
25		·04	·02	·14	·35	·03	·58	·04	·20	·01		·03	25
26			·01	·41	·01	·05		·01		·43		·49	26
27		·40	·08	·05			·33		·11	·65	·08	·14	27
28		·20		·29				·17			·01		28
29				·02		·24	·11		·22	·26	·01		29
30					·09	·03				·35		·02	30
31												·01	31
Total	1·68	1·73	1·95	1·43	1·20	1·77	1·03	1·04	1·16	5·73	6·50	7·51	TOTAL for year 32·73
No. of Rain Days.	12	15	15	10	7	13	4	9	11	17	21	29	163

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

RE

Kept at Sandown Free Library

in the County of Isle of Wight.

by Charles E. Gilchrist

.... in.

GAUGE Height of top above Ground .... ft. .... in.
,, ,, ,, Sea Level .... ft.

Time of Observation ....

Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·36				·05			·05	(·04) ·24	1
2	·04			·06	·35						·24	·30	2
3					·20			·09	·01		·35	·08	3
4			·05	·06					·02	·03	·31	·17	4
5				·01						·45	·04	·01	5
6	·55		·12							·11	·10	·72	6
7	·06									·46	·93	·02	7
8	·05	·01	·12								·39	·48	8
9	·10		·01			·01					·13	·15	9
10		·14	·29								·01	·45	10
11	·61	·04	·04								1·25	·05	11
12			·92						·02		·10	·08	12
13					·18				·14	·03		·49	13
14		·07			·02							·27	14
15		·02				·01					·15	·07	15
16						·39					1·12	·28	16
17		·01	·05			·02					·83	·15	17
18		·16	·07	·03		·14				·03	·38	·44	18
19		·09				·06		·01	·18	·11	·01	·19	19
20	·02		·08					·06	·12	·02		·68	20
21	·03	·23	·01						·02	·65		·27	21
22	·14	·04	·08			·27		·57		·51		·64	22
23	·01	·12				·37			·12	·66	·01	·32	23
24	·03	·16				·15	·01	·04		·97		·47	24
25		·04	·02	·14	·35	·03	·58	·04	·20	·01		·03	25
26			·01	·41	·01	·05		·01		·43		·49	26
27		·40	·08	·05			·33		·11	·65	·08	·14	27
28		·20		·29				·17			·01		28
29				·02		·24	·11		·22	·26	·01		29
30					·09	·03				·35		·02	30
31												·01	31
Total	1·68	1·73	1·95	1·43	1·20	1·77	1·03	1·04	1·16	5·73	6·50	7·51	TOTAL for year 32·73
No. of Rain Days.	12	15	15	10	7	13	4	9	11	17	21	29	163

W. 8,000, X. '11.

Ex-SC.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
9- JAN 1913

Kept at Sandown Free Library

in the County of Isle of Wight

by Charles Edwin Gilchrist

RAIN GAUGE: Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station: Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17			·15	·03		·09	·85		·29	1
2			·38				·24			·02		·01	2
3			·08		·01	·18		·52	·04		·02	·01	3
4	·32	·16	·75			·26		·20			·16		4
5	·46	·03	·11		·01			·22			·04	·06	5
6	·76	·03	·01		·13	·04		·36				·05	6
7	·04	·03	·03		·21	·71	·01	·03				·11	7
8	·54	·29	·22	·02		·02						·01	8
9	·05	·28	·13	·03		·04	·04	·13				·17	9
10	·01	·03	·01					·04		·02	·09	·30	10
11	·08	·18	·04			·39		·11		·01		·26	11
12	·02	·09	·12		·29	·62	·12	·35		·01			12
13		·08	·02				·07	·04			·01	·16	13
14	·03		·02		·08			·34		·05		·05	14
15	·03	·11	·12		·07	·68						·26	15
16	·29	·01	·43		·08			·18		·11	·13		16
17	·96		·39		·04	·05		·28				·09	17
18	·09	·01	·32					·17		·02		·07	18
19	·05	·06	·18			·02		·36					19
20	·02	·04	·30					·08		·64	·02		20
21		·21	·21		·12			·12		·15			21
22	·13	·53	·03			·01		·38			·03	·04	22
23	·41	·13	·32					·58		·10	·17	·05	23
24	·07	·08	·01					·20		·04		·23	24
25	·10	·01				·43		·83		·17	·40	·62	25
26	·02	·07					·48	·15		·26	1·16	·26	26
27		·02				·12	·34			·17	·02	·59	27
28		·08				·02	·11	·36	·04	·84	·67	·28	28
29		·08					·15	·31	1·08	·14	·07		29
30			·02		·08	·04		·02	1·28	·23		·02	30
31			·13				·22	·12		·01		·01	31
Total	4·48	2·63	4·55	·05	1·12	3·78	1·81	6·48	2·53	3·84	2·99	4·00	TOTAL for year [illegible] 38.26
No. of Rain Days.	21	24	26	2	11	17	11	26	5	19	14	24	200

W. 8,000, X. '11.

Total for year 38·26

Ex 7C

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
8- JAN 1914

Kept at Sandown Free Library
in the County of Isle of Wight
by Chas. E. Gilchrist

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·33	·26	·09		·06			·41	·01	·24	·04	1
2		·21		·01			·05			·12	·09	·06	2
3	·06	·01	·11	·09	·26					·33		·37	3
4	·40		·12		·48		·14		·96	·10	·11	·04	4
5	·59	·04	·02			·17	·02		·80	·03	·28	·08	5
6	·03	·06	·17		·17	·16	20			·55	·19	·49	6
7		·27	·11		20	·07	·19			·14	·09	·02	7
8	·01	·10			·20	·04		·02		·17		·07	8
9		·03				·01	·29		·08	·02	·01	·03	9
10	·06	·01		·07		·02	·03				·65		10
11	·81			·18	·08					·40	·23	·03	11
12	·01				·39					·02	·61		12
13	·20		·07			·01			·04		·23		13
14	·29		·17	·02			·06	·02	·09	·04	·06	·03	14
15	·48	·12	·41	·47	·03		·15		·02			·03	15
16	·09		·55	·12		·22	·04		·04		·01		16
17	·28	·01		·11			·01	·01			·11		17
18	·02		·21	·15			·02				·12		18
19	·29		·07		·02	·01	·04		·23				19
20	·33		·07	·13						·61	·05		20
21	·01		·08	·14						·48	·39		21
22	·26		·18					·19	·28	·12	·01	·06	22
23	·01					·01		·04				·89	23
24	·16		·05	·07							·02	·01	24
25		·05		·29						·01	·03	·02	25
26		·01		·03				·12		·45		·27	26
27			·21	·09				·01		·01		·01	27
28	·16		·03	·20				·02		·21			28
29	·22		·10	·68	·72			·01		·11	·03	·06	29
30	·62							·07		·16			30
31	·03		·03					1·01		·20			31
Total	5·48	1·25	3·02	2·94	2·55	·78	1·24	1·52	2·95	4·29	3·56	2·61	YEAR'S TOTAL 32·19
Rain Days.	25	13	20	18	10	11	13	11	10	22	21	19	193

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Sandown Free Library

in the County of Isle of Wight

by Charles E. Gilchrist

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05			·01	·18			·06	·08	1
2		·01					·03	·03			·09	·18	2
3		·01	·04	·05	·38		·05	·04			·02	·06	3
4	·04	·01	·02	·22	·02		·03	·09			·36	·43	4
5	·18		·11	·23			·27	·04			·06	·01	5
6		·15	·03	·16	·10	·03	·03	·04			·02	·80	6
7	·06	·45	·14	·13	·02	·02	·15	·02			·02	·36	7
8	·06	·43	·55	·04	·02	·10		·12				·14	8
9	·03	·01	·45	·20	·02			·03	·04			2·51	9
10	·09	·30		·12	·23				·26	·02	·06	·01	10
11		·65	·70		·02	·01	·95		·10	·03	·11	·61	11
12		·20	·22				·05		·45	·30	·02	·47	12
13		·62	·17			·03			·21	·03	·10	·65	13
14		·12	·25			·12	·04	·45		·83	·44	·26	14
15		·07	·23				·18	·47	·03	·07	·76		15
16		·04					·12		·22				16
17		·70	·07						·06			·45	17
18		·11	·54						·02			·44	18
19		·15	·55				·93			·02	·15	·22	19
20		·41	·13			·07						·14	20
21		·50	·04							·14			21
22		·12	·02		·20	·10	·11			·15		·03	22
23		·09	·28			·16				·06	·01		23
24	·01	·01	·03							·04	·22		24
25	·02		·26				·06	·36		·41	·03	·21	25
26	·01		·01				·04	·08		·08	·11	·51	26
27	·09	·01									·28	·57	27
28	·02	·04	·06		·33		·10			·97	·39	·63	28
29	·18		·18	·03	·01					·37	·11	·04	29
30	·02		·05	·07						·31	·94	·56	30
31	·02				·03		·10			·09		·05	31
Total	·83	5·21	5·13	1·30	1·38	·64	3·25	1·95	1·39	3·92	4·36	10·42	YEAR'S TOTAL 39·78
Rain Days.	14	24	25	11	12	9	18	13	9	17	22	26	200

W. 8,000. X. 14.

674

FORM A.
BRITISH RAINFALL.
10. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Sandown

in the County of Isle of Wight

by C. E. Gilchrist

Lat. 50°39′ Long. 1°9′

Time of Observation 9

Nearest Railway Station Sandown Junc.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·73	·27	–	–	–	–	–	·10	·25	·07	–	·24	1
2	·36	·23	·15	·03	–	·02	–	·06	·03	·12	–	·38	2
3	·63	–	·14	·08	·13	–	–	·01	–	–	–	·54	3
4	·05	–	–	·04	·04	–	–	–	–	–	–	·46	4
5	·03	·25	–	·03	–	–	–	·26	–	–	–	·60	5
6	·84	·23	·01	·51	–	–	·40	·07	–	·01	·02	·34	6
7	·27	·70	–	·05	–	–	·07	·01	–	–	–	·28	7
8	·04	·94	·01	–	–	–	·06	·10	–	–	·15	·09	8
9	–	·14	–	·06	–	·05	–	·04	–	–	·51	·76	9
10	·37	·03	·04	–	–	–	–	–	–	·03	–	·41	10
11	·02	–	·04	–	–	–	–	–	–	·01	1·01	–	11
12	·08	·29	–	·39	·55	–	–	–	–	·03	·42	–	12
13	·01	·39	–	–	1·27	–	–	–	·13	·01	·06	–	13
14	·11	·02	–	–	–	–	·12	·05	·07	–	·02	1·31	14
15	·09	–	–	–	·08	–	·24	·05	·01	·01	·06	·24	15
16	–	·92	–	–	·54	–	1·02	·53	–	–	·01	·06	16
17	–	·22	–	–	·43	–	–	1·59	–	–	–	·05	17
18	–	·23	–	–	·05	–	–	–	–	–	·08	–	18
19	–	·12	–	–	·16	–	·03	–	–	–	–	–	19
20	·33	–	–	·10	·01	–	–	–	–	·14	–	·07	20
21	·06	–	–	–	–	–	·05	–	–	·27	–	·18	21
22	1·09	·45	·17	·02	–	–	·68	–	·01	–	–	·10	22
23	–	·05	·08	·04	–	·05	·05	–	·49	·28	–	1·12	23
24	–	–	–	·03	–	–	–	–	·93	·54	–	·46	24
25	–	–	·05	·02	–	–	·02	–	·01	–	–	·26	25
26	·03	·07	–	–	–	·18	·22	–	–	–	–	·72	26
27	–	·03	–	–	–	·02	–	–	–	·47	–	–	27
28	–	·07	–	–	–	·27	·05	–	·54	·04	·01	–	28
29	–	–	–	–	–	·77	–	·05	–	·01	·46	·03	29
30	·20	X	–	–	–	–	–	–	–	·35	·79	·05	30
31	–	X	–	X	–	X	–	·33	X	·54	X	·31	31
Total	5·34	5·65	·69	1·40	3·26	1·36	3·01	3·25	2·47	2·93	3·60	9·06	YEAR'S TOTAL 42·02
Rain Days.	19	20	9	13	10	7	13	14	10	16	13	24	168

W. 8,000. X. 15.

Exd CJE

664

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26. JAN. 1917

Kept at Sandown Free Library
in the County of the Isle of Wight
by C. E. Gilchrist

Lat. 50°39 Long. 1°9
Time of Observation 9 am
Nearest Railway Station Sandown
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level Thirty ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·07	·14	—	·14	·04	—	—	·18	·12	·43	—	1
2	·31	·10	·12	—	·21	—	·02	—	—	·42	·06	—	2
3	·02	·23	·04	—	·01	—	·06	—	·01	·68	·67	—	3
4	·26	·13	—	—	—	·46	—	—	·58	·04	·20	—	4
5	·05	·08	—	—	·09	·08	—	—	—	·07	·57	—	5
6	·03	·12	·02	·05	·04	·31	·32	—	—	·16	·35	—	6
7	·04	—	·53	—	·04	—	—	—	—	·24	·36	·07	7
8	—	—	·04	—	·38	—	—	—	—	—	·04	·45	8
9	—	— ~~·70~~	—	—	·18	·05	—	—	—	·01	—	·16	9
10	—	·70 ~~·04~~	·05	·05	·03	·28	—	—	—	—	·02	·28	10
11	·04	·04 ~~·08~~	·02	·15	·02	·09	—	—	—	—	—	·37	11
12	·04	·08 ~~·21~~	·07	·05	·03	·02	·15	—	—	·11	·03	—	12
13	—	·21 ~~·70~~	·02	·03	—	·03	—	—	—	·02	·02	—	13
14	—	·70 ~~·19~~	—	—	·06	—	—	·03	—	·04	—	·03	14
15	—	·19 ~~·03~~	·23	—	—	—	—	—	·02	—	—	·03	15
16	·09	·03 ~~·24~~	·18	·15	—	—	·04	·13	—	—	—	·06	16
17	·26	·24 ~~·04~~	—	·15	—	—	—	·08	·38	·67	·25	—	17
18	·01	·04 ~~—~~	·07	·06	—	—	—	·02	·26	·10	·56	·17	18
19	·20	— ~~·01~~	·15	·13	—	—	—	—	·04	—	·49	·02	19
20	·18	·01 ~~·06~~	·81	—	—	—	—	—	—	—	·17	·88	20
21	·02	·06 ~~—~~	·36	—	—	—	·04	—	—	—	·02	·44	21
22	—	— ~~·03~~	·01	—	—	·06	—	—	—	·10	·01	·57	22
23	·02	·03 ~~—~~	—	—	—	·26	—	·05	—	·19	·09	·02	23
24	—	— ~~·29~~	—	—	·15	—	—	·03	—	·21	·14	·34	24
25	·03	·29 ~~·49~~	·12	—	—	—	—	·20	·16	·12	·09	·01	25
26	·03	·49 ~~·04~~	·01	—	—	·17	—	—	·07	·25	·01	·14	26
27	—	·04 ~~·57~~	·81	—	—	·04	—	·22	·20	·66	—	·03	27
28	·01	·57 ~~·43~~	·03	—	—	—	—	·14	·37	·24	—	·36	28
29	—	·43	·05	—	—	·59	—	·86	·14	·29	—	·46	29
30	—	✕	—	—	·57	—	—	·03	—	·28	—	·01	30
31	—	✕	—	✕	—	✕	—	·06	✕	·04	✕	·03	31
Total	1·70 ✓	4·88 ✓	3·88 ✓	·82 ✓	1·95 ✓	2·48 ✓	·63 ✓	1·85 ✓	2·41 ✓	5·06 ✓	4·58 ✓	4·93 ✓	YEAR'S TOTAL 35·17 ✓
Rain Days.	19 ✓	23 ✓	22 ✓	9 ✓	14 ✓	14 ✓	6 ✓	12 ✓	12 ✓	23 ✓	21 ✓	22 ✓	197 ✓

W. 8,000, VIII. 16

636

FORM A.
BRITISH RAINFALL
21 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Sandown

in the County of the Isle of Wight

by C. E. Gilchrist

Lat. 50°39'5" Long. 1°9'5"

Time of Observation 9 G.M.T.

Nearest Railway Station Sandown

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground One ft. in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·16	·25	·	·	·	1.20	·04	·02	·06	·01	1
2	·	·	·13	·56	·	·	·	·02	·	·01	·03	·	2
3	·07	·	·	·19	·	·	·08	·26	·	·06	·08	·	3
4	·	·10	·28	·	·	·	·02	·05	·	·23	·	·02	4
5	·26	·	·03	·15	·	·14	·	·	·10	·44	·13	·	5
6	·	·	·31	·02	·	·	·	·	·	·09	·12	·01	6
7	·50	·	·	·	·	·	·44	·	·01	·25	·	·21	7
8	·29	·	·	·12	·	·	·20	·12	·	·47	·33	·27	8
9	·	·	·17	·	·17	·	·05	·	·	·24	·15	·07	9
10	·10	·	·23	·22	·	·04	·	·11	·	·	·	·	10
11	·07	·	·25	·26	·01	·	·	·	·	·40	·01	·	11
12	·08	·	·04	·	·09	·	·	·04	·	·39	·03	·02	12
13	·03	·	·31	·	·	·	·	·09	·01	·10	·01	·01	13
14	·	·	·	·09	·	·	·	·	·01	·05	·01	·	14
15	·	·	·	·	·15	·	·	·01	·	·38	·01	·15	15
16	·01	·12	·	·12	·06	·	·	·	·	·60	·02	·42	16
17	·	·03	·	·20	·03	·01	·40	·21	·43	·13	·	·	17
18	·	·02	·	·	·01	·04	·09	·02	·20	·01	·	·	18
19	·	·18	·07	·	·	·	·	·	·33	·	·	·02	19
20	·	·07	·47	·	·26	·12	·	·	·	·	·04	·02	20
21	·04	·01	·04	·	·	·04	·01	·	·	·04	·02	·	21
22	·03	·	·04	·	·01	·04	·	·07	·	·25	·01	·	22
23	·	·30	·	·	·04	·09	·	·17	·	·	·	·03	23
24	·	·17	·	·	·	·	·23	·	·02	·37	·02	·	24
25	·	·14	·05	·	·	·	·01	·	·02	·05	·04	·	25
26	·	·	·05	·	·11	·02	·	·42	·12	·	·32	·	26
27	·	·	·	·	·42	·06	·	1.25	·01	·04	·	·	27
28	·	·	·05	·	·	·20	·	·22	·	·	·	·02	28
29	·		·03	·	·	·04	·17	·03	·01	·54	·	·09	29
30	·	X	·23	·	·	·	·50	·30	·02	·03	·01	·05	30
31	·	X	·09	X	·	X	·23	·07	X	·15	X	·	31
Total	1·48	1·14	3·03	2·18	1·36	·84	2·43	4·66	1·33	5·34	1·45	1·42	YEAR'S TOTAL 26·66
Rain Days.	11	10	20	11	12	12	13	19	14	25	20	16	183

W. 8,000, IX. 17.

Exd. E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13 I 19

4

Kept at Sandown

in the County of Isle of Wight

by C. E. Gilchrist

Lat. 50°39 Long. 1°9

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Sandown

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·03	–	–	·02	–	–	·85	–	–	·20	·12	1
2	–	·04	–	·08	–	–	–	·21	–	–	·37	·23	2
3	–	·06	·02	·24	·20	–	–	·03	–	–	·11	·03	3
4	·02	·19	·07	·01	–	–	–	·05	·22	–	·63	·06	4
5	·	·08	·02	·01	·30	–	–	·30	·02	·22	–	·02	5
6	·16	·12	–	·20	·10	–	–	·18	·08	·09	–	·05	6
7	·	·20	–	·20	·44	–	–	·04	·16	·04	·22	·03	7
8	·	–	–	–	–	–	–	–	·21	·17	·05	·04	8
9	·01	–	–	·28	–	·14	·46	–	·62	·36	·05	·62	9
10	·03	–	–	·09	–	·03	·24	–	·35	·02	·01	·66	10
11	·02	·01	–	·02	–	–	·13	–	·85	·22	–	·10	11
12	·04	·12	·01	–	·30	–	–	–	·06	–	–	·07	12
13	·09	·03	–	–	·02	–	·25	–	·23	–	–	·10	13
14	·47	–	·04	–	·03	·11	·11	–	·58	·28	–	·07	14
15	1·35	–	–	·16	–	·16	·02	–	·01	–	–	·16	15
16	·47	–	–	·04	–	–	·01	–	·65	·05	–	–	16
17	·33	–	·01	·19	–	–	·29	–	–	·18	–	·35	17
18	·35	–	·01	–	–	·46	·03	–	·73	·05	–	·09	18
19	·02	–	·15	–	–	·01	·14	–	–	·04	·01	·02	19
20	·03	·18	–	·38	–	·03	·08	–	·21	·11	–	–	20
21	·16	·03	·02	–	–	–	–	–	·50	·18	–	·10	21
22	·20	–	–	–	·08	–	·51	–	·44	·02	–	·22	22
23	·09	–	–	–	–	–	·04	–	·12	–	·01	·08	23
24	–	·31	–	·01	–	·03	–	·01	·13	·01	·15	·02	24
25	·01	–	–	·20	–	–	·03	·11	–	·04	·02	·01	25
26	·01	–	–	–	–	–	·28	–	·08	·02	·08	·32	26
27	·02	·10	·06	–	–	–	·02	·07	–	·02	·18	·03	27
28	·02	–	·28	·04	–	–	–	–	·01	·01	·06	·01	28
29	·02	X	·06	–	–	–	–	–	1·28	–	·01	·04	29
30	·03	X	·43	–	–	–	–	–	·02	·03	·05	·07	30
31	·03	X	·08	X	–	X	–	–	X	·16	X	–	31
Total	4·03	1·50	1·26	2·15	1·49	·97	2·64	1·85	7·56	2·32	2·21	3·72	YEAR'S TOTAL 31·70
Rain Days.	25	14	14	16	9	8	16	10	23	22	17	28	202

W. 8,000, IX. 17.

34 RC

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Sandown, Isle of Wight (M.O.)

in the County of Hampshire

by G. E. Gilchrist, for Sandown District Council

Lat. 50° 39' N Long. 1° 9' W

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	0·64	-	0·05	-	0·03	-	0·17	-	0·01	0·11	0·01	0·89	1
2	0·18	-	0·02	-	0·02	-	0·29	-	0·23	-	0·08	0·05	2
3	0·51	-	0·77	-	0·07	-	0·03	-	0·05	-	-	0·20	3
4	0·25	0·05	0·25	-	-	0·02	0·06	0·07	0·06	-	0·19	0·08	4
5	0·03	0·43	0·58	-	-	-	-	-	0·30	-	0·13	0·26	5
6	0·13	-	0·20	-	0·07	-	0·03	-	-	-	0·01	0·09	6
7	0·10	-	0·57	0·01	-	-	-	-	-	-	-	-	7
8	0·19	-	0·12	-	-	-	-	-	-	-	-	-	8
9	0·60	-	0·08	0·08	0·06	-	-	-	0·02	-	0·80	-	9
10	1·40	-	0·16	0·04	0·01	-	-	-	0·01	-	-	0·21	10
11	0·50	-	0·05	0·35	0·08	-	-	-	-	-	-	0·04	11
12	0·07	-	0·03	-	0·01	-	0·10	-	-	0·22	0·16	-	12
13	0·04	0·04	0·08	0·52	-	-	0·01	-	-	-	-	0·05	13
14	0·38	0·05	-	0·23	0·03	-	0·03	-	-	0·02	-	0·06	14
15	0·36	0·11	0·02	0·02	-	-	-	-	-	-	-	1·05	15
16	0·15	0·60	-	-	-	-	-	-	-	-	0·12	0·02	16
17	0·06	0·36	-	-	-	-	-	-	-	-	0·12	0·06	17
18	-	0·07	0·20	-	=	-	-	0·07	0·02	-	0·18	0·03	18
19	0·25	0·38	0·66	-	-	0·12	0·31	0·19	0·04	-	0·15	0·03	19
20	0·47	0·04	0·14	-	-	0·47	-	0·21	-	-	0·03	0·02	20
21	0·04	0·49	0·01	-	-	0·01	0·04	-	0·05	-	0·02	0·05	21
22	-	-	-	-	-	-	0·33	-	0·42	-	0·01	0·13	22
23	-	0·03	0·03	-	-	-	-	-	0·15	0·04	0·06	0·06	23
24	-	0·06	-	-	-	0·08	0·02	0·04	0·02	0·47	0·12	0·32	24
25	0·03	-	-	-	-	0·04	-	0·45	-	-	0·01	0·08	25
26	0·04	0·19	0·09	0·08	-	-	0·02	0·10	0·17	-	0·47	0·56	26
27	0·22	-	0·01	0·42	-	-	0·01	0·61	-	-	0·02	0·09	27
28	0·10	-	0·48	-	-	-	-	0·41	-	-	0·35	0·48	28
29	0·02		-	0·03	-	-	-	0·38	-	0·11	-	0·14	29
30	-	X	-	0·19	-	0·06	-	0·34	-	0·02	0·51	0·82	30
31	0·04	X	-	X	-	X	-	-	X	-	X	0·13	31
Total	6·80	2·90	4·60	1·97	0·38	0·80	1·45	2·87	1·55	0·99	3·55	6·00	YEAR'S TOTAL 33·86
Rain Days.	26	14	22	11	9	7	14	11	14	7	21	27	183

Copied from M.O. Form 3203.

W. 6,500, VII. 18. WWC

553

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sandown, Isle of Wight (N.E.)
in the County of Hampshire
by G. E. Gilchrist, for Sandown D. C.

Lat. 50° 39' N. Long. 1° 9' W.
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.26	-	0.02	0.10	0.16	-	0.25	-	0.01	0.32	0.35	0.35	1
2	0.05	-	0.04	0.12	0.14	-	0.01	0.19	0.12	0.04	-	0.20	2
3	-	-	0.01	0.03	-	0.01	0.27	-	0.01	0.16	-	0.04	3
4	-	0.16	0.02	-	-	-	0.34	0.28	-	0.22	-	0.02	4
5	-	-	0.16	0.10	-	-	0.63	0.05	-	0.42	-	-	5
6	-	-	0.15	-	0.32	-	0.20	-	-	-	-	0.02	6
7	0.08	-	-	0.20	0.09	-	0.22	-	-	0.02	-	-	7
8	-	0.02	-	0.02	-	-	0.23	-	-	0.01	-	-	8
9	0.67	0.03	0.02	0.02	-	0.10	-	0.01	-	-	-	-	9
10	0.98	0.23	0.10	0.10	-	0.10	0.30	-	-	-	-	-	10
11	0.38	-	0.09	0.30	0.03	0.14	0.48	-	-	-	0.02	0.05	11
12	0.10	0.14	-	0.14	-	0.75	-	-	-	0.04	0.02	0.05	12
13	0.31	0.03	0.26	0.06	-	-	-	-	-	-	0.07	0.02	13
14	0.01	0.03	0.62	0.39	-	-	0.01	-	0.19	0.28	0.56	-	14
15	0.12	0.02	0.05	0.11	0.07	0.01	-	-	0.69	0.42	0.18	-	15
16	-	0.01	0.05	-	-	-	-	-	0.23	0.04	0.04	-	16
17	0.03	-	-	0.03	0.22	-	0.01	-	0.54	-	-	0.03	17
18	0.09	0.01	0.02	0.05	0.27	0.20	-	0.68	0.07	-	-	0.05	18
19	0.09	0.01	-	0.37	-	0.05	-	-	0.07	-	-	0.01	19
20	0.11	0.04	-	0.15	-	0.86	0.02	-	0.02	-	-	0.04	20
21	0.01	-	-	0.02	-	-	0.79	-	0.11	-	-	0.32	21
22	0.03	0.01	0.02	0.24	-	-	-	0.05	0.02	-	-	0.30	22
23	-	-	-	-	-	-	0.77	0.07	-	-	-	0.54	23
24	0.03	0.02	0.16	0.02	0.02	-	-	-	-	-	0.01	0.12	24
25	0.01	0.01	0.06	-	0.08	-	0.38	-	-	-	-	-	25
26	0.05	-	0.12	0.07	-	-	0.04	-	0.02	-	0.03	0.03	26
27	0.35	0.01	-	0.13	-	0.08	0.01	-	-	-	0.37	0.32	27
28	0.42	0.03	0.04	0.32	0.14	-	0.18	-	-	-	0.01	0.07	28
29	0.53	0.01	0.10	0.20	0.04	-	-	-	-	-	0.14	0.29	29
30	0.14		-	-	-	0.10	0.03	-	0.21	-	0.22	0.36	30
31	0.03		0.10		-		-	-		0.41		0.23	31
TOTAL	4.88	0.82	2.21	3.29	1.58	2.40	5.17	1.33	2.31	2.38	2.02	3.46	YEAR'S TOTAL 31.85
Days with ·01 in. or more	24	18	21	24	12	11	20	7	14	12	13	22	198

(44,283). Wt.21,958—218 7500. 10/19. Gp.132. A.&E.W.

Copied from M 3203.

14 13 18 10 9 14 6 9 10 8 16 136

—

SHANKLIN

I. O. W.

1911- 1920

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REG

Kept at Shan

in the County of the Is

by Ernest Chas. Corf

in.

ound 1 ft. 0 in.

a Level 183·87 ft.

k A.M.

ame Shanklin

istance 880 yds. Direction S.

IMPORTANT NOTE … he result entered to the previous day. If an Obs … sal rule, he is earnestly requested to add the readi … r in the space provided for it at the end of this … ent of rain, the selection and placing … ish Rainfall Organization are given in … pplication to Dr. H. R. Mill, 62, Camden Square,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	–	·22	–	–	–	·04	–	–	·10	–	1
2	·04	–	–	·10	·33	–	–	–	–	·01	·18	·32	2
3	–	–	–	–	·26	–	–	·11	–	–	·38	·20	3
4	–	–	·07	·02	–	–	–	–	·02	·03	·25	·12	4
5	–	–	–	·05	–	–	–	–	–	·40	·10	–	5
6	·31	–	·09	–	–	–	–	–	–	–	·23	·49	6
7	·07	–	–	–	–	–	–	–	–	·44	1·07	·02	7
8	·10	–	·25	–	–	–	–	–	–	–	·41	·52	8
9	–	–	·02	–	–	–	–	–	–	–	·26	·30	9
10	–	·11	·16	–	–	–	–	–	–	–	–	·25	10
11	·63	·01	·08	–	–	–	–	–	–	–	1·45	·03	11
12	–	–	1·08	–	–	–	–	–	–	–	·10	·08	12
13	–	–	–	–	·11	–	–	–	·12	·09	–	·48	13
14	–	·05	–	–	·01	–	–	–	–	–	–	·32	14
15	–	·02	–	–	–	–	–	–	–	–	·16	·05	15
16	–	–	–	–	–	·38	–	–	–	–	1·10	·20	16
17	–	–	·05	–	–	–	–	–	–	–	·96	·18	17
18	–	·08	·08	–	–	·14	–	–	–	·04	·36	·42	18
19	–	·19	–	–	–	·06	–	–	–	·13	–	·15	19
20	–	–	·07	–	–	–	–	·09	·10	·02	–	·70	20
21	–	·24	–	–	–	–	–	–	·06	·47	–	·25	21
22	·24	·05	–	–	–	·31	–	·25	–	·63	–	·76	22
23	–	·18	–	–	–	·42	–	–	·23	·84	·03	·23	23
24	–	·18	–	–	–	·12	–	·04	–	·86	–	·53	24
25	·02	–	·03	·20	·30	·04	·72	–	·29	·15	–	·03	25
26	–	·03	–	·41	·01	·04	–	·01	–	·35	–	·64	26
27	–	·54	·06	·06	–	–	·09	–	·16	·62	·11	·16	27
28	–	·18	–	·23	–	–	–	·17	–	–	–	–	28
29	–	X	–	·03	–	·25	·09	–	·34	·35	–	–	29
30	–	X	–	·03	·02	·02	–	–	–	·40	–	·30	30
31	–	X	–	X	–	X	–	–	X	–	X	–	31
Total	1·42	1·86	2·04	1·35	1·04	1·78	·90	·71	1·32	5·83	7·25	7·73	TOTAL for year 33·23
No. of Rain Days.	8	13	12	10	7	10	3	7	8	17	17	26	138

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REG

Kept at Shanklin

in the County of the Isle of Wight

by Ernest Chas. Cooper Town Surveyor

RAIN GAUGE	Pattern	[illegible]
	Diameter of top	8 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	183·87 ft.

Time of Observation 9 o'clock A.M.

Nearest Railway Station: Name Shanklin; Distance 880 yds. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	–	·22	–	–	–	·04	–	–	·10	–	1
2	·04	–	–	·10	·33	–	–	–	–	·01	·18	·32	2
3	–	–	–	–	·26	–	–	·11	–	–	·38	·20	3
4	–	–	·07	·02	–	–	–	–	·02	·03	·25	·12	4
5	–	–	–	·05	–	–	–	–	–	·40	·10	–	5
6	·31	–	·09	–	–	–	–	–	–	–	·23	·49	6
7	·07	–	–	–	–	–	–	–	–	·44	1·07	·02	7
8	·10	–	·25	–	–	–	–	–	–	–	·41	·52	8
9	–	–	·02	–	–	–	–	–	–	–	·26	·30	9
10	–	·11	·16	–	–	–	–	–	–	–	–	·25	10
11	·63	·01	·08	–	–	–	–	–	–	–	1·45	·03	11
12	–	–	1·08	–	–	–	–	–	–	–	·10	·08	12
13	–	–	–	–	·11	–	–	–	·12	·09	–	·48	13
14	–	·05	–	–	·01	–	–	–	–	–	–	·32	14
15	–	·02	–	–	–	–	–	–	–	–	·16	·05	15
16	–	–	–	–	–	·38	–	–	–	–	1·10	·20	16
17	–	–	·05	–	–	–	–	–	–	–	·96	·18	17
18	–	·08	·08	–	–	·14	–	–	–	·04	·36	·42	18
19	–	·19	–	–	–	·06	–	–	–	·13	–	·15	19
20	–	–	·07	–	–	–	–	·09	·10	·02	–	·70	20
21	–	·24	–	–	–	–	–	–	·06	·47	–	·25	21
22	·24	·05	–	–	–	·31	–	·25	–	·63	–	·76	22
23	–	·18	–	–	–	·42	–	–	·23	·84	·03	·23	23
24	–	·18	–	–	–	·12	–	·04	–	·86	–	·53	24
25	·02	–	·03	·20	·30	·04	·72	–	·29	·15	–	·03	25
26	–	·03	–	·41	·01	·04	–	·01	–	·35	–	·64	26
27	–	·54	·06	·06	–	–	·09	–	·16	·62	·11	·16	27
28	–	·18	–	·23	–	–	–	·17	–	–	–	–	28
29	–	X	–	·03	–	·25	·09	–	·34	·35	–	–	29
30	–	X	–	·03	·02	·02	–	–	–	·40	–	·30	30
31	–	X	–	X	–	X	–	–	X	–	X	–	31
Total	1·42	1·86	2·04	1·35	1·04	1·78	·90	·71	1·32	5·83	7·25	7·73	TOTAL for year 33·23
No. of Rain Days.	8	13	12	10	7	10	3	7	8	17	17	26	138

W. 8,000, X. '11.

Ex ML

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Kept at Shanklin
in the County of the Isle of Wight
by Ernest Chas Cooper (District Surveyor)

RAIN GAUGE
Pattern Glaisher's
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 183·87 ft.

Time of Observation 9 o'clock AM.

Nearest Railway Station
Name Shanklin
Distance 880 yds. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·18	—	—	·22	·07	—	·04	·97	—	·37	1
2	—	—	·30	—	—	—	·22	—	—	·03	—	·02	2
3	—	—	·12	—	—	·20	—	·53	·05	—	02	—	3
4	·23	·02	·55	—	—	·24	—	·07	—	—	·16	—	4
5	·46	·15	·15	—	—	—	—	·25	—	—	·02	—	5
6	92	—	—	—	·17	·04	—	·18	—	—	—	·02	6
7	·04	—	·02	—	·36	·80	—	·02	—	—	—	·13	7
8	·74	29	·13	—	—	·03	—	—	—	—	—	—	8
9	—	28	·20	—	—	·02	·03	—	—	—	—	·17	9
10	—	—	—	—	—	—	—	·10	—	—	·07	·31	10
11	·06	·26	—	—	—	·15	—	·06	—	—	—	·23	11
12	—	·05	·15	—	·32	·67	—	·41	—	—	—	·05	12
13	—	·07	·03	—	—	—	·14	·03	—	—	—	·16	13
14	·07	—	—	—	·05	—	·01	·13	—	·03	—	·10	14
15	—	·18	—	—	·07	·72	—	·01	—	—	—	·22	15
16	·36	·02	·30	—	·07	·10	—	·31	—	·14	·10	—	16
17	1·06	—	·56	—	—	·05	—	·33	—	—	—	·16	17
18	·16	·01	·17	—	·03	—	—	·17	—	·02	—	·08	18
19	·04	·05	·20	—	—	·02	·01	·35	—	—	—	—	19
20	·01	·05	·29	—	—	—	—	·04	—	·63	—	—	20
21	—	·27	·29	—	·13	—	—	·16	—	·16	—	—	21
22	·06	·67	·01	—	—	—	—	·37	—	—	·05	·05	22
23	·36	·16	·33	—	—	—	—	·65	—	·09	·21	·03	23
24	·07	·07	—	—	—	—	—	·20	—	·06	—	·15	24
25	·12	—	—	—	—	·37	—	1·08	—	·33	·57	·40	25
26	·01	·09	—	—	—	—	·38	·09	—	·21	·75	·60	26
27	—	·01	—	·01	—	·14	·30	—	—	·26	—	·52	27
28	—	·08	—	—	—	—	·13	·46	·15	·82	·74	·43	28
29	—	·12	—	—	—	·01	·12	·39	1·20	·13	—	—	29
30	—	×	—	—	·04	·04	·08	—	1·50	·27	—	·01	30
31	—	×	·17	×	—	~~·04~~	·12	·06	×	—	×	—	31
Total	4·77	2·90	4·15	·01	1·24	3·82	1·61	6·45	2·94	4·15	2·69	4·21	TOTAL for year 38·94
No. of Rain Days.	17	20	19	1	9	17	12	25	5	15	10	21	171.

W. 8,000, X. '11.

Ex [illegible]

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
14 JAN 1914

Kept at Shanklin
in the County of The Isle of Wight
by the Town Surveyor

Lat. .... Long. ....
Time of Observation 9 o'clock AM
Nearest Railway Station Shanklin
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·35	·12	·10	—	·05	—	—	·45	·02	·18	·03	1
2	·01	20 [illegible]	·08	—	—	—	·08	—	—	·02	·12	·07	2
3	·05	—	·01	·15	·30	—	—	—	—	·32	—	·27	3
4	·35	—	·01	—	·48	—	·18	—	·67	·16	·13	·05	4
5	·52	02 [illegible]	·06	—	—	·18	·08	—	·76	·04	·33	·09	5
6	·01	·05	·15	—	·22	·18	·36	—	—	·42	·19	·53	6
7	—	·30	·13	—	·22	·08	·16	—	—	·19	·08	·01	7
8	·01	·15	—	—	·18	—	—	·01	—	·20	—	·09	8
9	—	·01	—	—	—	—	·49	·03	·07	·22	·01	·02	9
10	·07	—	—	·08	—	·02	·01	—	—	—	·55	—	10
11	·87	—	—	·20	·06	—	—	—	—	·26	·05	·02	11
12	—	—	—	—	·48	—	—	—	—	—	·59	—	12
13	·27	—	·07	—	—	·01	—	·01	—	—	·29	—	13
14	·26	—	·35	02 [illegible]	—	—	·05	·01	·09	·02	—	—	14
15	·45	·20	·45	·41	·03	—	·06	—	·02	—	—	·06	15
16	·07	—	·54	·16	—	·18	·03	—	—	—	·01	—	16
17	·30	·01	—	·14	—	—	—	·03	—	—	·09	—	17
18	·02	—	·17	·15	—	—	·02	—	—	—	·10	—	18
19	·18	—	·03	—	·04	—	—	—	·28	—	—	—	19
20	·32	—	—	·12	—	—	—	—	—	·70	·05	—	20
21	—	—	·19	21 [illegible]	—	—	—	—	—	·48	·39	—	21
22	·37	—	21 [illegible]	—	—	—	—	·19	·24	·26	—	—	22
23	—	—	·03	—	—	·01	—	·07	—	—	·01	·94	23
24	12 [illegible]	—	—	·08	—	—	—	·01	—	—	·05	—	24
25	—	·05	—	21 [illegible]	—	—	—	—	—	—	·04	—	25
26	—	—	—	·07	—	—	—	·14	—	·44	—	·22	26
27	—	—	21 [illegible]	02 [illegible]	—	—	—	—	—	—	—	—	27
28	·20	—	·03	·22	—	—	—	·02	—	·21	—	—	28
29	28 [illegible]	X	·09	·70	·76	—	—	—	—	·07	·02	·04	29
30	·60	X	—	—	—	—	—	·24	—	·17	—	—	30
31	·10	X	·02	X	—	X	—	·69	X	·27	X		31
Total	5·56	1·34	2·95	3·04	2·77	·71	1·52	1·45	2·58	4·47	3·28	2·44	YEAR'S TOTAL 32·11
Rain Days.	23	10	20	17	10	8	11	12	8	19	20	14	172

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
7 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Shanklin
in the County of Isle of Wight
by Ernest Chas. Cooper

Lat. 50° 37' 33" N Long. 1° 10' 43" W.
Time of Observation 9 o'clock a.m.
Nearest Railway Station Shanklin
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·03	·01	—	·01	·20	—	—	·09	·04	1
2	—	—	—	—	—	—	·04	·02	—	—	·08	·12	2
3	—	—	·03	—	·39	—	·02	·05	—	—	·01	·03	3
4	—	—	·01	·24	—	—	·03	·12	—	—	·27	·47	4
5	·17	—	12·	·20	·01	—	·25	·05	—	—	·04	·20	5
6	—	·17	—	·14	·05	—	·02	·05	—	—		·46	6
7	·07	·30	·35	·13	·01	·09	·19	·02	—	—		·34	7
8	·06	·47	·73	·04	·02	·11	·02	·17	—	—		·16	8
9	·02	·01	·70	·16	·04	—	—	·02	·12	—		1·65	9
10	—	·26	—	—	21·	—	—	—	·32	·02	·03	—	10
11	·10	·46	·90	·16	—	·01	·40	—	·07	—	·05	62·	11
12	—	·22	·28	—	—	—	·09	—	·52	·20		·45	12
13	—	·50	·17	—	—	·11	—	—	·18	32·	·08	·66	13
14	—	·18	·18	—	—	·05	·04	·76	·01	·75	·40	·35	14
15	—	·03	·20	—	—	—	·12	·51	·07	·02	·53	—	15
16	—	·15	—	—	—	—	·11	—	·22	—		—	16
17	—	·62	·06	—	—	—	—	—	·01	—		·33	17
18	—	·08	·46	—	—	—	—	—	·01	—		·37	18
19	—	·14	·60	—	—	—	1·21	—	—	—	·12	·20	19
20	—	·35	·14	—	—	·11	—	—	—	—		·15	20
21	—	·49	—	—	—	—	—	—	—	·15		—	21
22	—	·24	·04	—	·17	·20	·19	—	—	·16		—	22
23	—	·09	·37	—	—	·03	—	—	—	·07		—	23
24	·01	—	02·	—	—	—	—	—	—	·06	·29	—	24
25	—	—	·36	—	—	—	·04	·62	—	·41	·03	·33	25
26	—	—	—	—	—	—	·02	·07	—	·04	·15	·46	26
27	06	—	—	—	—	—	—	—	—	—	·22	·50	27
28	·02	·07	·12	—	·12	—	·03	—	—	·73	·55	·62	28
29	·17	✕	·15	—	—	—	—	—	—	·65	·08	·04	29
30	·02	✕	·07	·09	—	—	—	—	—	·27	·82	·45	30
31	·02	✕	—	✕	·02	✕	·11	—	✕	03	✕	·04	1 31
Total	·72	4·83	6·07	1·19	1·05	·71	2·94	2·66	1·53	3·88	3·84	9·04	YEAR'S TOTAL 38·46
Rain Days.	11	19	23	9	11	8	19	13	10	15	18	24	180

W. 8,000. X. 14.

Exe DL

673

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 12 JAN 1916

Kept at Shanklin
in the County of Isle of Wight
by Ernest Chas Cooper, U.D. District Surveyor

Lat. 50°37'33"N Long. 1°10'43"W
Time of Observation 9 A.M.
Nearest Railway Station Shanklin Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·76	·34	—	—	—	—	—	·07	·21	·11	·01	·24	1
2	·45	·19	·18	·01	—	·01	—	·11	·02	·12	—	·41	2
3	·51	—	·17	·05	·17	—	—	·04	·04	·05	—	·51	3
4	·07	—	—	·03	—	—	—	—	—	—	—	·51	4
5	·03	·30	—	·04	—	·01	—	·37	—	—	—	·67	5
6	·83	·32	—	·50	—	·01	·52	·06	—	—	—	·29	6
7	·21	·46	—	·08	—	—	·03	·02	—	—	—	·28	7
8	·05	·88	—	—	—	—	·03	·01	—	—	·05	·09	8
9	—	·16	—	·08	—	·07	—	·04	—	—	·41	·97	9
10	·26	·07	·02	—	—	—	—	—	—	·01	—	·40	10
11	—	—	·03	—	—	—	—	—	—	·01	1·01	·01	11
12	·09	·30	—	·35	·68	—	—	—	—	·02	·47	—	12
13	—	·31	—	—	1·28	—	—	—	·11	—	·05	·01	13
14	·09	—	—	—	—	—	·19	—	·09	—	—	1·09	14
15	·07	—	—	—	·20	—	·36	·07	—	—	·12	·21	15
16	—	·77	—	—	·43	—	1·00	·02	—	—	—	·05	16
17	—	·20	—	—	·53	—	—	·53	—	—	—	·05	17
18	—	·17	—	—	·03	—	—	—	—	—	·05	—	18
19	—	·16	—	—	·26	—	—	—	—	—	—	—	19
20	·31	—	—	·08	—	—	—	—	—	·19	—	·06	20
21	·07	—	—	—	—	—	·07	—	—	·26	—	·17	21
22	·83	·33	·20	·02	—	—	·78	—	—	—	—	·19	22
23	·24	·11	·11	·01	—	·01	—	—	·56	·43	—	1·15	23
24	—	—	—	—	—	—	·01	—	1·10	·60	—	·35	24
25	—	—	·02	·01	—	—	—	—	—	—	—	·29	25
26	·07	·05	—	—	—	·25	·29	—	—	—	—	·71	26
27	—	·01	—	—	—	·02	—	—	—	·46	—	—	27
28	—	·07	—	—	—	·29	—	—	·76	·12	·01	·02	28
29	—	×	—	—	—	·05	—	·04	—	·01	·47	·02	29
30	·24	×	—	—	—	—	—	—	—	·42	·59	·04	30
31	—	×	—	×	—	×	—	·47	×	·65	×	·28	31
Total	5·18	5·20	·73	1·26	3·58	·72	3·28	1·85	2·89	3·46	3·24	9·07	YEAR'S TOTAL 40·46
Rain Days.	18	19	7	12	8	9	10	13	8	15	11	27	157

W. 8,000. X. 15.

✓ 663

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Council Chambers Shanklin
in the County of Isle of Wight.
by Ernest Chas Cooper

Lat. 50°37′33″ Long. 1°10′43″W
Time of Observation 9 AM.
Nearest Railway Station Shanklin
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·09	·12		·17	·01			·20	·15	·43		1
2	·17	·14	·10		·19		·01		·01	·41	·02		2
3	·02	·28	·02				·07			·68	·69		3
4	·27	·16				·47			·66	·03	·10		4
5	·04	·01			·11	·12				·06	·52		5
6	·02	·14	·01	·01	·06	·25	·42	—		·15	·27		6
7	·02	·01	·56		·04		·02			·31	·22	·06	7
8	—	·02	·08		·46						·03	·50	8
9	—	—			·16					·01		·11	9
10	—	·86	·02	·02	·03	·27			—			·20	10
11	·04	·04		·18	·01	·02						·48	11
12	·03	·11	·06	·05	·02	·01	·14			·06		·01	12
13	—	·20	·01	·03		·02				·01		·01	13
14	—	·53	·01		·06					·02		·01	14
15	—	·10	·26										15
16	·14	·02	·19	·15			·01	·11				·02	16
17	·33	·24		·10				·16	·37	·80	·41	·03	17
18	·02	·04	·04	·01					·31	·12	·46	·19	18
19	·17	—	·12	·14					·05		·55	·01	19
20	·14	·02	·83								·18	·80	20
21	·02	·10	·29	—			—			·03	·05	·44	21
22	—	—	·01			·02				·06		·70	22
23	·01	·02				·20		·04		·19	·02	·18	23
24	—	·01			·13			·05		·24	·08	·35	24
25	·03	·36	·10					·19	·16	·20	·06	·10	25
26	·02	·46	·02			·20			·01	·25		·05	26
27	—	·10	·84			·05		·02	·39	·44			27
28	·01	·60	·02					·12	·27	·32	·01	·26	28
29	—	·46	·05			·66		1·08	·19	·24		·48	29
30	—	×			·24			·02		·14			30
31	—	×		×		×		·06	×	·10	×	·01	31
Total	1·61	5·12	3·76	·69	1·68	2·30	·67	1·85	2·62	5·02	4·10	5·00	YEAR'S TOTAL 34·42
Rain Days.	19	26	22	9	13	13	6	10	11	24	17	22	192

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
18. JAN 1918

Kept at Shanklin

in the County of Isle of Wight

by Ernest Chas Cooper, District Surveyor

Lat. 50° 37' 33" N Long. 1° 10' 43" N

Time of Observation 9 AM.

Nearest Railway Station Shanklin

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 183-87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·16	·24	—	—	—	1·19	—	—	·06	—	1
2	—	—	·14	·46	—	—	—	—	—	—	—	—	2
3	·09	—	—	·06	—	—	·09	·27	—	·06	—	—	3
4	—	·06	·21	—	~~·01~~	—	·02	·03	—	·21	·03	·01	4
5	·28	—	·02	·18	—	·10	—	—	·08	·39	·15	—	5
6	—	—	·32	—	~~·02~~	—	—	—	—	·21	·13	·02	6
7	·52	—	·01	—	—	—	·60	—	—	·15	—	—	7
8	·25	—	·11	·06	~~·27~~	—	·25	·15	—	·40	·41	·27	8
9	—	—	·10	—	·18 ~~·04~~	—	·03	—	—	·18	·03	·04	9
10	·21	—	·15	·16	·05	·01	—	·11	—	—	—	—	10
11	·10	—	·32	·26	—	—	—	·02	—	·45	·01	—	11
12	·05	—	·02	·01	14	—	—	—	—	·38	—	—	12
13	·01	—	·32	·08	—	—	—	·09	—	·78	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	—	—	—	07 ~~·20~~	—	—	—	—	—	—	·20	15
16	—	·16	—	·13	·02 ~~·33~~	—	—	—	—	·38	—	·33	16
17	—	·01	—	·25	·01	—	·45	·23	·51	·13	—	—	17
18	—	·01	—	·01	—	·03	·12	·01	·50	—	—	—	18
19	—	·18	·06	[illegible]	·03	·01	—	—	·26	—	—	—	19
20	—	·09	·40	—	·17	·09	—	—	—	—	·03	—	20
21	·03	—	·06	—	·01	—	—	—	—	·04	·01	—	21
22	·01	—	·02	—	·01	—	—	·06	—	·24	—	—	22
23	—	·39	—	—	·02	—	—	·16	—	—	—	—	23
24	—	·06	—	—	—	·09	·20	—	—	·14	—	—	24
25	—	·27	·09	—	—	—	—	—	·01	·04	·03	—	25
26	—	—	·03	—	—	·01	—	·46	·11	—	·32	—	26
27	—	—	—	—	·43	·10	—	1·40	—	—	—	—	27
28	—	—	·03	—	~~·03~~	·09	—	·16	—	—	—	·03	28
29	—	X	·02	—	—	·03	·21	·04	—	·69	—	—	29
30	—	X	—	—	~~·09~~	—	·37	·42	—	—	·02	·09	30
31	—	X	·04	X	~~·06~~	X	·22	·06	X	·26	X	·05	31
Total	1·55	1·23	2·63	1·90	1·06	·56	2·56	4·86	1·47	5·13	1·23	1·04	YEAR'S TOTAL 25·22
Rain Days.	10.	9.	21.	12	12.	10.	11.	17.	6.	18.	12.	9.	147.

W. 8,000, IX. 17.

Ex D.L

3

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Shanklin.

in the County of Isle of Wight.

by Ernest Chas. Cooper District Surveyor.

Lat. 50° 37' 33" N Long. 1° 10' 43" W.

Time of Observation 9 AM

Nearest Railway Station Shanklin

Diameter of Funnel of Rain Gauge —8— in.

Height of top of Gauge above Ground —1— ft. —0— in.

" " " " Sea Level 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04						·80			·06	·08	1
2	·02	·03	·03	·04				·41			·35	·31	2
3		·07		·24	·27						·31	·05	3
4		·14	·08					·10	·26			·10	4
5		·12	·03	·06	·29			·37	·01	·20	·83	01	5
6	·18	·14		·26				·12	·11	·14		07	6
7		·25		·02	·34			·04	·28			02	7
8									·15	·19	·29	06	8
9				·28		·10	·56		·63	·10	·03	85	9
10				·07			·22		·41	·12		47	10
11										·23	·08	15	11
12		·17			·39		·12					02	12
13	·22	·03			·09		·39		·77			·24	13
14	·28		·01		·06		·06		·77	·40		·09	14
15	1·35			·10		·09						·15	15
16	·55					·20	·03		·75	·02			16
17	·32		·04	·14			·33			·14		·38	17
18	·33		·01			·52	·12		·76	·03		·08	18
19			·14			·02	·09			·05			19
20	·02	·26		·63		·01	·03		·17	·09			20
21	·17	·01							·68	·06		·13	21
22	·16	·41			·06		·36		·24			·17	22
23	·12						·37		·08			·15	23
24						·02			·20			~~1~~	24
25	·01			·24				·11			·15	~~1~~	25
26					·01		·36					40	26
27			·24				·02	·09		·05	·13	·07 ~~·47~~	27
28									·40				28
29			·07						·99		·20	·02	29
30			·52						·02	·09	·06		30
31			·14							·13			31
Total	3·73	1·67	1·31	2·08	1·51	·96	3·06	2·04	7·68	2·04	2·49	4·07	YEAR'S TOTAL 32·64
Rain Days.	13	12	11	11	8	7	14	8	19	16	11	15	145

x 8L

588

30 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Council Chambers, Shanklin.
in the County of Isle of Wight.
by Ernest Chas. Cooper

Lat. 50° 37′ 33″ N. Long. 1° 10′ 43″ W.
Time of Observation 9 A.M.
Nearest Railway Station Shanklin.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ~~179~~ 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·78.	—	·16	—	·01	—	·35	—	—	·18	—	·89	1
2	—	—	·20	—	—	—	·27.	—	·22	02	—	·10	2
3	·16	—	·36	—	·08	—	·01	—	·04	—	—	·24	3
4	·44	—	·43	—	·01	—	·07	·05	·05	—	·18	·05	4
5	·34	·54.	·70	—	—	—	—	—	·22	—	·17	·28.	5
6	·17	—	·26	—	·05	—	·05.	—	—	—	·02	·04	6
7	·09	—	·60	·01	—	—	—	—	—	—	—	·03	7
8	—	—	·17	—	—	—	—	—	—	—	—	—	8
9	—	—	·05	·05	·07	—	—	—	—	—	·76	—	9
10	1·52	—	·06	·01	—	—	—	—	—	—	—	·30	10
11	·46	—	·24	·43	·10	—	—	—	—	—	—	·02	11
12	·04	—	·04	—	—	—	—	—	—	·24	·06	—	12
13	·07	·02	·02	·20	—	—	·05	—	—	—	—	·06	13
14	·31	·04	—	·54	—	—	·05	—	—	·01	—	·05	14
15	·29	·24	—	—	·01	—	—	—	—	—	—	125	15
16	·14	·69	—	—	—	—	—	—	—	—	·28.	—	16
17	12	·23	—	—	—	—	—	—	—	—	·02	·11	17
18	—	26	28	—	—	—	—	·06	—	—	·31	·02	18
19	33	27	·60	—	—	·11	22	·22	·04	—	·12	—	19
20	33	·03	·15.	—	—	·63	—	21	—	—	[illegible]	·02	20
21	04	·53	—	—	—	·08	·05	—	·06	—	—	·03	21
22	—	—	—	—	—	→	·31	—	·34	—	—	·13	22
23	—	·03	·01	—	—	→	—	—	·09	·02	·05	·03	23
24	—	·14	—	—	—	·02	~~·01~~	·09	·03	·62	·10	24.	24
25	—	—	—	—	—	·05.	~~·03~~	·63	—	—	—	·04	25
26	·11	·10	·09	·15	—	—	—	·01	·11	—	·52.	·68	26
27	22	·01	—	·49	—	—	·03	·64	—	—	·01	·08	27
28	13	—	·72	—	—	—	—	·56	—	—	·34	·75	28
29	—		—	—	—	—	—	·44	—	·08.	—	·15	29
30	—		—	·20	—	·02.	—	·48	—	—	·69	·83	30
31	·40.		—		—		—	—		—		·19	31
TOTAL	6·49.	3·15.	~~5·13~~ 5·14	2·08	·33.	·91	~~1·49~~ 1·47	3·39	1·20	1·17.	3·63.	6·61	YEAR'S TOTAL 35·57
Days with ·01 in. or more	22	14	19.	9.	7.	6.	12	11	10	7	15	26.	158.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

555

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shanklin

in the County of Hampshire (Isle of Wight.)

by Shanklin U. D. Council.

Lat. 50° 37′ 33″ N Long. 1° 10′ 43″ W

Time of Observation 9 a.m.

Nearest Railway Station Shanklin.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 183·87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ╳

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·02	·01	—	·15	—	·18	—	·06	·19	·54	·51	1
2	·04	—	05	—	·13	—	·22	·23	·01	·04	—	·24	2
3	—	—	—	·23	—	—	·14	—	—	24	—	—	3
4	—	20	·01	—	—	—	·20	·36	—	·30	—	—	4
5	—	—	·19	20	—	—	·58	·02	—	·45	—	—	5
6	—	—	·13	—	·32	—	·34	—	—	—	—	—	6
7	·01	—	—	·26	—	—	·24	—	—	—	—	—	7
8	—	—	—	·05	—	—	·24	—	—	—	—	—	8
9	·64	·03	—	·01	·11	·09	—	—	—	—	—	—	9
10	·45	·13	·19	·20	—	·13	·42	—	—	—	—	—	10
11	·69	—	·18	25	·03	—	·52	—	—	—	·01	(4) ·08	11
12	·08	18	—	·16	—	·81	—	—	—	—	—	(3) ·04	12
13	·34	·01	·33	20	—	—	—	—	—	—	·08	—	13
14	·02	·04	·82	·32	—	—	—	—	·30	·38	·54	—	14
15	·18	—	·03	·07	·07	—	—	—	·60	—	·14	—	15
16	—	·04	·06	—	—	—	—	—	·13	—	—	—	16
17	·02	—	—	—	·19	—	—	—	·60	—	—	—	17
18	·10	—	—	·03	·13	25	—	·68	·04	—	—	—	18
19	·04	·02	—	·33	—	—	—	—	·02	—	—	—	19
20	·02	—	—	·10	—	1·10	—	—	·04	—	—	·04	20
21	—	—	—	—	—	—	·73	—	·12	—	—	·31	21
22	·04	—	—	·47	—	—	—	—	·21	—	—	·30	22
23	·01	—	—	—	—	—	·40	·10	—	—	—	·70	23
24	·01	—	·16	—	—	—	—	—	—	—	—	·26	24
25	—	—	·05	—	·15	—	·36	—	—	—	—	—	25
26	·05	—	·25	—	—	—	—	—	—	—	—	·15	26
27	·35	—	—	·15	—	—	·06	—	—	—	—	·14	27
28	·35	—	·02	·26	·14	—	23	—	—	—	·32	·24	28
29	48	—	·10	·18	—	·02	—	—	—	—	·12	·31	29
30	·11	╳	—	—	—	—	·07	—	—	—	·22	·40	30
31	·05	╳	·06	╳	—	╳	—	—	╳	·51	╳	·35	31
TOTAL	4·28	·67	2·64	3·47	1·42	2·40	4·88	1·39	2·13	2·11	1·97	4·07	YEAR'S TOTAL 31·43 ins.
Days with ·01 in. or more	26	9 4	17 4	18 2	10 1	6 1	16 1	5 1	11 2	7	8	~~15~~	23.145
Days with ·04 in. or more	17	5	13	16	9	5	15	4	9	7	7	15	128 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

81 ✓

2/14

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

TOTLAND BAY
I.O.W.
1911 - 1920

RE

Kept at Totland

in the County of Hamp

by J Dover

in.

round ft. in.

ea Level ft.

ame

istance Direction

IMPORTANT NOT the result entered to the previous day. If an O ersal rule, he is earnestly requested to add the rea r in the space provided for it at the end of th ent of rain, the selection and placi tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·06				·02			·03	·03	1
2				·04	·30						·17	·20	2
3					·19			·03	·01		·17	·05	3
4			·05	·04					·03	·02	·19	·35	4
5				·03				·02		·96	·01		5
6	·35		·04							·03	·08	·66	6
7	·05									·10	·86	·02	7
8	·01	·02	·13								·45	·42	8
9	·07		·03	·01							·06	·18	9
10		·13	·25	·02	·05							·47	10
11	·47	·01	·01								1·11		11
12			·85		·01						·03	·19	12
13			·01		·03				·23	·01		·36	13
14		·04										·22	14
15	·01	·02									·15		15
16						·35					·53	·19	16
17			·06			·04					·63	·20	17
18		·13	·07	·03		·07				·03	·33	·47	18
19		·11				·13			·19	·13		·13	19
20	·01	·01	·17					·09	·24	·01		·66	20
21	·02	·15	·15			·02			·09	·29		·29	21
22	·14	·05	·02	·02		·20				·46		·42	22
23	·01	·10	·01			·26			·22	·29		·19	23
24	·02	·15				·21		·06		1·07		·41	24
25				·08	·45	·03	·02		·03	·10		·09	25
26				·25	·11					·21		·33	26
27		·31	·05	·02					·05	·94	·27	·13	27
28		·17		·39				·22		·01			28
29				·42		·16	·13		·13	·20			29
30				·04	·04	·01		·06		·35		·02	30
31													31
Total	1·16	1·40	1·91	1·45	1·18	1·48	·15	·50	1·22	5·21	5·07	6·68	TOTAL for year 27·41
No. of Rain Days	11	14	16	14	8	11	2	7	10	18	16	25	152

9,000, IX. '10.

8L

2/14

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

RE

Kept at Totland Bay, Aston House

in the County of Hampshire

by J. Dover

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·06				·02			·03	·03	1
2				·04	·30						·17	·20	2
3					·19			·03	·01		·17	·05	3
4			·05	·04					·03	·02	·19	·35	4
5				·03				·02		·96	·01		5
6	·35		·04							·03	·08	·66	6
7	·05									·10	·86	·02	7
8	·01	·02	·13								·45	·42	8
9	·07		·03	·01							·06	·18	9
10		·13	·25	·02	·05							·47	10
11	·47	·01	·01								1·11		11
12			·85		·01						·03	·19	12
13			·01		·03				·23	·01		·36	13
14		·04										·22	14
15	·01	·02									·15		15
16						·35					·53	·19	16
17			·06			·04					·63	·20	17
18		·13	·07	·03		·07				·03	·33	·47	18
19		·11				·13			·19	·13		·13	19
20	·01	·01	·17					·09	·24	·01		·66	20
21	·02	·15	·15			·02			·09	·29		·29	21
22	·14	·05	·02	·02		·20				·46		·42	22
23	·01	·10	·01			·26			·22	·29		·19	23
24	·02	·15				·21		·06		1·07		·41	24
25				·08	·45	·03	·02		·03	·10		·09	25
26				·25	·11					·21		·33	26
27		·31	·05	·02					·05	·94	·27	·13	27
28		·17		·39				·22		·01			28
29				·42		·16	·13		·13	·20			29
30				·04	·04	·01		·06		·35		·02	30
31													31
Total	1·16	1·40	1·91	1·45	1·18	1·48	·15	·50	1·22	5·21	5·07	6·68	TOTAL for year 27·41
No. of Rain Days	11	14	16	14	8	11	2	7	10	18	16	25	152

9,000, IX. '10.

DL

Fox. H806

2/4

REGISTER OF RAINFALL ~~IN~~ 1912

FORM A2.
BRITISH RAINFALL.

Kept at Totland Bay, Aston House

in the County of Hampshire

by J. Dover

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.16		.01	.22	.36			.86		.28	1
2	—	.04	.13			.02	.32			.03	.02		2
3		.01	.04			.15	.01	.54		—	.03		3
4	.17	.12	.57			.26		.13		—	.29		4
5	.37	.05	.09					.42			.03	.01	5
6	.62	.01	.03		.23	.02		.57				.06	6
7	.01	.19	.01		.28	.80		.03			—	.07	7
8	.38	.28	.25			.01		.06				.04	8
9	.01	.19	.12	.12		.04	.02	.22				.17	9
10		.03		—				.03		.01	.01	.37	10
11	.08	.16				.77		.23		.01		.28	11
12	.02	.09	.14		.19	.43	.04	.27		.02		.01	12
13		.03	.01					.19		.01	.03	.09	13
14	.11		.05		.03			.19		.03			14
15	.04	.26	.14		.02	.61		.01				.26	15
16	.66	.01	.26		.09	.03		.16		.11	.16		16
17	.78		.15		.05	.04		.32				.13	17
18	.10	.02	.12					.11		.01		.08	18
19	.03	.06	.14				.07	.17			.01		19
20	.01	.01	.21				.01	.13		.40	.03		20
21		.16	.17		.32			.16		.10			21
22	.06	.50	.05				.01	.20				.02	22
23	.31	.16	.28		.01			.55		.15	.15	.09	23
24	.17	.04				.03	.01	.11				.19	24
25	.19					.22		.40		.12	.45	.49	25
26		.05				.02	.02	.17		.23	.42	.24	26
27		.01				.08	.28			.26		.53	27
28		.10				.02	.06	.33	.03	.70	1.01	.22	28
29		.04					.38	.02	1.02	.25	.03		29
30			.01				.02		1.45	.14		—	30
31			.28				.24	.08		.01		.07	31
Total	4.12	2.62	3.41	.12	1.23	3.77	1.85	5.80	2.50	3.45	2.67	3.70	TOTAL for year 35.24
No. of Rain Days	19	25	23	1	10	18	15	27	3	19	14	21	195

9,000, IX. '10.

2/4

BRITISH RAINFALL.
FORM A.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Totland Bay, Aston House
in the County of Hampshire
by J. Dover

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·46	·21	·16					·50	·02	·24		1
2		·10					·01				·07	·02	2
3	·05		·04	·13	·27					·42		·19	3
4	·38		·06		·52	·01	·09		1·23	·20	·08	·01	4
5	·22	·09	·03		·01	·15	·03		·75	·31	·19	·07	5
6	·02	·02	·03		·08	·15	·04			·27	·17	·42	6
7		·30	·04		·23	·05	·02			·32	·14		7
8		·11			·12	·01	·01			·03		·02	8
9		·04					·23	·24	·06	·12	·08		9
10	·05	·01		·02			·16				·67		10
11	·85	·01		·18	·11				·04	·21	·79		11
12	·01				·45					·01	·33		12
13	·17		·07			·02			·18		·19		13
14	·21		·12	·02					·10		·01		14
15	·16	·17	·28	·53	·01		·07		·23				15
16	·07		·53	·12		·06	·01		·23				16
17	·27			·15			·02				·05		17
18			·21	·07			·02				·06		18
19	·47		·01		·06	·13	·01		·22	·02			19
20	·21		·42	·08						·56	·02		20
21			·19	·30					·27	·43	·50		21
22	·35		·18					·09		·16	·01	·07	22
23	·01		·01			·03					·01	·74	23
24	·08			·15				·04		·01	·01		24
25		·04		·20									25
26				·07				·18		·39		·20	26
27	·01		·22	·03									27
28	·25		·10	·11						·25			28
29	·18		·13	·36	·95			·04		·29	·02	·01	29
30	·55							·01		·19			30
31	·02		·03					1·14		·42			31
Total	4·65	1·35	2·91	2·68	2·81	·61	·72	1·74	3·81	4·63	3·64	1·75	YEAR'S TOTAL 31·30
Rain Days.	23	11	20	17	11	9	13	7	11	20	20	10	172

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Totland Bay
in the County of Hampshire
by J. Dover

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.22			.10	.15	1
2					.01						.34	.32	2
3				.08	.29		.04	.09			.03		3
4				.24			.08	.15			.53	.26	4
5	.14		.07	.12	.01		.46	.06			.32		5
6		.17		.09				.02			.15	.45	6
7	.01	.29	.08	.13			.20	.01			.01	.42	7
8	.01	.39	.58	.10		.10		.07			.01	.02	8
9	.02	.02	1.04	.06	.02				.08			1.94	9
10	.04	.22		.09	.09				.32		.01		10
11		.40	.52			.02	.39		.03		.09	.41	11
12		.12	.24				.01		.45	.21	.02	.84	12
13		.43	.25						.19	.03	.15	.65	13
14			.17			.50	.13	.35		.86	.31	.17	14
15		.19	.18				.32	.52		.10	.91		15
16		.01					.22		.19				16
17		.54	.14						.01			.31	17
18		.02	.41				.05					.59	18
19		.08	.63				1.09				.08	.07	19
20		.28	.27			.07						.37	20
21		.52								.18			21
22		.05	.03		.03	.04	.23	.04		.12			22
23		.07	.33			.11				.11			23
24	.01				.12					.03	.12	.02	24
25	.03		.17				.08	.49		.38	.02	.18	25
26	.01						.06	.06		.16	.25	.56	26
27	.04										.13	.33	27
28		.04	.19		.05					.67	.23	.58	28
29	.13		.09	.04						.35	.17		29
30			.06	.05						.32	.64	.39	30
31	.01						.08			.26		.04	31
Total	.45	3.84	5.45	1.00	.62	.84	3.44	2.08	1.27	3.78	4.62	9.07	YEAR'S TOTAL 3646
Rain Days.	11	18	19	10	8	6	15	12	7	14	22	22	164

W.7,000, XI. 13

Dl.

and for toning 25·11·16

4676

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Totland Bay #88

in the County of Hampshire

by J. Dover

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·23						·03	·28	·18	·02	·65	1
2	·21	·23	·10	·01		·03		·13		·46		·28	2
3	·37		·15	·05	·05		—			·04		·52	3
4				·03								·41	4
5	·03	·36		·01		·01		·12				·41	5
6	·74	·12		·56			·43	·03		·01		·37	6
7	·17	·45		·05			·08		—			·28	7
8	·03	·41				·01	·04	·09			·05	·10	8
9		·03		·16				·01			·27	·68	9
10	·14	·03	·04									·28	10
11			·09								·80		11
12	·12	·32	—	·16	·62		—	·01		·04	·23		12
13	·02	·24			1·28		·02		·10		·06		13
14	·03	·02					·05		·05			·79	14
15	·05	·07			·09		·44	·04			·06	·12	15
16		·74			·30		1·19	·09				·62	16
17		·39		—	·52		·03						17
18		·17	·01		·03			—			·04		18
19		·02			·24		·08						19
20	·28		—	·16	·01							·04	20
21	·07	·03		—			·07	—		·53		·07	21
22	·54	·54	·25	·02		—	·89					·24	22
23		·02	·15			·01	·01		·17	·40		·68	23
24			—	—			·06		2·56	·50		·61	24
25									—			·33	25
26	·01	·06				·13	·12					·96	26
27										·45	·01		27
28		·05				·16		—	·59	·07		·03	28
29						·06		·02		·26	·34	·04	29
30	·16	╳				·26				·39	·72	·11	30
31		╳		╳		╳		·31	╳	·52	╳	·26	31
Total	3·53	4·53	·79	1·21	3·14	·67	3·51	·88	3·75	3·85	2·60	8·88	YEAR'S TOTAL 37·34 37·34
Rain Days.	17	21	7	10	9	8	14	11	6	13	11	24	151

W. 8,000. X. 14.

8L ✓ W 8L

REGISTER OF RAINFALL IN 1916

3/4 611

FORM A. BRITISH RAINFALL.

30 JAN 1917

Kept at Totland Bay

in the County of Hampshire

by J. Dover

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·08	·07		·56	·01			·40	·18	·26		1
2	·21	·16	·05		·06		·02			·32	·02		2
3	·02	·39	·04			—	·01			·79	·22		3
4	·25	·13				·20			·37	·04	·26		4
5	·02	·06			·24	·03				·06	·63		5
6	·01	·05	·05		·01	·33	·42			·04	·41		6
7	·01		·41		·07	·01		—		·04	·24	·07	7
8		·03	·01		·28						·01	·60	8
9					·06	·02						·18	9
10		·68	·02	·03	·04	·48					·01	·02	10
11	·02	·01	·02	·13	—	·01				—		·16	11
12	·04	·04		·04	·05		·10	·04	—	·02	·01		12
13		·17	·19	·05		—					·01		13
14		·67			·08					·02			14
15		·21	·15										15
16	·11	·03	·04	·10				·15		·03		·16	16
17	·12	·18	—	·08				·06	·36	·61	·32		17
18	·01	·02	·11	·01				·11	·08	·06	·17	·21	18
19	·11		·22	·01							·21	·01	19
20	·09	·12	·71	—							·16	·85	20
21		·16	·46								·01	·29	21
22										·13		·54	22
23	·02	·01				·17		·05		·05	·11		23
24		·01			·18			·08		·41	·13	·28	24
25		·26	·03	—				·17	·03	·03	·05		25
26	·09	·20	·01			·15			·02	·37		·15	26
27			·89			·41			·43	·19	·01	·01	27
28	·01	·44	·02					·13	·03	·26		·27	28
29		·44	·05		—	·45		1·35	·21	·26		·41	29
30		X			·21					·37			30
31		X		X		X		·04	X	·02	X	·01	31
Total	1·2~~4~~3	4·55	3·55	·45	1·84	2·27	·55	2·18	1·9~~4~~3	4·30	3·25	4·22	YEAR'S TOTAL 30·3~~1~~2
Rain Days.	17	24	20	8	12	12	4	10	9	22	20	17	175

W. 8,000. X. 15.

8L ✓ 639

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Totland Bay
in the County of Hampshire
by J. Dover

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·33		·05		1·13	·02		·08	·01	1
2			·04	·96						·02			2
3	·04		·22	·33			·21	·12		·06	·13		3
4		·09	·06					·01		·23			4
5	·10			·17		·03		·06	·13	·17	·10		5
6			·18						·02	·03	·11		6
7	·45						1·31			·22		·06	7
8	·25		·09	·07			·25	·30	·05	·32	·19	·40	8
9			·02		·12				·01	·03	·06		9
10	·14		·20	·25				·15					10
11	·07		·33	·23						·24			11
12			·02		·08			·11		·27			12
13			·19					·11	·04	·08			13
14				·07				·02					14
15					·01			·07		·24	·01	·20	15
16		·16		·12	·03					·75		·36	16
17		·02		·17			·38	·18	·54	·09			17
18		·01				·07	·09		·44				18
19		·23	·07			·02			·35				19
20		·07	·22		·25								20
21		·02	·07		·02					·02		·02	21
22	·04		·05					·06		·17			22
23		·44			·05			·15				·02	23
24		·16				·10	·23			·25			24
25		·15	·02					·01		·03			25
26			·04		·73			·33	·09		·12		26
27					·40	·26		1·12		·01			27
28		~~·01~~	·04			·44		·07				·01	28
29			·01		·06	·04	·11	·01		·52		·07	29
30		X	·31				·57	·23	·01			·02	30
31		X	·01	X		X	·03	·06	X	·20	X		31
Total	1·09	1·35 1·36 ✓	2·26	2·70	1·75	1·01	3·18	4·30	1·70	3·95	·80	1·17	YEAR'S TOTAL 26 25·26 ✓
Rain Days.	7	10 ~~10~~	21	10	10	8	9	20	11	21	8	10	145 ~~144~~

1·96

W. 8,000, VIII. 16

Dl

Ex/Dl

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
23.1.19

Kept at Totland Bay

in the County of Hampshire

by J. Dover

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02			.02			.84			.23	.07	1
2	.01	.10		.03				.16			.44	.19	2
3		.07	.02	.28	.26			.04			.11	.05	3
4		.06	.02	.01				.05	.27		.65	.04	4
5		.01	.06		.19			.43	.06	.27		.01	5
6	.17	.06		.16				.07	.14	.05		.11	6
7		.11		.09	.34			.03	.17	.04	.22	.01	7
8		.04							.02	.12	.01	.02	8
9				.27		.08	.41		.43	.22		.40	9
10	.02			.05		.04	.19		.16	.14		.34	10
11				.02			.09		.06	.11	.04	.09	11
12		.07			.38				.01			.01	12
13	.14	.01					.33		.28	.02		.05	13
14	.21				.01	.05	.17		.35	.42		.13	14
15	1.13			.19		.28	.11					.19	15
16	.40			.01		.08			.28				16
17	.08			.07			.63		.02			.19	17
18	.43	.01	.01				.02		.64	.02		.11	18
19	.03		.20			.47	.22		.01	.02		.02	19
20	.02	.11	.01	.36			.02		.10	.08		.08	20
21	.11	.01	.01						.43	.14		.24	21
22	.07				.13		.56		.16				22
23	.09	.01					.05	.02	.03		.01		23
24		.43		.01		.02			.10		.26		24
25				.14				.12		.02		.26	25
26		.01					.47		.01		.09		26
27		.04	.02				.01	.04	.21		.20		27
28	.01		.17	.04							.04		28
29	.01		.08						1.11		.01	.07	29
30		X	.43	.01						.06	.16		30
31		X	.01	X		X		.01	X	.18	X		31
Total	2.93	1.17	1.04	1.74	1.33	1.02	3.28	1.81	5.05	1.91	2.47	2.68	YEAR'S TOTAL 26.43
Rain Days.	16	17	12	16	7	7	14	11	23	16	14	22	175

W. 8,000, VIII. 16

592

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Aston House Totland Bay Isle of Wight

in the County of Hants

by John Dover

Lat. 50·41′ N Long. 1·33′ W

Time of Observation 9 A.M.

Nearest Railway Station Freshwater

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	13.6	0.1	0.2				5.2			1.1		31.1	1
2	6.5						2.0		14.6		0.4	1.0	2
3	9.5		22.8		2.5		0.9		0.5			2.8	3
4	7.5	2.5	13.3		0.1	1.5		0.3	0.9		0.7	1.6	4
5		12.7	13.4		3.4				5.3		2.3	4.1	5
6	6.1	1.5	2.6		2.0		·08					1.0	6
7	2.5		12.0	1.0							0.1	0.1	7
8	6.3		5.2	0.8							0.1		8
9	5.7		1.9	2.6	1.1				0.2		6.9		9
10	14.4		4.8	0.3	0.6					0.3		7.7	10
11	4.7		0.4	5.9	1.3		1.0					0.2	11
12	2.1				0.2		2.4			3.5	0.7		12
13	0.7	1.5	1.1	9.7			0.3					1.6	13
14	8.1	1.6		1.2	0.7		0.4		0.5	0.3		1.4	14
15	3.0	1.9								0.3		20.8	15
16	2.8	18.4									4.1	0.3	16
17	0.1	6.7									1.6	0.6	17
18		1.8	9.1				1.7	0.6			5.6	0.2	18
19	14.2	6.8	17.4			3.3	17.2	2.5	2.4		3.2	0.6	19
20	8.0	1.0	1.0			15.5							20
21	0.8	12.7					0.3		0.4		0.3	0.6	21
22							4.0		9.3			1.7	22
23			0.8					1.1		1.8	0.5	0.5	23
24		0.2		1.0		1.8	1.0	5.2		14.1	2.0	9.2	24
25	0.9	0.2		0.1		0.9	0.2	1.5				2.8	25
26	1.6	2.5	1.6	0.7				22.6	2.7		2.7	11.1	26
27	2.6		0.4	8.0				7.3			0.1	1.3	27
28	0.2		15.0					7.1			9.2	11.4	28
29			0.1					20.4		1.8	0.2	5.8	29
30				3.7		1.9		6.2			12.8	15.8	30
31												6.8	31
TOTAL	121.9	72.1	123.1	35.0	11.9	24.9	37.4	74.8 ~~.753~~	36.8	23.2	53.5	142.1	YEAR'S TOTAL 756.7 ~~757.2~~
Days with 0·2 mm. or more	22	15	18	11	8	6	14	11	10	8	16	26	165 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

82 N 82 592 ~~2/4~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Totland Bay
in the County of Hampshire
by J. Dover

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.54		.01				.20			.04		1.22	1
2	.26						.08		.57		.02	.04	2
3	.37		.90		.10		.04		.02			.11	3
4	.30	.10	.52			.06		.03	.04		.03	.06	4
5		.50	.53		.13				.21		.09	.16	5
6	.24	.06	.10		.08		.03					.04	6
7	.10		.47	.04									7
8	.25		.20	.03									8
9	.22		.07	.10	.04				.01		.27		9
10	.57		.19	.01	.02					.01		.30	10
11	.19		.02	.23	.05		.04					.01	11
12	.08				.01		.09			.14	.03		12
13	.03	.06	.04	.38			.01					.06	13
14	.32	.06		.05	.03		.02			.01		.06	14
15	.12	.07								.01		.82	15
16	.11	.72									.16	.01	16
17		.26									.06	.02	17
18		.07	.36				.07	.02			.22	.01	18
19	.56	.27	.69			.13	.68	.10	.09		.13	.02	19
20	.31	.04	.04			.61							20
21	.03	.50					.01		.02		.01	.02	21
22							.16		.37			.07	22
23			.03					.04		.07	.02	.02	23
24		.01		.04		.07	.04	.20		.56	.08	.36	24
25	.04	.01				.04		.06				.11	25
26	.06	.10	.06	.03				.89	.11		.11	.44	26
27	.10		.02	.31			.01	.29				.05	27
28	.01		.59					.28			.36	.45	28
29								.80		.07	.01	.23	29
30		X		.15		.07		.24			.50	.62	30
31		X		X		X			X		X	.27	31
Total	4.81	2.83	4.84	1.37	.46	.98	1.48	2.95	~~1.46~~ 1.44	.91	2.10	5.58	YEAR'S TOTAL ~~29.77~~ 29.75
Rain Days.	22	15	18	11	8	6	14	11	9	8	16	26	164

W. 6,500. VII. 18. W W C

Ext A76

RM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 560

REGISTER OF RAINFALL IN 1920.

Kept at Totland Bay, I. G. W.

in the County of Hampshire

by J. Dover, M. A.

Lat 50° 41' N Long 1° 33' W

Time of Observation 9h GMT.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.1	-	0.2	2.4	2.1	-	10.1	0.2	0.7	21.1	7.0	9.0	1
2	2.2	.	0.9	1.8	0.7	-	12.4	3.8	1.4	1.7	-	3.5	2
3	-	0.2	0.1	1.5	-	-	13.3	-	0.2	5.2	-	-	3
4	-	2.2	0.3	0.1	-	-	17.1	6.9	-	3.4	-	-	4
5	-	-	4.9	5.5	-	-	15.1	-	-	8.0	0.1	-	5
6	-	.	2.0	-	5.8	-	9.6	-	-	0.3	-	0.6	6
7	1.0	-	-	3.1	4.4	-	3.9	-	-	0.5	-	-	7
8	-	1.0	-	0.3	0.7	-	6.1	-	-	-	-	-	8
9	10.1	0.8	1.2	0.9	-	2.0	-	-	-	-	-	-	9
10	22.6	1.4	3.3	-	-	4.7	8.1	-	-	-	-	-	10
11	6.5	-	2.3	6.4	1.6	2.8	10.5	-	-	0.1	0.1	4.1	11
12	2.3	1.2	0.6	2.5	-	21.8	-	-	-	-	0.2	2.0	12
13	6.7	0.3	10.5	0.1	-	-	-	-	-	-	0.7	-	13
14	1.9	0.5	13.1	8.0	-	-	-	-	5.8	5.4	12.7	-	14
15	1.3	0.2	0.9	4.7	1.6	1.5	-	-	6.3	8.1	2.6	-	15
16	-	0.1	0.3	0.1	-	-	-	-	9.3	1.4	0.1	-	16
17	0.4	-	-	7.6	7.4	-	0.7	-	17.8	-	-	-	17
18	2.7	0.1	0.6	-	1.8	4.9	-	14.7	1.9	-	-	1.0	18
19	0.2	-	-	5.1	-	4.5	-	-	6.0	-	0.1	-	19
20	1.8	1.8	-	2.5	-	25.8	-	-	-	-	-	0.4	20
21	-	-	-	-	-	-	30.6	-	1.2	-	-	4.5	21
22	0.9	-	-	6.1	-	-	-	0.4	0.6	-	-	3.4	22
23	-	-	-	-	-	-	7.4	-	-	0.1	-	10.9	23
24	0.2	-	4.7	-	-	-	10.5	-	-	-	-	1.9	24
25	.	0.1	0.3	-	2.3	-	-	-	-	-	-	-	25
26	0.4	-	13.2	0.1	-	-	0.6	-	-	-	0.3	4.2	26
27	7.4	-	-	2.4	1.7	0.5	3.4	-	-	0.1	0.7	4.7	27
28	12.8	0.2	-	0.3	5.0	-	-	-	0.1	-	-	1.5	28
29	16.5	0.3	4.7	3.8	0.6	-	0.9	-	-	-	3.0	5.6	29
30	1.3	×	-	-	-	2.3	-	-	5.8	-	5.9	8.5	30
31	0.3	×	1.7	×	-	×	-	-	×	9.9	×	5.5	31
TOTAL	103.6	10.4	65.8	65.3	35.7	70.8	166.3	26.0	57.1	65.3	33.5	71.3	YEAR'S TOTAL 771.1
Days with 0·2 mm. or more	22	12	19	18	13	10	17	5	12	11	9	17	165
	16	5	11	15	10	9	14	3	9	9	5	15	121

(44,284). . Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3203.

✓

TOTLAND VICARAGE

I. O. W.

1917

FORM A.
BRITISH RAINFALL.
8. JAN 1918

F

1.33W.

Kept at Totland

r.m.

in the County of Is

Freshwater

in Gauge 5 in.

by Mrs Hall

bove Ground ft. 11 in.

Sea Level ft.

IMPORTANT d the result entered to the previous day. If an Observer prefers niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10	28		5		118	2			1	1
2			3	?				1		3	9		2
3			-	110			22	13		?	14		3
4		7	28	16						22			4
5	12		6			4		6	14	19			5
6			20							8	16	1	6
7	40						106			11		5	7
8	24		14	7			55	30	5	24	17	38	8
9	1		2	?			1		3		7		9
10			19	20	12			16					10
11	17		46	18						21			11
12	1		3		9			11		25			12
13			24					10	3	9			13
14			1	7				2					14
15								11					15
16		20		12	1				?	80		45	16
17		2		14	3		40	16	49	9			17
18						?	8		46				18
19		33				15			27				19
20	1	1			25								20
21	3	2	36										21
22			6		1					18			22
23		38			4			16					23
24		17			2	10	17			20			24
25		14	3				6			4			25
26					67		1	31	8		10		26
27					28	28		92					27
28		2	7		15	41		6					28
29						7	10	1		37			29
30		X	30				60	18				12	30
31		X	2	X		X	9	4	X	20	X	1	31
Total	.99	1.36	2.60	2.32	1.67	1.10	3.35	4.02	1.57	3.30	.73	1.03	YEAR'S TOTAL 2404
Rain Days.	8	10	18	11	11	8	12	18	10	17	6	7	136

W. 8,000, IX. 17. The ? shows where I have not been able to take the rainfall, altho' knowing that rain has fallen, so it is included in the next day.

✓

FORM A.
BRITISH RAINFALL.

8. JAN 1919

Kept at Totland Vicarage
in the County of Isle of Wight
by Mrs Hall

Lat. 50.41 Long. 1.33 W.
Time of Observation 9 a.m.
Nearest Railway Station Freshwater
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			10	28		5		118	2			1	1
2			3	?				1		3	9		2
3				110			22	13		?	14		3
4		7	28	16						22			4
5	12		6			4		6	14	19			5
6			20							8	16	1	6
7	40						106			11		5	7
8	24		14	7			55	30	5	24	17	38	8
9	1		2	?			1		3		7		9
10			19	20	12			16					10
11	17		46	18						21			11
12	1		3		9			11		25			12
13			24					10	3	9			13
14			1	7				2					14
15								11					15
16		20		12	1				?	80		45	16
17		2		14	3		40	16	49	9			17
18						?	8		46				18
19		33				15			27				19
20	1	1			25								20
21	3	2	36										21
22			6		1					18			22
23		38			4			16					23
24		17			2	10	17			20			24
25		14	3				6			4			25
26					67		1	31	8		10		26
27					28	28		92					27
28		2	7		15	41		6					28
29						7	10	1		37			29
30		X	30				60	18				12	30
31		X	2	X		X	9	4	X	20	X	1	31
Total	.99	1.36	2.60	2.32	1.67	1.10	3.35	4.02	1.57	3.30	.73	1.03	YEAR'S TOTAL 2404
Rain Days.	8	10	18	11	11	8	12	18	10	17	6	7	136

W. 8,000, IX. 17. The ? shows where I have not been able to take the rainfall, altho' knowing that rain has fallen, as it is included in the next day.

VENTNOR
HOSPITAL
ROYAL NATIONAL
I. O. W.
1911 – 1920

REG

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

Kept at R. N. Hospita
in.
nd 1 ft. in.
in the County of Hants
Level 60 ft.
by Mary Gibson
St Lawrence
ce ½ mile Direction West

IMPORTANT NOTE.— result entered to the previous day. If an Observ rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·01	·17	—	—	—	·06	—	—	·09	·04	1
2	·06	—	—	·04	·24	—	—	—	—	·06	·11	·23	2
3	—	—	—	—	·19	—	—	·12	—	—	·25	·09	3
4	—	—	·06	·04	—	—	—	—	·02	·01	·25	·12	4
5	—	—	—	·03	—	—	—	—	—	·35	·11	·01	5
6	·35	—	·11	—	—	—	—	—	—	·01	·19	·60	6
7	·17	—	—	—	—	—	—	—	—	·33	·78	·04	7
8	·05	·01	·11	—	—	—	—	—	—	·01	·38	·51	8
9	·14	—	·01	—	—	—	—	—	—	—	·23	·14	9
10	·01	·12	·15	·01	—	—	—	—	—	—	·01	·35	10
11	·40	·03	·01	—	—	—	—	—	—	—	1·35	·04	11
12	·01	—	1·11	—	—	—	—	·24	—	—	·06	·08	12
13	—	—	·01	—	·11	—	—	—	·03	·02	—	·38	13
14	—	·07	—	—	·01	—	—	—	—	—	—	·29	14
15	—	·02	—	—	—	·01	—	—	—	—	·13	·11	15
16	—	—	—	—	—	·38	—	—	—	—	·92	·19	16
17	—	—	·07	—	—	·01	—	—	—	—	·90	·11	17
18	—	·16	·08	·01	—	·13	—	—	—	·03	·41	·32	18
19	—	·09	·01	—	—	·05	—	—	·17	·11	—	·18	19
20	—	·01	·08	—	—	—	—	·10	·11	·03	—	·57	20
21	·02	·19	—	—	—	—	—	·01	·10	·48	—	·30	21
22	·18	·01	—	·02	—	·19	—	·10	—	·27	·01	·83	22
23	—	·24	—	—	—	·46	—	—	·17	·50	·04	·14	23
24	·01	·13	—	—	—	·15	·01	·01	—	·93	—	·41	24
25	—	·03	·02	·15	·32	·03	·39	—	·23	·03	—	·06	25
26	—	—	·01	·35	·01	·06	—	—	—	·29	—	·41	26
27	—	·37	·05	·05	—	—	·02	—	·11	·74	·12	·16	27
28	—	·12	—	·24	—	—	—	·19	—	—	—	·01	28
29	—		—	·17	—	·31	·06	—	·20	·20	·01	—	29
30	—		—	·01	·11	·03	—	—	—	·37	—	·01	30
31	—		—		—		·01	—		—		—	31
Total	1·41	1·60	1·90	1·29	·99	1·81	·49	·83	1·14	4·77	6·35	6·73	TOTAL for year 29·31
No. of Rain Days	12	15	16	13	7	12	5	8	9	19	20	29	165

9,000, IX. '10.

REG

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

Kept at R. N. Hospital, Ventnor

in the County of Hants. 1

by Mary Gibson

Rain Gauge { Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 60 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name St Lawrence
Distance ½ mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·01	·17	—	—	—	·06	—	—	·09	·04	1
2	·06	—	—	·04	·24	—	—	—	—	·06	·11	·23	2
3	—	—	—	—	·19	—	—	·12	—	—	·25	·09	3
4	—	—	·06	·04	—	—	—	—	·02	·01	·25	·12	4
5	—	—	—	·03	—	—	—	—	—	·35	·11	·01	5
6	·35	—	·11	—	—	—	—	—	—	·01	·19	·60	6
7	·17	—	—	—	—	—	—	—	—	·33	·78	·04	7
8	·05	·01	·11	—	—	—	—	—	—	·01	·38	·51	8
9	·14	—	·01	—	—	—	—	—	—	—	·23	·14	9
10	·01	·12	·15	·01	—	—	—	—	—	—	·01	·35	10
11	·40	·03	·01	—	—	—	—	—	—	—	1·35	·04	11
12	·01	—	1·11	—	—	—	—	·24	—	—	·06	·08	12
13	—	—	·01	—	·11	—	—	—	·03	·02	—	·38	13
14	—	·07	—	—	·01	—	—	—	—	—	—	·29	14
15	—	·02	—	—	—	·01	—	—	—	—	·13	·11	15
16	—	—	—	—	—	·38	—	—	—	—	·92	·19	16
17	—	—	·07	—	—	·01	—	—	—	—	·90	·11	17
18	—	·16	·08	·01	—	·13	—	—	—	·03	·41	·32	18
19	—	·09	·01	—	—	·05	—	—	·17	·11	—	·18	19
20	—	·01	·08	—	—	—	—	·10	·11	·03	—	·57	20
21	·02	·19	—	—	—	—	—	·01	·10	·48	—	·30	21
22	·18	·01	—	·02	—	·19	—	·10	—	·27	·01	·83	22
23	—	·24	—	—	—	·46	—	—	·17	·50	·04	·14	23
24	·01	·13	—	—	—	·15	·01	·01	—	·93	—	·41	24
25	—	·03	·02	·15	·32	·03	·39	—	·23	·03	—	·06	25
26	—	—	·01	·35	·01	·06	—	—	—	·29	—	·41	26
27	—	·37	·05	·05	—	—	·02	—	·11	·74	·12	·16	27
28	—	·12	—	·24	—	—	—	·19	—	—	—	·01	28
29	—		—	·17	—	·31	·06	—	·20	·20	·01	—	29
30	—		—	·01	·11	·03	—	—	—	·37	—	·01	30
31	—		—		—		·01	—		—		—	31
Total	1·41	1·60	1·90	1·29	·99	1·81	·49	·83	1·14	4·77	6·35	6·73	TOTAL for year 29·31
No. of Rain Days	12	15	16	13	7	12	5	8	9	19	20	29	165

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
14 JAN 1913

Kept at Ventnor Hospital

in the County of Hampshire

by Mary Gibson

Lat. 50° 36′ Long. 1° 13′ W.

Time of Observation 9 a.m.

Nearest Railway Station Isle of Wight Central

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·14	—	—	·36	·18	—	·01	·92	—	·17	1
2	—	—	·29	—	—	—	·27	—	—	·01	—	—	2
3	—	—	·09	—	—	·16	—	·37	·01	—	·02	—	3
4	·19	·04	·57	—	—	·31	—	·06	—	—	·11	—	4
5	·33	·12	·10	—	·01	—	—	·19	—	—	·03	·02	5
6	·82	·01	·01	—	·19	·03	—	—	—	—	—	·02	6
7	·03	·02	·18	—	·40	·69	—	·06	—	—	—	·02	7
8	·46	·35	·17	—	—	·03	—	·02	—	—	—	·01	8
9	·01	·18	·22	·02	—	·09	·02	·05	—	—	—	·02	9
10	—	·01	·01	—	—	—	—	·03	—	—	·02	·27	10
11	·06	·25	—	—	—	·11	—	·08	—	—	—	·16	11
12	—	·06	·07	—	·30	1·08	·06	·36	—	—	—	—	12
13	—	·05	·02	—	—	—	·19	·04	—	—	·01	·04	13
14	·04	—	·01	—	·03	—	·02	·07	·01	·02	—	·01	14
15	·01	·24	·11	—	·08	·62	—	—	—	—	—	·07	15
16	·33	·01	·20	—	·05	·04	—	·04	—	·08	·15	—	16
17	·90	—	·24	—	·03	·03	—	·16	—	—	—	·11	17
18	·06	—	·20	—	—	—	—	·10	—	·02	—	·06	18
19	·02	·04	·15	—	—	·03	—	·39	—	—	—	—	19
20	—	·02	·29	—	—	—	—	·01	—	·39	·02	—	20
21	·01	·16	·17	—	·15	—	—	·02	—	·14	—	—	21
22	·08	·48	·01	—	—	—	—	·27	—	—	·01	·04	22
23	·42	·11	·35	—	—	—	—	·11	—	·15	·15	·01	23
24	·07	·10	·01	—	—	—	—	·10	—	·16	—	·15	24
25	·07	·01	—	—	—	·21	—	·75	—	·23	·31	·25	25
26	·01	·06	—	—	—	—	·48	·07	—	·11	·19	·20	26
27	—	·01	—	·03	—	·07	·33	—	—	·10	·01	·29	27
28	—	·07	—	—	—	—	·02	·24	·07	·53	·55	·22	28
29	—	·03	—	—	—	—	·14	·27	·86	·04	·03	·01	29
30	—		·02	—	·09	·01	—	—	1·06	·10	·01	·01	30
31	—		·17		—		·11	·15		—		—	31
Total	3·92	2·43	3·80	·05	1·33	3·87	1·82	4·01	2·02	3·00	1·62	2·16	YEAR'S TOTAL 30·03
Rain Days.	19	23	25	2	10	16	11	25	6	15	15	22	189

W. 7,500, XI. 12

W DL [illegible] 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
22 JAN 1914

Kept at Ventnor Hospital

in the County of The Isle of Wight (Hampshire)

by Mary Gibson

Lat. 50° 36′ Long. 1° 13′ W.

Time of Observation 9 a.m.

Nearest Railway Station Ventnor Town

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·26	·07	·05	—	·02	—	—	·39	·02	·04	·01	1
2	—	·08	·01	—	—	—	·05	—	·01	·02	·01	·05	2
3	·02	·01	·02	·08	·16	—	—	—	—	·08	—	·18	3
4	·28	—	·04	·01	·38	—	·08	—	·59	·11	·05	·01	4
5	·33	—	·01	—	—	·11	·02	—	·75	·03	·05	·09	5
6	—	·04	·05	—	·11	·04	·35	—	—	·57	·07	·52	6
7	—	·11	·10	—	·14	·01	·16	+	—	·05	·04	—	7
8	·01	·04	·01	—	·09	·01	·01	·27	—	·06	—	·05	8
9	—	·02	—	—	·01	—	·16	·10	·07	·01	·01	·01	9
10	·04	—	—	·03	—	—	·02	·01	—	—	·36	—	10
11	·65	—	—	·25	·07	—	—	—	—	·17	·03	·02	11
12	—	—	—	—	·26	—	—	—	—	·01	·55	—	12
13	·14	—	·02	—	—	—	—	—	·01	—	·17	—	13
14	·18	—	·08	·01	—	—	·04	·01	·02	·01	·05	·03	14
15	·32	·11	·21	·07	·03	—	·06	—	·03	—	·05	·04	15
16	·04	—	·48	·09	—	·16	·02	—	·14	—	—	—	16
17	·17	·01	—	·06	—	—	—	—	—	—	·10	—	17
18	·02	—	·05	·08	—	—	·01	—	—	—	·09	—	18
19	·14	—	·04	—	·03	—	·01	—	·14	—	·01	—	19
20	·24	—	·06	·04	—	—	—	—	—	·55	·03	—	20
21	·01	—	·11	·22	—	—	—	·01	—	·36	·32	—	21
22	·23	—	·10	—	+	—	—	·13	·16	·14	—	·06	22
23	·01	—	·04	—	—	·02	—	·04	—	—	·01	·80	23
24	·10	—	—	·04	—	·02	—	·01	—	—	·05	—	24
25	—	·05	—	·15	—	—	—	—	—	—	·09	—	25
26	—	·01	—	·01	—	—	—	·07	—	·28	—	·23	26
27	—	—	·15	·05	—	—	—	·01	—	·01	·01	—	27
28	·14	·01	·01	·12	—	—	—	·01	—	·18	—	—	28
29	·15		·06	·40	·37	—	—	—	—	·03	·03	·04	29
30	·32		—	—	—	—	—	·12	—	·08	—	—	30
31	·01		·02		—		—	·51 ·58		·10		—	31
Total	3·59	·75	1·74	1·76	1·65	·39	·99	1·30 ✓	2·31	2·87	2·22	2·14	YEAR'S TOTAL 21·71 ✓
Rain Days.	23	12	22	18	11	8	13	13	11	21	~~[illegible]~~ 23	15	190 ✓

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 JAN 1915

Kept at Ventnor

in the County of Hants 1

by Mary Gibson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·02	—	—	—	·24	—	—	·04	·03	1
2	—	—	—	—	—	—	·01	·01	—	—	·10	·08	2
3	—	—	—	·07	·31	—	·02	·02	—	—	—	·01	3
4	·01	—	·03	·21	·01	—	—	·09	—	—	·34	·49	4
5	·18	—	·14	·16	·01	—	·24	·04	—	—	·03	—	5
6	—	·15	·01	·16	·01	·02	—	·03	—	—	—	·52	6
7	·05	·32	·15	·21	—	·01	·19	—	—	—	—	·32	7
8	·07	·43	·56	·18	—	·03	—	·06	—	—	—	·09	8
9	·04	·01	·34	·10	—	—	—	·03	·08	—	—	2·48	9
10	·14	·25	—	·08	·22	—	—	—	·29	—	·03	—	10
11	—	·40	·59	·01	·01	·01	·50	—	·05	·02	·10	·75	11
12	—	·12	·33	—	—	—	·04	—	·35	·26	—	·50	12
13	—	·37	·17	—	—	·04	—	—	·35	·06	·07	·56	13
14	—	·12	·17	—	—	·12	·09	·42	—	·61	·31	·59	14
15	—	·04	·19	—	—	—	·14	·58	·05	·08	·66	—	15
16	—	·05	—	—	—	—	·17	—	·12	—	—	—	16
17	—	·42	·06	—	—	—	—	—	—	—	—	·27	17
18	—	·02	·37	—	—	—	—	—	·05	—	—	·35	18
19	—	·09	·68	—	—	—	·99	—	—	—	·12	·12	19
20	—	·30	·12	—	—	·06	·01	—	—	—	—	·17	20
21	—	·40	·02	—	—	—	—	—	—	·10	—	—	21
22	—	·14	·01	—	·12	·01	·40	·08	—	·09	—	—	22
23	—	·11	·18	—	—	—	—	—	—	·05	—	—	23
24	—	—	·08	—	·01	—	—	—	—	·06	·29	—	24
25	—	—	·25	—	—	—	·15	·32	—	·26	·03	·20	25
26	—	—	—	—	—	—	·06	·07	—	·11	·16	·53	26
27	·05	—	·03	—	—	—	—	—	—	—	·16	·38	27
28	·03	·05	·08	—	·12	—	—	—	—	·66	·56	·50	28
29	·08		·17	—	·01	—	—	—	—	·68	·07	·02	29
30	·01	✕	·03	·09	—	—	—	—	—	·30	·65	·43	30
31	·01	✕	—	✕	·02	✕	·08	—	✕	·13	✕	·03	31
Total	·67	3·79	4·77	1·29	·85	·30	3·09	1·99	1·34	3·47	3·72	9·42	YEAR'S TOTAL 3470
Rain Days.	11	19	25	11	11	8	15	13	8	15	17	23	176

W. 8,000. X. 14.

cwd for conversions 27.iii.16

672

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

26 JAN 1916

Kept Ventnor Hospital

in the County of The Isle of Wight

by Mary Gibson

Lat 50° 36′ Long. 1° 13′ W.

Time of Observation 9 a.m

Nearest Railway Station Ventnor Town

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	inches					millimetres							
1	·55	·26	—	—	—	—	—	5·0	6·0	3·0	·5	4·9	1
2	·46	·17	·10	—	—	·25	—	1·6	3·4	3·9	—	9·8	2
3	·48	—	·18	·10	·16	—	—	—	·6	·2	—	12·2	3
4	·04	—	—	·03	·01	—	—	—	—	—	—	13·5	4
5	—	·31	—	·03	—	·25	—	6·3	—	—	—	14·8	5
6	·80	·20	—	·53	—	—	12·0	2·0	—	—	—	5·6	6
7	·24	·35	—	·13	—	—	·6	—	—	—	—	6·1	7
8	·10	·67	—	—	—	—	1·1	·7	—	—	1·0	2·3	8
9	—	·16	—	·15	—	4·2	—	—	—	—	13·7	20·2	9
10	·17	—	·02	—	—	—	—	·8	—	·3	—	12·1	10
11	·01	—	·06	—	—	—	—	—	—	—	21·2	·4	11
12	·09	·28	—	·23	·73	—	—	—	—	·3	12·1	—	12
13	—	·29	—	—	1·28	—	—	·2	2·3	—	2·0	—	13
14	·12	·01	—	—	—	—	5·0	—	2·1	—	—	21·0	14
15	·08	—	—	—	·09	—	4·2	—	·2	—	—	3·9	15
16	—	·68	—	—	·29	—	17·0	—	—	—	3·9	1·5	16
17	—	·18	—	—	·65	—	—	—	—	—	—	1·2	17
18	—	·11	—	—	·04	—	—	—	—	—	3·0	—	18
19	—	·09	—	—	·15	—	—	—	—	—	·2	—	19
20	·31	—	—	·13	·03	—	—	—	—	2·4	—	1·9	20
21	·06	—	—	—	—	—	2·2	—	—	9·3	—	4·4	21
22	1·35	·42	·24	·05	—	—	14·0	—	·2	—	—	4·6	22
23	·01	·03	·13	·01	—	·25	—	—	14·9	7·0	—	23·4	23
24	—	—	—	—	—	—	—	—	36·3	15·5	—	9·2	24
25	—	—	·03	·02	—	—	—	—	·2	·3	—	7·5	25
26	·07	—	—	—	—	6·0	9·2	—	—	—	—	13·0	26
27	—	·01	—	—	—	2·5	1·0	—	—	7·5	—	—	27
28	—	·03	—	—	—	8·7	—	—	14·2	2·6	·3	·3	28
29	—		—	—	—	8·2	—	·4	—	3·1	9·7	·8	29
30	·25	X	—	—	—	—	—	—	—	11·6	11·9	1·0	30
31		X	—	X	—	X	—	5·2	X	17·5	X	7·1	31
Total	5·19	4·25	·76	1·41	3·43	30·3 1·19	66·3 2·61	22·2 ·88	80·4 3·17	84·5 3·33	79·5 3·13	202·4 7·96	YEAR'S TOTAL. 37·24 in 37·31
Rain Days.	18	18	7	11	10	8	10	9	11	15	12	26	155

W. 8,000. X. 15.

Exol HW

662

FORM A.
BRITISH RAINFALL.
JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at R. N. Hospital, Ventnor
in the County of The Isle of Wight
by Mary Gibson

Lat. 50°36′ Long. 1°13′ W.
Time of Observation 9 a.m
Nearest Railway Station Ventnor Town
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	1·3	1·7	2·0	—	6·6	·3	—	—	7·1	7·0	8·8	—	1
2	4·4	1·0	6·3	—	4·3	—	·2x	—	—	12·4	—	—	2
3	·3	6·9	1·9	—	—	—	1·7	—	·4	15·3	16·5	—	3
4	4·0	4·6	—	—	·3	6·3	—	—	11·9	·4	5·0	—	4
5	1·4	·8	·1x	—	3·2	4·8	—	—	—	1·4	12·8	—	5
6	·7	2·5	·7	—	1·0	1·0	7·6	—	—	2·6	6·2	—	6
7	·4	·7	18·8	—	1·2	—	—	—	—	8·2	3·3	1·1	7
8	—	1·7	2·0	—	10·0	—	—	—	—	—	1·4	11·4	8
9	—	—	—	—	2·7	·3	·4	—	—	—	·1x	3·7	9
10	—	19·4	·5	·9	·8	4·3	—	—	—	—	·9	2·7	10
11	1·2	·9	·6	6·5	—	1·9	—	—	·2x	—	—	9·8	11
12	1·0	2·1	·2x	2·3	·9	·7	1·4	—	—	1·6	—	—	12
13	—	4·9	·5	·2x	—	·6	—	—	—	·5	—	—	13
14	—	12·2	·3	—	2·5	—	—	—	—	·7	—	·7	14
15	—	2·1	5·7	—	—	—	—	—	·2x	—	—	—	15
16	2·9	·5	5·5	5·6	—	—	·1x	1·9	—	·5	—	10·5	16
17	4·6	7·6	—	1·1	—	—	—	2·1	11·7	12·9	14·5	—	17
18	·7	1·1	2·0	·3	—	—	—	·4	4·2	3·1	14·0	4·3	18
19	3·3	—	3·0	1·6	—	—	—	—	1·6	—	10·7	·2x	19
20	2·0	·7	21·5	—	—	—	—	—	—	—	3·1	22·2	20
21	·7	4·5	6·9	—	—	—	·3	—	—	—	·9	13·0	21
22	—	—	·2	—	—	2·1	—	—	—	2·1	—	13·8	22
23	·3	·5	—	—	—	4·0	—	1·2	—	11·8	·4	·3	23
24	—	—	—	—	5·3	—	—	1·3	—	5·2	1·7	7·9	24
25	·3	11·0	3·8	—	—	—	—	3·6	3·5	5·0	·9	—	25
26	·2x	19·4	·3	—	—	4·5	—	—	1·5	7·5	—	4·3	26
27	·4	2·5	21·2	—	—	1·5	—	—	10·8	14·5	—	—	27
28	·2x	17·4	·7	—	—	—	—	4·7	8·2	7·2	—	6·0	28
29	—	11·2	2·3	—	—	10·8	—	30·0	3·5	6·9	—	14·3	29
30	—	✕	—	—	1·9	—	—	·6	—	2·2	—	·2x	diff 57 ✓ 30
31	—	✕	—	✕	—	✕	—	·6	✕	2·1	✕	·7	133 31 ✓
Total	30·3	137·9	107·0	18·5	40·7	43·1	11·7	46·4	64·8	131·1	101·2	127·1	YEAR'S TOTAL 859·8
Rain Days.	20	28	~~24~~ 23	8	13	14	~~4~~ 6	10	13	23	~~17~~ 16	19 14 ✓	~~193~~ 190
W Days	10 ✓	19 ✓	14 ✓	5 ✓	10 ✓	10 ✓	3	7	10	19 ✓	12		181

Twelve days under ·01 in
12 = ·25 mm

W. 8,000, VIII. 16

634

FORM A.
BRITISH RAINFALL
14 FEB. 1918

REGISTER OF RAINFALL IN 1918

Kept at Ventnor Hospital
in the County of The Isle of Wight Hants.
by Mary Gibson

Lat. 50' 36' Long. 1° 13' W.
Time of Observation 9 a.m
Nearest Railway Station Ventnor Town
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
1	—	—	4·8	6·0	—	·3	—	30·2	·1	—	2·4	·6	1
2	—	—	2·5	8·4	—	—	—	·1	—	·2	·3	—	2
3	1·0	—	—	3·1	—	—	3·0	5·8	—	·8	1·8	—	3
4	—	4·4	5·8	—	—	—	·2	·8	—	5·5	—	·4	4
5	5·0	—	·9	3·1	—	1·9	—	—	2·0	7·6	2·4	—	5
6	—	—	6·8	·7	—	—	—	—	·2	2·0	3·8	·2	6
	9·5	—	—	—	—	—	24·7	—	·2	3·8	—	·3	7
	7·6	—	4·0	·7	—	—	5·5	3·3	·2	7·7	7·2	6·9	8
	—	—	2·5	—	4·1	—	·6	—	—	7·1	1·2	1·0	9
	2·9	—	5·0	5·6	—	·4	—	1·6	—	·7	—	—	10
	2·6	—	5·0	7·0	—	—	—	·2	—	6·6	·4	—	11
12	·6	—	·2	—	2·3	—	—	·4	—	6·6	·2	—	12
13	·6	—	5·8	—	—	—	—	1·7	·5	1·7	—	·3	13
14	—	—	—	2·4	—	—	—	—	—	—	—	—	14
15	1·6	—	—	·2	·5	—	—	—	—	5·6	—	3·0	15
16	·3	4·0	—	2·1	1·0	—	—	—	—	7·9	—	12·7	16
17	—	1·2	—	2·7	·2	—	7·7	6·3	6·7	2·8	—	—	17
18	·3	·4	—	·2	1·9	1·1	2·5	·4	5·0	—	—	—	18
19	—	6·9	1·0	—	—	1·2	—	—	6·9	—	—	·4	19
20	—	2·5	14·4	—	4·4	3·3	—	—	—	—	·2	—	20
21	1·0	·2	2·0	—	·4	1·0	—	—	—	1·0	·3	—	21
22	·2	—	·6	—	—	—	—	1·1	—	6·4	·3	—	22
23	—	8·5	—	—	1·7	—	—	1·5	—	—	—	·7	23
24	—	4·5	—	—	—	2·1	3·3	—	—	7·4	—	·2	24
25	—	3·1	1·0	—	—	—	·2	—	—	3·5	—	—	25
26	—	—	1·4	—	1·5	·2	—	10·0	2·4	—	8·6	—	26
27	—	—	·2	—	5·1	1·1	—	25·0	—	—	—	—	27
28	—	—	2·4	—	—	1·9	—	·5	—	—	·2	·3	28
29	—		·9	—	—	1·4	3·3	·9	—	21·0	·1	2·2	29
30	—	×	3·7	—	—	—	10·4	7·2	—	·3	·8	·8	30
31	—	×	·8	×	—	×	2·5	·7	×	5·6	×	2·0	31
Total	33·2 ✓	35·7 ✓	71·7 ✓	42·2 ✓	23·1 ✓	15·9 ✓	63·9 ✓	97·7 ✓	24·2 ✓	111·8 ✓	30·2 ✓	32·0 ✓	YEAR'S TOTAL 581·6
Rain Days.	13	10	22	13	11	12	12	18	9	22	16	16	174
Wet days	8 ✓	8 ✓	16 ✓	9 ✓	8	9	9 ✓	11	5	18 ✓	7 ✓	6 ✓	114 ✓ 60

W 8,000, IX. 17.

Wet Day 1·0mm or more

2

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
9 JAN 1919

Kept at Ventnor Hospital

in the County of The Isle of Wight Hampshire

by Mary Gibson

Lat. 50° 36' Long. 1° 13' W.

Time of Observation 9h

Nearest Railway Station Ventnor Town

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. mm	Feb. mm	March. mm	April. mm	May. mm	June. mm	July. mm	Aug. mm	Sept. mm	Oct. mm	Nov. mm	Dec. mm	Date.
1	·2	1·2	—	—	·2	—	—	23·5	—	—	4·5	4·6	1
2	·3	1·2	—	1·3	—	—	—	4·3	—	—	9·0	4·1	2
3	—	·8	·3	9·7	5·1	—	—	·9	—	—	1·8	1·3	3
4	—	2·8	2·2	—	—	—	—	1·5	11·0	—	15·2	·9	4
5	—	1·6	·9	·5	8·2	—	—	6·8	·3	3·5	—	·2	5
6	4·7	2·3	—	3·6	1·5	—	—	1·4	3·8	1·8	—	1·5	6
7	—	3·3	—	3·1	8·2	—	—	1·2	3·2	2·5	6·8	·2	7
8	—	·2	—	—	—	—	·2	—	4·5	1·7	1·7	·3	8
9	—	—	—	3·7	—	2·8	14·0	—	10·5	3·8	—	12·3	9
10	·2	—	—	1·7	—	·2	4·0	—	3·8	·6	—	11·6	10
11	·3	·3	—	·4	—	—	3·0	—	10·0	4·9	1·3	2·5	11
12	1·5	2·1	—	—	9·1	—	·4	—	·5	—	—	1·2	12
13	4·1	·3	—	—	·3	—	6·6	—	2·5	—	—	1·3	13
14	3·3	—	·2	—	·7	2·7	3·4	—	14·0	4·8	—	2·4	14
15	1·10 in 28·0	—	—	4·8	—	6·0	·3	—	—	—	—	2·2	15
16	10·9	—	·5	1·9	—	—	·6	—	16·3	·7	—	·2	16
17	6·7	—	—	3·1	—	—	8·5	—	—	3·7	—	6·3	17
18	5·1	—	·3	—	—	15·3	1·0	—	17·5	1·6	—	1·4	18
19	·3	—	2·8	—	—	—	2·3	1·5	—	1·0	—	·7	19
20	·5	3·5	—	8·1	—	·2	1·8	—	2·6	3·2	—	—	20
21	3·9	·2	—	—	—	—	—	—	12·1	4·5	—	2·0	21
22	3·4	—	—	—	2·7	—	13·6	—	15·2	—	—	6·5	22
23	1·8	·2	—	—	—	—	3·7	·2	·4	—	·3	4·3	23
24	—	8·2	—	·4	—	2·9	—	—	4·4	—	3·8	—	24
25	·3	—	—	10·8	—	—	·3	1·7	—	·4	—	·2	25
26	—	·3	—	—	·8	—	6·0	—	1·4	·9	1·6	6·4	26
27	—	1·7	·5	—	—	—	3·3	2·2	3·1	·6	6·2	1·5	27
28	—	—	3·6	2·0	—	—	—	—	·7	·4	1·3	·2	28
29	·3		1·1	1·6	—	—	—	—	22·2	—	—	·4	29
30	—		11·9	·2	—	—	—	—	·4	·5	1·6	2·5	30
31	—		·8		—		—	3·2		3·0		·2	31
Total	75·8 ✓	30·2 ✓	25·1 ✓	56·9 ✓	36·8 ✓	30·1 ✓	73·0 ✓	48·4 ✓	160·4	44·1 ✓	55·1 ✓	79·4 ✓	YEAR'S TOTAL 715·3
Rain Days.	19 ✓	17 ✓	12	17 ✓	10	7 ✓	18	12 ✓	23	20	13	29 ✓	197
W. Days	11 ✓	10 ✓	5 ✓	13 ✓	6 ✓	5 ✓	13 ✓	10 ✓	18 ✓	13 ✓	12	19 ✓	135 ✓
	2·99	1·19	·99	2·24	1·45	1·18	2·87	1·90	6·32	1·73	2·17	3·13	28·16

62

W. 8,000, IX. 17.

~~Ht~~ used for auth

587

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ventnor [~~M.O.~~]

in the County of Hampshire

by Miss M. Gibson, for Royal National Hospital for Consumption.

Lat. 50° 36′ Long. 1° 13′ W.

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	13·0	0·3	0·6	-	0·3	-	5·8	-	-	10·8	-	17·1	1
2	3·2	-	0·6	-	0·1	-	8·6	-	5·9	0·2	0·2	1·3	2
3	13·2	-	19·8	-	5·0	-	-	-	1·1	-	0·2	5·5	3
4	12·0	-	6·1	-	0·3	0·2	1·5	1·8	0·4	-	3·0	1·7	4
5	0·9	11·6	8·1	-	-	-	-	-	5·8	-	4·7	6·9	5
6	4·1	1·1	4·4	-	0·3	-	1·4	-	-	-	0·3	1·5	6
7	2·4	-	11·9	0·3	-	-	-	-	-	-	-	-	7
8	3·4	-	4·1	-	-	-	-	-	-	-	-	-	8
9	11·5	-	4·4	1·3	2·0	-	-	-	-	-	19·2	0·3	9
10	25·0	-	2·4	0·3	-	-	-	-	-	-	-	3·9	10
11	11·1	-	1·1	12·0	2·2	-	-	-	-	-	-	0·5	11
12	1·5	-	0·3	-	0·8	-	2·1	-	-	5·0	7·0	-	12
13	0·4	1·7	0·2	9·6	-	-	0·3	-	-	-	-	0·5	13
14	7·0	0·5	-	5·2	0·5	-	1·1	-	-	1·0	0·3	1·3	14
15	9·3	1·3	-	0·9	-	-	-	-	-	-	-	25·0	15
16	3·2	20·3	-	-	-	-	-	-	-	-	4·2	-	16
17	-	9·2	-	-	-	-	-	-	-	-	2·7	1·1	17
18	-	2·2	4·0	-	-	-	-	0·7	-	-	5·0	0·6	18
19	5·0	6·1	14·0	-	-	2·5	6·7	4·7	2·1	-	2·6	0·5	19
20	8·8	1·0	1·6	-	-	12·2	-	5·4	-	-	-	-	20
21	1·6	10·4	0·3	-	-	-	1·5	-	1·4	-	0·3	1·1	21
22	-	0·2	0·2	-	-	-	5·9	-	5·4	-	-	3·6	22
23	-	0·4	1·0	-	-	-	0·1	-	0·2	0·3	1·4	1·3	23
24	-	1·6	-	0·1	-	0·9	0·4	0·3	0·4	12·8	3·5	2·1	24
25	1·4	-	-	-	-	1·7	-	8·4	-	-	-	1·8	25
26	0·6	8·6	1·5	0·3	-	-	0·3	0·8	2·5	-	10·6	10·4	26
27	5·7	-	0·3	11·4	-	-	0·3	14·9	-	-	3·8	3·5	27
28	3·3	-	15·6	-	-	-	-	9·5	-	-	8·6	14·2	28
29	0·4		-	0·2	-	-	-	10·9	-	0·2	0·5	1·4	29
30	-		-	5·0	-	1·3	-	8·5	-	0·5	12·0	16·1	30
31	2·4		-		-		-	-		-		5·0	31
TOTAL	150·4	76·5	102·5	46·6	11·5	18·8	36·0	65·9	25·2	30·8	90·1	128·2 ~~125·2~~	YEAR'S TOTAL 782·5
Days with 0·2 mm. or more	25 21	16 12	22 15	11 6	8 3	6 4	13 9	11 8	10 7	8 4	20 14	26 21	176 124

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

METEOROLOGICAL OFFICE, LONDON.

Telephone :—NORTH 142.

BRITISH RAINFALL ORGANIZATION.
62, CAMDEN SQUARE,
LONDON, N.W.1.

30th March 1920

The Superintendent of Statistics

Rainfall at Ventnor

Can reference to the original returns bring the total for December into agreement, please?

John Glasspoole,
for Superintendent.

The cast of the daily amounts as given on F. A 2. was sent up to us from Ventnor as 125·2, and altered at M.O. to 128·2. According to instructions we entered the original total in ink, and the amended total in pencil.

Ca.B.

6/4/20

British Rainfall.

FJW

56

FORM A. 2. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ventnor Hospital

in the County of Isle of Wight

by Mary Gibson

Lat. 50° 36′ Long. 1° 13′

Time of Observation 9a

Nearest Railway Station Ventnor Town

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.0	·2	·3	3.4	2.7	—	5.6	—	·4	12.3	5.1	13.2	1
2	1.1	—	1.8	2.3	3.3	—	—	5.2	2.8	2.3	—	3.1	2
3	·3	—	—	·2	—	—	2.1	—	·2	3.7	—	·7	3
4	—	3.6	·2	—	—	—	17.5	5.3	—	5.5	—	—	4
5	—	—	4.2	1.9	—	—	17.9	·9	—	14.5	—	—	5
6	—	—	2.6	—	6.8	—	4.8	—	—	—	—	—	6
7	1.1	·2	—	5.1	1.4	—	3.3	—	—	1.3	—	—	7
8	·2	—	—	·5	·3	—	2.7	—	—	·2	—	—	8
9	13.1	·3	·6	·3	·4	2.9	—	—	—	—	—	—	9
10	20.0	3.1	4.2	2.3	—	2.1	7.0	—	—	—	—	—	10
11	8.2	—	2.9	6.8	1.1	4.5	14.4	—	—	—	·4	1.3	11
12	1.9	1.7	—	2.4	—	18.3	·1	—	—	·3	—	·8	12
13	7.7	·6	7.6	·9	—	—	—	—	—	—	1.1	·3	13
14	2.5	·4	14.6	9.1	—	—	—	—	5.1	3.6	7.9	—	14
15	7.7	·2	1.2	2.2	·7	·5	—	—	15.9	8.6	1.7	—	15
16	·2	·4	·7	—	—	—	—	—	·4	·5	4.5	—	16
17	1.2	—	—	·3	3.1	—	3.5	—	16.2	—	—	·5	17
18	2.2	—	·3	—	2.6	4.8	—	20.0	1.3	—	—	1.1	18
19	·8	—	—	8.0	—	·8	—	—	6.2	—	·2	·7	19
20	3.9	1.0	—	2.6	—	30.0	·4	—	·4	—	—	·8	20
21	—	—	—	·2	—	—	19.3	—	3.6	—	—	7.2	21
22	·4	—	—	7.9	—	—	·2	1.0	5.5	—	—	6.7	22
23	—	—	—	—	—	—	12.0	1.5	—	—	—	9.8	23
24	·2	—	3.4	—	—	—	—	—	—	—	—	2.4	24
25	—	·3	1.1	—	3.4	—	6.6	—	—	—	—	—	25
26	·8	—	4.6	1.4	—	—	·5	—	—	—	·7	3.8	26
27	6.5	—	·2	1.8	—	1.0	4.1	—	—	—	19.2	6.7	27
28	9.1	·9	·7	2.3	1.2	—	3.0	—	—	—	·3	3.1	28
29	12.2	·3	3.3	5.0	·5	—	—	—	—	—	1.6	6.0	29
30	1.5	X	·1	—	—	2.0	1.3	—	7.7	—	3.1	6.0	30
31	·6	X	1.5	X	—	X	—	—	X	16.0	X	5.4	31
TOTAL	113.4	13.2	56.1 ~~59.1~~	66.9	27.5	66.9	126.3	33.9	65.7	68.8	45.8	79.6	YEAR'S TOTAL 764.1 ~~767.1~~
Days with 0·2 mm. or more	25	14	20	22	13	10	19	6	13	12	12	20	18~~7~~6
Days with 1·0 mm. or more	17	4	13	16	9	8	16	5	9	9	8	14	128

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(M O)

Kept at Ventnor (Hospital) I.O.W.
in the County of Hampshire
by Miss M. Gibson for Royal National Hospital for Consumption

Lat. 50° 36′ N Long. 1° 13′ W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.0	0.2	0.3	3.4	2.7	-	5.6	-	0.4	12.3	5.1	13.2	1
2	1.1	-	1.8	2.3	3.3	-	-	5.2	2.8	2.3	-	3.1	2
3	0.3	-	-	0.2	-	-	2.1	-	0.2	3.7	-	0.7	3
4	-	3.6	0.2	-	-	-	17.5	5.3	-	5.5	-	-	4
5	-	-	4.2	1.9	-	-	17.9	0.9	-	14.5	-	-	5
6	-	-	2.6	-	6.8	-	4.8	-	-	-	-	-	6
7	1.1	0.2	-	5.1	1.4	-	3.3	-	-	1.3	-	-	7
8	0.2	-	-	0.5	0.3	-	2.7	-	-	0.2	-	-	8
9	13.1	0.3	0.6	0.3	0.4	2.9	-	-	-	-	-	-	9
10	20.0	3.1	4.2	2.3	-	2.1	7.0	-	-	-	-	-	10
11	8.2	-	2.9	6.8	1.1	4.5	14.4	-	-	-	0.4	1.3	11
12	1.9	1.7	-	2.4	-	18.3	0.1	-	-	0.3	-	0.8	12
13	7.7	0.6	7.6	0.9	-	-	-	-	-	-	1.1	0.3	13
14	2.5	0.4	14.6	9.1	-	-	-	-	5.1	3.6	7.9	-	14
15	7.7	0.2	1.2	2.2	0.7	0.5	-	-	15.9	8.6	1.7	-	15
16	0.2	0.4	0.7	-	-	-	-	-	0.4	0.5	4.5	-	16
17	1.2	-	-	0.3	3.1	-	3.5	-	16.2	-	-	0.5	17
18	2.2	-	0.3	-	2.6	4.8	-	20.0	1.3	-	-	1.1	18
19	0.8	-	-	8.0	-	0.8	-	-	6.2	-	0.2	0.7	19
20	3.9	1.0	-	2.6	-	30.0	0.4	-	0.4	-	-	0.8	20
21	-	-	-	0.2	-	-	19.3	-	3.6	-	-	7.2	21
22	0.4	-	-	7.9	-	-	0.2	1.0	5.5	-	-	6.7	22
23	-	-	-	-	-	-	12.0	1.5	-	-	-	9.8	23
24	0.2	-	3.4	-	-	-	-	-	-	-	-	2.4	24
25	-	0.3	1.1	-	3.4	-	6.6	-	-	-	-	-	25
26	0.8	-	4.6	1.4	-	-	0.5	-	-	-	0.7	3.8	26
27	6.5	-	0.2	1.8	-	1.0	4.1	-	-	-	19.2	6.7	27
28	9.1	0.9	0.7	2.3	1.2	-	3.0	-	-	-	0.3	3.1	28
29	12.2	0.3	3.3	5.0	0.5	-	-	-	-	-	1.6	6.0	29
30	1.5	X	0.1	-	-	2.0	1.3	-	7.7	-	3.1	6.0	30
31	0.6	X	1.5	X	-	X	-	-	X	16.0	X	5.4	31
TOTAL	113.4	13.2	56.1	66.9	27.5	66.9	126.3	33.9	65.7	68.8	45.8	79.6	YEAR'S TOTAL 764.1
Days with 0·2 mm. or more	25	14	20	22	13	10	19	6	13	12	12	20	156
	19	11	13	16	9	8	16	5	4	9	8	14	~~134~~ 128

(4,234). W[illegible],958—2[illegible]500, [illegible]9. Gp.1[illegible] A.&E.W.

Copied from [illegible] 3202

VENTNOR
FLINT COTTAGE
I. O. W.
1911- 1920

FORM A1.
BRITISH RAINFALL.
16 JAN 1912

R

Kept at Flint … on … 1 ft. 0 in.

in the County of Ve … el 99 ft.

by John S. … I W Rail Co

½m Direction North

IMPORTANT NO … esult entered to the previous day. If an O … rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·22				·05				·05	1
2	·06			·05	·24					·06	·11	·24	2
3					·20			·13			·12	·12	3
4			·06	·05						·02	·26	·12	4
5				·03					·01	·36	·31		5
6	·33		·12								·13	·48	6
7	·17									·37	·23	·01	7
8	·08		·12								·83	·47	8
9	·15										·56	·08	9
10		·11	·14								·28	·28	10
11	·45		·02								·01	·05	11
12			1·07							·09	1·33	·07	12
13					·12				·03		·05	·47	13
14		·07			·01							·24	14
15		·03									·15	·14	15
16						·34					·81	·17	16
17			·06							·06	·95	·11	17
18		·22	·06	·02		·16				·11	·43	·29	18
19		·09				·06			·18	·03		·11	19
20			·09					·12	·10	·47		·53	20
21	·01	·23						·30	·11	·33		·32	21
22	·21	·02		·02		·16		·05		·50		·78	22
23		·25				·47			·16	·82	·03	·12	23
24	·02	·14				·16	·02	·01		·05		·49	24
25		·02	·03	·17	·18	·02	·43		·23	·29		·07	25
26			·03	·38		·06				·65		·42	26
27		·43	·06	·06			·02		·11	—	·09	·17	27
28		·13		·24				·18					28
29				·06		·33	·06		·23	·24			29
30					·04	·03				·41			30
31													31
Total	1·50	1·74	1·86	1·30	·79	1·79	·53	·84	1·16	4·86	6·68	6·40	TOTAL for year 29·45
No. of Rain Days	10	12	12	11	6	10	4	7	9	17	18	26	142

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.
BRITISH RAINFALL.
16 JAN 1912

Kept at Flint-Cottage

in the County of Ventnor, I.W.

by John S. Ineson

Rain Gauge	Pattern	Snowdon
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	99 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name I W Rail Co
Distance 1/2 m Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·22				·05				·05	1
2	·06			·05	·24					·06	·11	·24	2
3					·20			·13			·12	·12	3
4			·06	·05						·02	·26	·12	4
5				·03					·01	·36	·31		5
6	·33		·12								·13	·48	6
7	·17									·37	·23	·01	7
8	·08		·12								·83	·47	8
9	·15										·56	·08	9
10		·11	·14								·28	·28	10
11	·45		·02								·01	·05	11
12			1·07							·09	1·33	·07	12
13					·12				·03		·05	·47	13
14		·07			·01							·24	14
15		·03									·15	·14	15
16						·34					·81	·17	16
17			·06							·06	·95	·11	17
18		·22	·06	·02		·16				·11	·43	·29	18
19		·09				·06			·18	·03		·11	19
20			·09					·12	·10	·47		·53	20
21	·01	·23						·30	·11	·33		·32	21
22	·21	·02		·02		·16		·05		·50		·78	22
23		·25				·47			·16	·82	·03	·12	23
24	·02	·14				·16	·02	·01		·05		·49	24
25		·02	·03	·17	·18	·02	·43		·23	·29		·07	25
26			·03	·38		·06				·65		·42	26
27		·43	·06	·06			·02		·11	—	·09	·17	27
28		·13		·24				·18					28
29				·06		·33	·06		·23	·24			29
30					·04	·03				·41			30
31													31
Total	1·50	1·74	1·86	1·30	·49	1·79	·53	·84	1·16	4·86	6·68	6·40	TOTAL for year 29·45
No. of Rain Days	10	12	12	11	6	10	4	7	9	17	18	26	142

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A2.

BRITISH RAINFALL.
13 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Flint-Cottage

in the County of Ventnor I.W

by John S. Ineson

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground [illegible] ft. 0 in.
" " " Sea Level 99 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name I.W
Distance
Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16			·29	·15			·99		·44	1
2			·29				·26			·02			2
3			·09			·12		·42	·05		·02	·01	3
4	·22	·05	·57			·29		·05			·23		4
5	·34	·12	·12					·19			·06	·01	5
6	·93	·01	·03		·19	·03		·09				·03	6
7	·04	·01	·10		·47	·71		·09				·04	7
8	·40	·20	·12			·03		·02	·04			·01	8
9		·20	·17	·03		·06	·03	·05				·07	9
10								·02			·09	·33	10
11	·05	·19				·12		·05				·18	11
12		·05	·07		·35	·73	·07	·47					12
13		·05	·02				·21	·04				·10	13
14	·03				·04		·02	·09		·02		·02	14
15	·02	·21	·12		·08	·73						·29	15
16	·29	·01	·20		·04	·04		·09		·09	·13		16
17	·94		·34		·02	·04		·25				·15	17
18	·07		·21					·14		·03		·07	18
19	·03	·05	·20			·02	·02	·24			·01		19
20		·01	·23					·01		·64	·03		20
21	·08	·16	·17		·14			·04		·19			21
22	·38	·54	·02					·35			·02	·05	22
23	·06	·11	·33					·57		·18	·12	·01	23
24	·06	·07	·01					·20		·14		·17	24
25	·01					·21		·70		·26	·53	·44	25
26		·07					·43	·08		·18	·54	·25	26
27						·10	·36			·12	·01	·70	27
28		·07					·04	·21	·02	·66	·48	·22	28
29		·04					·14	·32	·98	·03	·08	·01	29
30			·02				·10		1·25	·26		·02	30
31			·15		·07			·17					31
Total	3·95	2·22	3·74	·03	1·40	3·52	1·83	4·95	2·34	3·81	2·35	3·62	TOTAL for year 33·76
No. of Rain Days.	17	20	23	1	9	15	12	26	5	15	14	23	180

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
21 JAN 1914

Kept at Flint-Cottage Ventnor
in the County of I of W
by John S. Ineson

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station I W Rail C.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.35	.13	.10		.03			.39	.02	.13	.02	1
2		.10					.05			.02	.04	.04	2
3	.02		.07	.13	.26					.09		.22	3
4	.27		.04	.01	.53		.12		.53	.13	.05	.02	4
5	.41	.01	.02			.18	.03		.79	.01	.13	.05	5
6		.04	.15		.15	.18	.29			.50	.12	.47	6
7		.22	.11		.17	.02	.30			.13	.05		7
8		.08			.15	.02	.01	.46		.12		.07	8
9		.02	.01				.25	.11	.18	.03		.01	9
10	.05			.05		.02	.01				.52		10
11	.74			.28	.68					.25	.03	.03	11
12					.35						.81	.01	12
13	.18		.03			.01			.02		.18		13
14	.23		.12	.01			.04	.02	.06	.01	.05	.03	14
15	.42	.14	.53	.35	.03		.11				.02	.06	15
16	.07		.77	.15		.23	.05		.23				16
17	.22	.01		.08							.12		17
18	.03		.12	.09			.01				.10		18
19	.19		.08		.07		.02		.20				19
20	.34		.08	.08						.66	.03		20
21			.17	.18						.45	.34		21
22	.41		.21					.15	.20	.32		.05	22
23	.02		.04			.03		.08				.79	23
24	.17			.05		.03		.02			.05		24
25		.06		.18							.08		25
26								.10		.40		.29	26
27			.18	.06									27
28	.20	.02	.01	.20						.18			28
29	.21		.05	.57	.58			.01		.12	.03	.04	29
30	.47							.21		.08			30
31	.02		.02					.81		.26			31
Total	4.74	1.05	2.94	2.57	2.37	.75	1.29	1.97	2.60	3.48	2.88	2.20	YEAR'S TOTAL 29.14
Rain Days.	21	11	21	17	10	10	13	10	9	19	19	16	176

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Ventnor
in the County of I of W
by John. S. Ineson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station I.W.Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02				·13			·02	·03	1
2							·01				·07	·10	2
3			·04	·06	·32			·01			·01	·01	3
4	·01		·01	·15			·02	·07			·30	·63	4
5	·18		·17	·16	·01		·23	·04			·02		5
6		·15	·01	·18	·01	·05		·02				·53	6
7	·04	·33	·17	·21		·03	·17					·33	7
8	·09	·42	·60	·14		·17	·01	·06				·19	8
9	·05	·01	·35	·07				·02	·05			2·38	9
10	·15	·21		·09	·24				·21		·04		10
11		·38	·62		·01	·01	·66		·09	·02	·07	·63	11
12		·12	·33				·05		·42	·34		·48	12
13		·38	·16			·04	~~·0~~		·36	·05	·07	·50	13
14		·11	·13			·16	·03	·62		·61	·25	·55	14
15		·03	·19				·16	·60	·04	·03	·54		15
16		·07					·15		·13				16
17		·41	·03						·01			·29	17
18		·02	·33						·03			·35	18
19		·09	·55				1·04				·09	·11	19
20		·27	·08			·06						·20	20
21		·45	·01							·09			21
22		·13			·08	·02	·17	·08		·13			22
23		·08	·14							·04			23
24			·07							·05	·28		24
25			·22				·13	·30		·25	·03	·19	25
26							·03	·06		·12	·16	·53	26
27	·06		·03								·16	·31	27
28	·03	·04			·09					·69	·62	·43	28
29	·09		·22							·62	·07	·03	29
30		X	·03	·10						·29	·67	·37	30
31	·01	X		X	·02	X	·09		X	·10	X	·03	31
Total	·71	3·70	4·49	1·18	·78	·54	2·95	2·01	1·34	3·43	3·47	9·20	YEAR'S TOTAL 33·80
Rain Days.	10	19	23	10	8	8	15	12	9	15	18	23	190

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
15 FEB 1916

Kept at Flint Cottage
in ~~the County~~ of Ventnor I.W
by Jno S Ineson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station I.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·55	·27	—	—	—	—	—	·15	·20	·05	·02	·30	1
2	·63	·17	·13	·01	—	·01	—	·05	·06	·11	—	·33	2
3	·47	—	·19	·08	·20	—	—	·04	·03	—	—	·50	3
4	·03	—	—	·03	·01	·01	—	—	—	—	—	·50	4
5	·01	·24	—	·04	—	—	—	·23	—	—	—	·53	5
6	·88	·22	—	·53	—	—	·39	·07	—	—	—	·29	6
7	·29	·30	—	·12	—	—	·03	—	—	—	—	·26	7
8	·11	·68	—	—	—	—	·04	·03	—	—	·05	·07	8
9	—	·42	—	·12	—	·13	—	·03	—	—	·59	·82	9
10	—	·02	·02	—	—	—	—	—	—	—	—	·48	10
11	·20	—	·04	—	—	—	—	—	—	—	·76	—	11
12	·01	·27	—	·24	·70	—	—	—	—	—	·67	—	12
13	·08	·36	—	—	1·37	—	—	—	·08	—	·09	·01	13
14	·17	·02	—	—	—	—	·22	—	·08	—	—	·79	14
15	·07	—	—	—	·08	—	·14	—	—	—	·14	·12	15
16	—	·58	—	—	·33	—	·63	—	—	—	—	·04	16
17	—	·19	—	—	·59	—	—	·02	—	—	—	·06	17
18	—	·21	—	—	·03	—	—	—	—	—	·08	—	18
19	—	·09	—	—	·13	—	·01	—	—	—	—	—	19
20	·33	—	—	·17	·01	—	—	—	—	·15	—	·06	20
21	·09	—	—	—	—	—	·10	—	—	·46	—	·15	21
22	1·32	·43	·25	·05	—	—	·58	—	—	—	—	·17	22
23	—	·03	·12	·01	—	·02	—	—	·57	·30	—	1·00	23
24	—	—	—	—	—	—	—	—	1·02	·66	—	·35	24
25	—	—	·03	·02	—	—	·02	—	—	—	—	·26	25
26	·04	·01	—	—	—	·24	·26	—	—	—	—	·49	26
27	—	—	—	—	—	·07	—	—	—	·28	·02	—	27
28	—	·02	—	—	—	·23	—	—	·81	·18	—	·01	28
29	—	✕	—	—	—	·40	—	·02	—	—	·28	·02	29
30	·27	✕	—	—	—	—	—	—	—	·33	·53	·02	30
31	—	✕	—	✕	—	✕	—	·23	✕	·62	✕	·24	31
Total	5·55	4·53	·78	1·42	3·45	1·11	2·42	·87	2·85	3·14	3·23	7·87	YEAR'S TOTAL 37·22
Rain Days.	18	19	7	12	10	8	11	10	8	10	11	26	150

W. 8,000, X. 15.

FORM A.
BRITISH RAINFALL.
12 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Flint Cottage
in the County of Ventnor I. W
by Jno. Ineson

Lat. .... Long. ....
Time of Observation 9 a.m. Correct
Nearest Railway Station I W Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·05	·07	—	·30	·01	—	—	·21	·21	·35	—	1
2	·22	·03	·27	—	·12	—	·01	—	—	·46	—	—	2
3	·01	·18	·07	—	—	—	·06	—	—	·63	·61	—	3
4	·22	·12	—	—	—	·29	—	—	·54	·02	·20	—	4
5	·06	·03	—	—	·09	·21	—	—	—	·04	·50	—	5
6	·03	·09	·03	·01	—	·06	·31	—	—	·13	·21	—	6
7	·02	·02	·72	—	·05	—	—	—	—	·33	·13	·04	7
8	—	·04	·06	—	·27	—	—	—	—	—	·04	·35	8
9	—	—	—	—	·12	·01	·01	—	—	—	—	·10	9
10	—	·71	·01	·02	·02	·38	—	—	—	—	·03	·15	10
11	·04	·02	·02	·29	—	·02	—	—	—	—	—	·47	11
12	·03	·09	·03	·09	·03	·01	·06	—	—	·08	—	—	12
13	—	·20	·01	·01	—	·01	—	—	—	·01	—	·01	13
14	—	·49	—	—	·09	—	—	—	—	·02	—	·01	14
15	—	·11	·23	—	—	—	—	—	—	—	—	—	15
16	·12	·01	·20	·25	—	—	·01	·08	—	·01	—	·36	16
17	·15	·32	—	·05	—	—	—	·05	·47	·53	·50	—	17
18	·01	·04	·08	·01	—	—	—	—	·16	·13	·58	·13	18
19	·17	—	·10	·04	—	—	—	—	·14	—	·41	—	19
20	·08	·03	·97	—	—	—	—	—	—	—	·10	·74	20
21	·03	·14	·27	—	—	—	·01	—	—	—	·02	·50	21
22	—	—	—	—	—	·07	—	—	—	·13	—	·52	22
23	·01	·01	—	—	—	·18	—	·04	—	·41	·01	·02	23
24	—	·01	—	—	·19	—	—	·03	—	·22	·05	·31	24
25	·01	·39	·14	—	—	—	—	·11	·16	·21	·04	—	25
26	·01	·75	—	—	—	·17	—	—	·06	·23	—	·12	26
27	·02	·10	·80	—	—	·05	—	—	·42	·64	—	—	27
28	—	·70	·02	—	—	—	—	·17	·35	·25	—	·32	28
29	—	·49	·07	—	—	·49	—	·99	·13	·32	—	·54	29
30	—	×	—	—	·15	—	—	·02	—	·10	—	·01	30
31	—	×	—	×	—	×	—	·03	×	·08	×	·01	31
Total	1·28	5·17	4·17	·77	1·43	1·96	·47	1·52	2·64	5·19	3·78	4·71	YEAR'S TOTAL 33·09
Rain Days.	19	26	20	9	11	14	7	9	10	23	16	19	183

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
18 JAN

REGISTER OF RAINFALL IN 19

Kept at Flint Cottage Ventnor

in the County of I of W

by Jno Sneson

Lat. Long.
Time of Observation 9 a.m. Correct time
Nearest Railway Station I. W. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·17	·23	—	—	—	1·17	—	—	·10	·01	1
2	—	—	·10	·28	—	—	—	—	—	—	·01	—	2
3	·06	—	—	·11	—	—	·10	·26	—	·05	·03	—	3
4	—	·10	·22	—	—	—	·03	·01	—	·27	—	·01	4
5	·22	—	·02	·13	—	·08	—	—	·09	·34	·09	—	5
6	—	—	·28	·02	—	—	—	—	—	·05	·16	·01	6
7	·36	—	—	—	—	—	1·08	—	—	·19	—	·11	7
8	·32	—	·03	·05	—	—	·17	·15	—	·41	·37	·26	8
9	—	—	·10	—	·13	—	·03	—	·01	·32	·04	·07	9
10	·09	—	·23	·21	—	·02	—	·09	—	·06	—	—	10
11	·10	—	·21	·27	—	—	—	—	—	·30	—	—	11
12	·01	—	·01	—	·12	—	—	·02	—	·30	·01	—	12
13	·02	—	·23	—	—	—	—	·07	·02	·10	—	—	13
14	—	—	—	·09	—	—	—	—	—	—	—	—	14
15	·04	—	—	—	·02	—	—	—	—	·25	—	·11	15
16	·01	·13	—	·09	·03	—	—	—	—	·30	—	·46	16
17	—	·04	—	·17	·01	—	·33	·28	·28	·12	—	—	17
18	—	·01	—	—	·06	·06	·10	—	·23	—	—	—	18
19	—	·28	·03	—	—	·02	—	—	·28	—	—	—	19
20	—	·09	·59	—	·20	·13	—	—	—	—	·01	—	20
21	·04	—	·05	—	·04	·03	—	—	—	·04	·01	—	21
22	—	—	·01	—	—	—	—	·04	—	·32	—	—	22
23	—	·32	—	—	·02	—	—	·05	—	—	—	·04	23
24	—	·19	—	—	—	·09	·16	—	—	·40	—	—	24
25	—	·11	·08	—	—	—	·01	—	—	·03	—	—	25
26	—	—	·04	—	—	·01	—	·43	·10	—	·39	—	26
27	—	—	·01	—	·46	·05	—	1·04	—	—	—	—	27
28	—	—	·06	—	—	·06	—	·03	—	—	—	·01	28
29	—	X	·03	—	—	·04	·18	·03	—	·70	·01	·09	29
30	—	X	·14	—	—	—	·39	·33	—	·02	·02	·03	30
31	—	X	·04	X	—	X	·10	·02	X	·19	X	·08	31
Total	1·27	1·27	2·68	1·65	1·09	·59	2·68	4·02	1·01	4·76	1·25	1·29	YEAR'S TOTAL 23·56
Rain Days.	11	9	22	11	10	11	12	16	7	21	13	13	156

W. 8,000, IX. 17.

2·10

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
19.3.19

Kept at Flint Cottage Ventnor
in the County of Isle of Wight
by Jno Imeson

Lat. Long.
Time of Observation 9 am Correct time
Nearest Railway Station I of W Rail
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	—	—	—	—	—	·96	—	—	·17	·16	1
2	—	·04	—	·03	—	—	—	·18	—	—	·42	·17	2
3	—	·03	·01	·25	·23	—	—	·02	—	—	·09	·05	3
4	—	·10	·07	—	—	—	—	·06	·42	—	·64	·04	4
5	—	·08	·03	—	·29	—	—	·29	—	·15	—	—	5
6	·21	·12	—	·11	·05	—	—	·06	·15	·06	—	·04	6
7	—	·14	—	·09	·36	—	—	·05	·23	·14	·25	—	7
8	—	—	—	—	—	—	—	—	·19	·12	·06	—	8
9	—	—	—	·29	—	·12	·61	—	·39	·15	—	·49	9
10	·01	—	—	·06	—	—	·18	—	·22	—	—	·41	10
11	·02	·02	—	—	—	—	·09	—	·46	·20	·05	·11	11
12	·05	·07	—	—	·35	—	—	—	·02	—	—	·04	12
13	·18	·01	—	—	—	—	·22	—	·13	—	—	·05	13
14	·13	—	—	—	·04	·13	·10	—	·60	·17	—	·11	14
15	1·17	—	—	·21	—	·22	—	—	—	—	—	·08	15
16	·40	—	·01	·05	—	—	—	—	·89	·04	—	—	16
17	·30	—	—	·15	—	—	·35	—	—	·17	—	·22	17
18	·20	—	—	—	—	·50	—	·04	·68	·03	—	·07	18
19	·01	—	·12	—	—	—	·11	—	—	·03	—	·02	19
20	·02	·15	—	·32	—	—	·07	—	·12	·12	—	—	20
21	·16	—	—	—	—	—	—	—	·49	·18	—	·07	21
22	·14	—	—	—	·14	—	·54	—	·70	—	—	·26	22
23	·05	—	—	—	—	—	·14	—	—	—	·01	·18	23
24	—	·39	—	—	—	·13	—	—	·19	—	·14	—	24
25	—	—	—	·37	—	—	·01	·08	—	—	—	—	25
26	—	—	—	—	·09	—	·27	—	·06	·03	·04	·27	26
27	—	·07	·01	—	—	—	·16	·08	·13	·02	(~~·02~~)	·08	27
28	—	—	·17	·07	—	—	—	—	·02	—	·05	·01	28
29	—	X	·04	·06	—	—	—	—	·83	—	—	·02	29
30	—	X	·45	·01	—	—	—	—	—	·04	·04	·10	30
31	—	X	·03	X	—	X	—	·07	X	·13	X	—	31
Total	3·05	1·25	·94	2·07	1·55	1·10	2·85	1·89	6·92	1·78	1·98	3·05	YEAR'S TOTAL 28·43
Rain Days.	15	13	10	14	8	5	13	11	20	17	12	23	161

W. 8 000, IX. 17.

FORM A.
BRITISH RAINFALL.

30 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Flint-Cottage Ventnor

in the County of I of W

by Jno Ineson

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station I.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	—	·02	—	·02	—	·27	—	—	·46	·03	·70	1
2	·15	—	·03	—	—	—	·23	—	·24	·07	—	·05	2
3	·52	—	·82	—	·19	—	—	—	·03	—	·11	·26	3
4	·37	·04	·25	—	·02	·01	·07	·05	—	—	·24	·08	4
5	·01	·42	·48	—	—	—	—	—	·26	—	·01	·30	5
6	·12	·04	·20	—	·02	—	·06	—	—	—	—	·04	6
7	·08	—	·48	·02	—	—	—	—	—	—	—	—	7
8	·12	—	·16	—	—	—	—	—	—	—	·72	—	8
9	·50	—	·17	·04	·07	—	—	—	—	—	—	—	9
10	·81	—	·11	·02	—	—	—	—	—	—	—	·10	10
11	·54	—	·05	·51	·09	—	—	—	—	—	·27	·03	11
12	·05	—	—	—	·04	—	·08	—	—	·21	—	—	12
13	·02	·05	·06	·38	—	—	·01	—	—	—	—	·02	13
14	·30	·03	—	·25	—	—	·05	—	—	—	—	·04	14
15	·28	·06	—	·02	—	—	—	—	—	—	·16	·90	15
16	·11	·83	—	—	—	—	—	—	—	·02	·12	—	16
17	—	·37	—	—	—	—	—	·03	—	—	·20	·04	17
18	—	·16	·16	—	—	—	—	—	—	—	·13	·02	18
19	·11	·24	·46	—	—	·10	·25	·25	·07	—	—	·02	19
20	·33	·05	·06	—	—	·49	—	·20	—	—	·01	—	20
21	·05	·35	—	—	—	—	·04	—	·05	—	—	·05	21
22	—	—	—	—	—	—	·30	—	·19	—	·06	·17	22
23	—	—	·03	—	—	—	—	—	·05	·01	·15	·05	23
24	—	·10	—	—	—	·04	·01	·04	·02	·49	—	·11	24
25	·06	—	—	—	—	·06	—	·37	—	—	—	·06	25
26	·02	·37	·09	·01	—	—	—	·03	·12	—	·54	·39	26
27	·25	—	·02	·47	—	—	·02	·57	—	—	·15	·14	27
28	·12	—	·62	—	—	—	—	·36	—	—	·35	·59	28
29	·02	X	—	—	—	—	—	·42	—	·09	·03	·05	29
30	—	X	—	·20	—	·04	—	·47	—	—	·46	·68	30
31	·04	X	—	X	—	X	—	—	X	—	X	·13	31
Total	5·52	3·11	4·27	1·92	·45	·74	1·39	2·79	1·03	1·35	3·74	5·02	YEAR'S TOTAL 31·33
Rain Days.	25	14	19	10	7	6	12	11	9	7	18	25	163

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

ORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Flint Cottage, Ventnor.
in the County of Isle of Wight
by Jno. S. Ineson.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station I. W. Railway
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	—	.01	.10	.09	—	.25	—	.01	.27	.21	.43	1
2	.02	—	.05	.08	.12	—	—	.20	.09	.04	—	.11	2
3	—	—	—	—	—	—	.07	—	—	.14	—	.02	3
4	—	.18	.01	—	—	—	.47	.21	—	.20	—	—	4
5	—	—	.21	.13	—	—	.69	.03	—	.39	—	—	5
6	—	—	.09	—	.30	—	.15	—	—	—	—	—	6
7	.04	—	—	.23	.05	—	.17	—	—	.01	—	—	7
8	—	—	—	.02	—	—	.09	—	—	—	—	—	8
9	.55	.02	.01	.01	.02	.10	—	—	—	—	—	—	9
10	.84	.14	.20	.13	—	.08	.28	—	—	—	—	—	10
11	.35	—	.09	.25	.02	.11	.47	—	—	—	.01	.03	11
12	.08	.06	—	.08	—	.70	—	—	—	.03	—	.02	12
13	.37	.01	.28	.01	—	—	—	—	—	—	.04	—	13
14	.05	—	.55	.35	—	—	—	—	.18	.13	.34	—	14
15	.39	.02	.05	.08	.05	.01	—	—	.61	.21	.08	—	15
16	.01	.02	.02	—	—	—	—	—	.01	.03	.20	—	16
17	.06	—	—	—	.12	—	.01	—	.70	—	—	.01	17
18	.09	—	.01	—	.12	.22	—	.72	.06	—	—	.03	18
19	.04	—	—	.41	—	.03	—	—	.21	—	—	.02	19
20	.13	.03	—	.09	—	1.17	—	—	.01	—	—	.02	20
21	—	—	—	—	—	—	.70	—	.11	—	—	.30	21
22	.02	—	—	.30	—	—	—	.03	.17	—	—	.21	22
23	—	—	—	—	—	—	.45	.06	—	—	—	.39	23
24	—	—	.12	—	.01	—	—	—	—	—	—	.09	24
25	—	—	.04	—	.12	—	.25	—	—	—	—	—	25
26	.03	—	.16	.05	—	—	.04	—	—	—	.02	.12	26
27	.22	—	—	.04	—	.05	.10	—	—	—	.57	.24	27
28	.33	.03	.02	.18	.03	—	.14	—	—	—	—	.12	28
29	.48	—	.13	.19	.02	—	—	—	—	—	.05	.24	29
30	.05	✕	—	—	—	.08	.04	—	.26	—	.18	.21	30
31	.02	✕	.06	✕	—	✕	—	—	✕	.52	✕	.20	31
TOTAL	4.50	.51	2.11	2.73	1.07	2.55	4.37	1.25	2.42	1.97	1.70	2.81	YEAR'S TOTAL 27.99
Days with ·01 in. or more	22	9	19	19	13	10	17	6	12	11	10	19	167
Days with ·04 in. or more	17	3	13	16	8	8	16	4	9	8	8	12	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

10 JAN 1913

VENTNOR
DEVONSHIRE CLIFF
I.O.W.
1912

Kept at Devons

in the County of

by Frank

lon

in.

Ground ft. 12 in.

Sea Level 110 ft.

a.m

Name G of W R Holton

Distance ½ mile Direction N.W

IMPORTAN the result entered to the previous day. ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.16	—	—	.29	.15	—	—	.99	—	.44	1
2	—	—	.29	—	—	—	.26	—	—	.02	—	—	2
3	—	—	.09	—	—	.12	—	.42	.05	—	.02	.01	3
4	.22	.05	.57	—	—	.29	—	.05	—	—	.23	—	4
5	.34	.12	.12	—	—	—	—	.19	—	—	.06	.01	5
6	.93	.01	.03	—	.19	.03	—	.09	—	—	—	.03	6
7	.04	.01	.10	—	.47	.71	—	.09	—	—	—	.04	7
8	.40	.20	[illegible]	—	—	.03	—	.02	.04	—	—	.01	8
9	—	.20	.17	.03	—	.06	.03	.05	—	—	—	.07	9
10	—	—	—	—	—	—	—	.02	—	—	.09	.33	10
11	.05	.19	—	—	—	.12	—	.05	—	—	—	.18	11
12	—	.05	.07	—	.35	.73	.07	.47	—	—	—	—	12
13	—	.05	.02	—	—	—	.21	.04	—	—	—	.10	13
14	.03	—	—	—	.04	—	.02	.09	—	.02	—	.02	14
15	.02	.21	.12	—	.08	.73	—	.—	—	—	—	.29	15
16	.29	.01	.20	—	.04	.04	—	.09	—	.09	.13	—	16
17	.94	—	.34	—	.02	.04	—	.25	—	—	—	.15	17
18	.07	—	.21	—	—	—	—	.14	—	.03	—	.07	18
19	.03	.05	.20	—	—	.02	.02	.24	—	—	.01	—	19
20	—	.01	.23	—	—	—	—	.01	—	.64	.03	—	20
21	.08	.16	.17	—	.14	—	—	.04	—	.19	—	—	21
22	.38	.54	.02	—	—	—	—	.35	—	—	.02	.05	22
23	.06	.11	.38	—	—	—	—	.57	—	.18	.12	.01	23
24	.06	.07	.01	—	—	—	—	.20	—	.14	—	.17	24
25	.01	—	—	—	—	.21	—	.70	—	.26	.53	.44	25
26	—	.07	—	—	—	—	.43	.08	—	.18	.54	.25	26
27	—	—	—	—	—	.10	.36	—	—	.12	.01	.70	27
28	—	.07	—	—	—	—	.04	.21	.02	.66	.48	.22	28
29	—	.04	—	—	—	—	.14	.32	.98	.03	.08	.01	29
30	—		.02	—	—	—	—	—	1.25	.26	—	.02	30
31	—		.15		.07		.10	.17		—		—	31
Total	3.95	2.22	3.74	.03	1.40	3.52	1.83	4.95	2.34	3.81	2.35	3.62	TOTAL for year 33.76
No. of Rain Days.	17	20	23	1	9	15	12	26	5	15	14	23	180

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 191

REGISTER OF RAINFALL IN 191

Kept at Devonshire Cliff Ventnor
in the County of Hants I
by Frank C Galley

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level 110 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name I of W R Station
Distance ½ ml. Direction N.W.

Duplicate
Fair Copy

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.16	—	—	.29	.15	—	—	.99	—	.44	1
2	—	—	.29	—	—	—	.26	—	—	.02	—	—	2
3	—	—	.09	—	—	.12	—	.42	.05	—	.02	.01	3
4	.22	.05	.57	—	—	.29	—	.05	—	—	.23	—	4
5	.34	.12	.12	—	—	—	—	.19	—	—	.06	.01	5
6	.93	.01	.03	—	.19	.03	—	.09	—	—	—	.03	6
7	.04	.01	.10	—	.47	.71	—	.09	—	—	—	.04	7
8	.40	.20	.12	—	—	.03	—	.02	.04	—	—	.01	8
9	—	.20	.17	.03	—	.06	.03	.05	—	—	—	.07	9
10	—	—	—	—	—	—	—	.02	—	—	.09	.33	10
11	.05	.19	—	—	—	.12	—	.05	—	—	—	.18	11
12	—	.05	.07	—	.35	.73	.07	.47	—	—	—	—	12
13	—	.05	.02	—	—	—	.21	.04	—	—	—	.10	13
14	.03	—	—	—	.04	—	.02	.09	—	.02	—	.02	14
15	.02	.21	.12	—	.08	.73	—	.—	—	—	—	.29	15
16	.29	.01	.20	—	.04	.04	—	.09	—	.09	.13	—	16
17	.94	—	.34	—	.02	.04	—	.25	—	—	—	.15	17
18	.07	—	.21	—	—	—	—	.14	—	.03	—	.07	18
19	.03	.05	.20	—	—	.02	.02	.24	—	—	.01	—	19
20	—	.01	.23	—	—	—	—	.01	—	.64	.03	—	20
21	.08	.16	.17	—	.14	—	—	.04	—	.19	—	—	21
22	.38	.54	.02	—	—	—	—	.35	—	—	.02	.05	22
23	06	.11	.38	—	—	—	—	.57	—	.18	.12	.01	23
24	.06	.07	.01	—	—	—	—	.20	—	.14	—	.17	24
25	.01	—	—	—	—	.21	—	.70	—	.26	.58	.44	25
26	—	.07	—	—	—	—	.43	.08	—	.18	.54	.25	26
27	—	—	—	—	—	.10	.36	—	—	.12	.01	.70	27
28	—	.07	—	—	—	—	.04	.21	.02	.66	.48	.22	28
29	—	.04	—	—	—	—	.14	.32	.98	.03	.08	.01	29
30	—		.02	—	—	—	—	—	1.25	.26	—	.02	30
31	—		.15		.07		.10	.17		—		—	31
Total	3.95	2.22	3.74	.03	1.40	3.52	1.83	4.95	2.34	3.81	2.35	3.62	TOTAL for year 33.76
No. of Rain Days.	17	20	23	1	9	15	12	26	5	15	14	23	180

W. 8,000, X. '11.

WATCHINGWELL
"SWAINSTON"

I. O. W.
1914.

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

R

22.30

Kept at Swains

Watchingwell

in the County of Is

5 in.

Ground 1 ft. in.

by Sir Edmund

Sea Level 170 ft.

IMPORTANT N the result entered to the previous day. If an ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·43,

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					—	—	—	·23,	—	—	·13,	·20,	1
2					—	—	—	—	—	—	·31,	·15.	2
3					·34,	—	·03	·04.	—	—	—	·02.	3
4					—		·01.	·14,	—	—	·51,	·35,	4
5					·04.	—	·33,	—	—	—	·36,	·01.	5
6					—	—	—	·08.	—	—	—	·66,	6
7					—	·03.	·20,	·02	—	—	—	·33,	7
8					·03.	·21,	—	·15,	—	—	—	·10,	8
9					·20,	—	—	·02.	·10	—	—	2.50.	9
10					·01.	—	—	—	·40,	—	·04	—	10
11					—	·03.	—	—	—	—	·09	66,	11
12				—	—	·01.	·83,	—	·53,	·05,	·01.	1.15.	12
13				—	—	—	—	—	·23,	·40,	·08.	·64,	13
14				—	—	·17,	·12,	·33,	—	·25.	·40,	·26,	14
15				—	—	—	·31,	·57,	·20,	3	·75	—	15
16				—	—	—	·13,	—	·10,	—	—	—	16
17				—	—	—	—	—	—	—	—	·45,	17
18				—	—	—	—	—	—	—	—	·44,	18
19				—	—	—	—	—	—	—	·10,	·09.	19
20				—	—	—	—	—	—	—	—	·15,	20
21				—	—	—	—	—	—	·30,	—	—	21
22				—	·12.	·05.	·22,	—	—	·13,	—	·05.	22
23				—	—	·10,	—	—	—	·06.	—	—	23
24				—	—	—	·10,	—	—	·04.	—	—	24
25				—	—	—	—	—	—	·45,	·28,	·26,	25
26				—	—		·03.	—	—	·05.	·17,	·62,	26
27				—	—	—	—	—	—	—	·25,	·46,	27
28				—	·08.	—	—	—	—	·45,	·31,	·70,	28
29				·05.	·01.	—	—	—	—	·40,	·17,	·01.	29
30				—	—	—	·20,	—	—	·45,	·44,	·53,	30
31				—			—	—		·26,		·08.	31
Total				·05.	·83,	·60,	~~2.46~~ 2·51	1.58	1.56	4.32	4.75	10.87	YEAR'S TOTAL ~~26.94~~
Rain Days.				1	8	7	12	9	6	14	17	25	~~149~~

W.7,000, XI. 13

From April 12th only

FORM A. BRITISH RAINFALL.
5 - JAN 1915

R 22.30

Kept at Swainston
in the County of Isle of Wight
by Sir Edmund Simeon Bart.

Time of Observation 9 a.m.
Nearest Railway Station Watchingwell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·73

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					–	–	–	·23	–	–	·13	·20	1
2					–	–	–	–	–	–	·31	·15	2
3					·34	–	·03	·04	–	–	–	·02	3
4					–		·01	·14	–	–	·57	·35	4
5					·04	–	·33	–	–	–	·36	·01	5
6					–	–	–	·08	–	–	–	·66	6
7					–	·03	·20	·02	–	–	–	·33	7
8					·03	·21	–	·15	–	–	–	·10	8
9					·20	–	–	·02	·10	–	–	2.50	9
10					·01	–	–	–	·40	–	·04	–	10
11					–	·03	–	–	–	–	·09	66	11
12				–	–	·01	·83	–	·53	·05	·01	1.15	12
13				–	–	–	–	–	·23	·40	·08	·64	13
14				–	–	·17	·12	·33	–	·35	·40	·26	14
15				–	–	–	·31	·57	·20	3	·75	–	15
16				–	–	–	·13	–	·10	–	–	–	16
17				–	–	–	–	–	–	–	–	·45	17
18				–	–	–	–	–	–	–	–	·44	18
19				–	–	–	–	–	–	–	·10	·09	19
20				–	–	–	–	–	–	–	–	·15	20
21				–	–	–	–	–	–	·30	–	–	21
22				–	·12	·05	·22	–	–	·13	–	·05	22
23				–	–	·10	–	–	–	·06	–	–	23
24				–	–	–	·10	–	–	·04	–	–	24
25				–	–	–	–	–	–	·45	·28	·26	25
26				–	–		·03	–	–	·05	·17	·62	26
27				–	–	–	–	–	–	–	·25	·46	27
28				–	·08	–	–	–	–	·45	·31	·70	28
29				·05	·01	–	–	–	–	·40	·17	·01	29
30				–		–	·20	–	–	·45	·77	·53	30
31				–			–	–		·26		·08	31
Total				·05	·83	·60	~~2.46~~ 2.51	1.58	1.56	4.32	4.75	10.87	YEAR'S TOTAL ~~26.94~~
Rain Days.				1	8	7	12	9	6	14	17	25	~~149~~

W.7,000, XI. 13

From April 12th only

WOOTON BRIDGE

FERNHILL

I. O. W.

1911-14, 17-20

REG

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

Kept at Fernhill ... in.

in the County of I... und 7 ft. 6 in.

Level 118 ft.

by C. G. Bro...

me Wootton

stance ½ mile Direction W.

IMPORTANT NOTE. ... e result entered to the previous day. If an Obse... al rule, he is earnestly requested to add the readin... in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in '... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·35							·07		1
2	·04			·05	·47						·23	·36	2
3					·27			·11			·44	·10	3
4	·02		·04	·06							·30	·30	4
5				·01						·70	·05		5
6	·59		·10							·05	·08	·82	6
7	·06									·52	1·04	·10	7
8	·04		·15								·28	·60	8
9											·08	·33	9
10	·10	·10	·32		·06						1·36	·62	10
11	·47		·03								·10	·15	11
12			1.02									·42	12
13	·01				·23				·34			·41	13
14		·05											14
15											·20		15
16						·53					·95	·34	16
17						·05					·65	·36	17
18		·20	·09	·04						·08	·33	·61	18
19		·10				·18			·67	·34	·01	·32	19
20		·01	·11					·07	·26	·08		·90	20
21		·24	·06					·57		·50		·35	21
22	·25	·09	·03			·45				·52		·43	22
23		·12				·40		·07	·13	·41		·46	23
24	·02	·16			·62	·16	·02	·01	·10	1·40		·55	24
25				·12		·07	·33		·10	·34		·01	25
26		·04	·04	·41		·04				·21		·52	26
27		·50		·04			·03		·09	·48	·10	·16	27
28		·30		·45							·01		28
29			·13	·10		·23	·08		·21				29
30						·04				·54		·04	30
31												·01	31
Total	1.60	1.91	2.12	1.63	1.65	2.15	·46	.83	1.90	6.17	6.28	9.27	TOTAL for year 35.97
No. of Rain Days.	10	12	12	10	5	10	4	~~4~~ 5	8	14	18	25	13~~2~~

133

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Fernhill, Wootton Bridge

in the County of I of W.

by C. G. Brodie F.R.C.S.

RAIN GAUGE
Pattern Copper as
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 118 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wootton
Distance ½ mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·35							·07		1
2	·04			·05	·47						·23	·36	2
3					·27			·11			·44	·10	3
4	·02		·04	·06							·30	·30	4
5				·01						·70	·05		5
6	·59		·10							·05	·08	·82	6
7	·06									·52	1·04	·10	7
8	·04		·15								·28	·60	8
9											·08	·33	9
10	·10	·10	·32		·06						1·36	·62	10
11	·47		·03								·10	·15	11
12			1.02									·42	12
13	·01				·23				·34			·41	13
14		·05											14
15											·20		15
16						·53					·95	·34	16
17						·05					·65	·36	17
18		·20	·09	·04						·08	·33	·61	18
19		·10				·18			·67	·34	·01	·32	19
20		·01	·11					·07	·26	·08		·90	20
21		·24	·06					·57		·50		·35	21
22	·25	·09	·03			·45				·52		·43	22
23		·12				·40		·07	·13	·41		·46	23
24	·02	·16			·62	·16	·02	·01	·10	1·40		·55	24
25				·12		·07	·33		·10	·34		·01	25
26		·04	·04	·41		·04				·21		·52	26
27		·50		·04			·03		·09	·48	·10	·16	27
28		·30		·45							·01		28
29			·13	·10		·23	·08		·21				29
30						·04				·54		·04	30
31												·01	31
Total	1.60	1.91	2.12	1.63	1.65	2.15	·46	.83	1.90	6.17	6.28	9.27	TOTAL for year 35·97
No. of Rain Days.	10	12	12	10	5	10	4	4 5	8	14	18	25	132

133

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

Kept at Fernhill Wootton Bridge

in the County of I. of Wight

by C. G. Brodie.

Lat. [illegible] Long.

Time of Observation As before.

Nearest Railway Station

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·23			·07	·04			·76		·36	1
2		·01	·47			·01	·30	·55					2
3		·02	·10			·28	·04	·31	·01			·01	3
4	.23		·61		·01	·21	·01				·24		4
5	·48		·12					·45			·01	·06	5
6	·73		·70		·19	·50		·84				·28	6
7	·60				·20	·55		·02				·13	7
8	·01		·49	·01		·03		·04	·01				8
9	·01	·80	·16					·10				·25	9
10	·01	·07	·04								·09	·31	10
11	·02	·23	·02			·23		·25				·44	11
12	·03	·04	·16	·12	·28	·70		·37					12
13		·05	·02				·32	·19				·10	13
14	·04		·16					·25				·02	14
15	·01		·04		·06	·71		·08				·31	15
16		·13	·50		·07			·18		·20	·10		16
17	1.15	·04	·34		·04			·37				·15	17
18	·07		·16					·11				·10	18
19	·02	·06	·29			·05	·05	·41					19
20		·04	·48					·15		·61	·01		20
21		·27			·20			·12					21
22	·04	·58	·13					·37				·03	22
23	·11	.16	·40					·80		·08	.16		23
24	·64							·16				·37	24
25	·24	·06					·57	·67		·16	·33	·52	25
26		·04				·42	·33	·14		·30	·51	·23	26
27		·11				·14	·30			·38		·65	27
28						·05		·34	·06	·76	·84	·27	28
29		·10					·10	·15	1·96	·24	·20		29
30			·05		·07		·23	·04	1·30	·35			30
31			·15					·16				·05	31
Total	4.44	2.81.	5.22	·13	1.12	3.95	2.23	7.62	3.34	3.84	2.49.	4.64	YEAR'S TOTAL 41.83 ✓
Rain Days.	18.	18	23	2.	9	14	11.	27.	5	10	10	20	167 ✓

W. 7,500, XI. 12

Ex ·486

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Fernhill, Wootton Bridge I.W.
in the County of Isle of Wight.
by C. G. Brodie

Lat. 50·43. Long. 5·24 W
Time of Observation 9 a.m.
Nearest Railway Station ½ mile W (disused)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ~~[illegible]~~ ft. 8 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·39	·28	·07		·06			·70	·01	·34	·02	1
2	·03	·12	·07				·05		·01	·02	·09	·05	2
3	·12		·11	·05	·32					·17		·30	3
4	·36		·06	·01	·50	·27	·33		·88	·22	·18	·02	4
5	·42	·12	·06			·15	·04		·76	·48	·26	·08	5
6	·03	·80	·08		·13	·05	·25		·01	1·25	·14	·55	6
7		·28			·39		·10			·36	·14	·01	7
8	·03	·12			·21			·02		·10		·05	8
9		·02		·01	·01	·03	·26	·04	·09	·02	·02	·02	9
10	·22			·08	·01		·06				·46		10
11	·92			·24	·07					·37	·60		11
12		·01			·43				·01	·02	·61		12
13	·19	·01	·04			·03			·05		·18		13
14	·33		·24	·01	·01			·02	·05	·02	·04		14
15	·21	·20	·31	·76			·14		·08			·02	15
16	·11		·54	·12		·23	·62		·14				16
17	·11		·32	·11							·07		17
18				·10			·05				·12		18
19	·66		·29	·09	·02		·05			·50			19
20	·43		·06	·14					·26	·43	·04		20
21	·27									·02	·60	·10	21
22			·34			·06			·34			·88	22
23	·21		·04	·07				·25		·01	·03		23
24								·19	·02				24
25		·03		·29							·04		25
26				·08				·21		·46		·30	26
27			·29	·04					·01	·01			27
28	·18			·14						·27			28
29	·27		·18	·62	·77					·15	·03	·06	29
30	·56				·01				·01	·25			30
31	·02		·04					1·23		·25			31
Total	5.68	2.10	3.35	3.03	2.88	.88	1.35	1.96	3.42	5.39	3.99	2.46	YEAR'S TOTAL 36.49
Rain Days.	21	11	18	19	13	8	11	7	16	22	19	14	179

[illegible] stats 20.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

H.W.

Kept at Fernhill
in the County of Isle of Wight
by Miss Brodie
per C. G. Brodie F.R.C.S.

Lat. 53.43. ~~5.24~~ Long. 5. 24 "
Time of Observation 9 a.m.
Nearest Railway Station Wootton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03				·21			·08		1
2				·01				·04			·25	·17	2
3			·02	·04	·36		·08	·01			·05	·02	3
4				·28	·01		·02	·15			·55	·44	4
5	·20		·08	·20	·01		·19				·17		5
6		·18	·01	·11	·03		·20	·04				·77	6
7	·05	·45	·17	·18	·01	·01						·39	7
8	·04	·54	·65	·05	·01	·07	·01	·17			·01	·17	8
9	·01		·92	·18				·01	·05			2·00	9
10	·08			·09	·21				·27		·01	·01	10
11		·92	·80		·02	·03	·40		·10	·01	·05	·65	11
12		·18	·24	·01			·05		·48	·09		·91	12
13		·61	·15						·19	·10	·08	·87	13
14		·27	·22			·31	·12	·38		1·20	·41	·14	14
15		·02	·30				·40	·77		·02	·62	·01	15
16		·71					·15		·38		·02		16
17		·02	·17						·10			·53	17
18		·17	·35				·01					·43	18
19		·33	·73				1·41		·01			·10	19
20		·65	·28			·05				·01		·30	20
21		·10	·03							·22			21
22		x	·01		·06	·05	·22	·02		·43			22
23		·17	·27			·15				·10			23
24			·01		·04					·46	·46		24
25	·04		·24				·08	·34		·06	·07	·14	25
26			·01				·03					·49	26
27	·08	·01						·05			·20	·42	27
28	·25	·05			·03					·60	·41	·53	28
29	·25		·25	·01						·37	·32	·01	29
30	(·02)	X	·07	·02						·31	·60	·58	30
31		X		X	·07	X	·11		X	·18	X	·05	31
Total	·77	5·38	5·98	1·21	·86	·67	3·48	2·19	1·58	4·16	4·36	10·13	YEAR'S TOTAL 40·77
Rain Days.	9	17	23	13	12	7	15 16	12	8	15	18	24	173 4

W. 8,000. X. 14.

cnd by A W. C. Fl. 647

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
19 MAR 1918

Kept at Fernhill, Wootton

in the County of Isle of Wight Hants

by

Lat. 50° 43′ 25″ Long. 0h 5m 24s

Time of Observation 9 a.m.

Nearest Railway Station Wootton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·13	1·38			·05		1
2							·02	·01			·06		2
3								·21		·20			3
4								·06		·10		·02	4
5								·02	·07	·37	·33		5
6								·01	·02	·66	·11		6
7							·52	·11		·23		·15	7
8							·39	·13	·01	·43	·26	·33	8
9							·05			·13	·07	·01	9
10										·01			10
11										·40	·01		11
12								·01		·28			12
13								·07	·01	·13			13
14								·03		·65			14
15							·64	·01		·26		·13	15
16										·97		·49	16
17							·36	·15	·62	·19			17
18							·10		·35				18
19									·46				19
20											·02		20
21										·01			21
22										·36	·01		22
23								·35		·06		·04	23
24							·21			·27			24
25									·03	·01			25
26								·34	·13	·01	·24		26
27								1·92		·01	·01		27
28								·14					28
29							·29			·61		·07	29
30		×					·51	·21				·02	30
31		×		×		×	·13	·07	×	·12	×		31
Total	1·33	1·06	2·38	1·80	2·00	·90	2·76 2·86	5·23	1·79	5·37 ~~5·77~~	1·17	1·26	YEAR'S TOTAL 2096 24·46
Rain Days.							12	19	9	24	11	9	

W. 8,000, VIII. 16

12

FORM A.
BRITISH RAINFALL.

19. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Fernhill Wootton Bridge
in the County of Isle of Wight
by J. A. Brodie

Lat. 50° 43′ 25″ Long. 0h. 5m. 24s.
Time of Observation 9 a.m.
Nearest Railway Station Wootton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		·64											
1		↗ ·06	·01		·01			·81			·60	·07	1
2		↗ ·01		·12				·16			·35	·20	2
3		↗ ·22	·06	·28	·27						·10	·08	3
4		↗	·05	·01				·21	·08		·83	·01	4
5	·18	·10			·29			·40	·07	·32		·06	5
6		↗ ·14		·19				·22	·06	·04		·03	6
7		↗ ·05		·11	·50				·31	·08	·21		7
8		↗					·04		·09	·12	·12	·68	8
9				·34			·27		·62	·28		·54	9
10	·01			·09		·10	·19		·22	·01	·01	·08	10
11						·06	·14			·18	·07	·07	11
12	·01				·30				·30			·06	12
13							·27		·62	·01		·07	13
14	·65	·02	·02		·02	·09	·08			·17		·26	14
15	1·47					·08	·04		·85				15
16	·32			·13		·04						·32	16
17	·10			·02			·38	·03	·68	·15		·09	17
18	·54			·13		·58				·11		·02	18
19	·02		·12			·03	·15			·04			19
20	·01	·09		·41			·02		·22	·12		·15	20
21	·14					·04			·45	·12		·28	21
22	·06				·13		·63		·18		·10	·05	22
23	·18						·07		·08				23
24		·29				·03			·15				24
25				·24				·29		·02	·06	·28	25
26							·54		·04	·03		·02	26
27		·06	·06				·03	·07	·53		·19	·01	27
28			·33	·03						·01		·01	28
29			·25						1·12		·04	·06	29
30		X							·02	·04	·08		30
31		X	·02	X		X			X		X		31
Total	3·69	1·08	·92	2·10	1·52	1·05	2·85	2·19	6·69	1·85	2·76	3·50	YEAR'S TOTAL 30·20 ✓
Rain Days.	13	11	9	13	7	9	14	8	20	18	13	24	159 ✓

W, 6,500. VII. 18. w

559

9.121

REGISTER OF RAINFALL IN 1919 in sec.

FORM A.
BRITISH RAINFALL.

3 JAN 20

Kept at FERNHILL

in the County of ISLE OF WIGHT.

by C. G. Brodie

Lat. 50·40·25. Long. 5·24

Time of Observation 9 A.M.

Nearest Railway Station Wootton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground —— ft. in.

" " " " Sea Level 118. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·05			·04	·01	·94	1
2	·75.		·01		·06		·27		·13			·04	2
3	·42.		·78		·05		·46		·04			·22	3
4	·27	·01	·50				·02	·38	·04		·16	·08	4
5		·41	·63						·36		·14.	·17	5
6	·16		·13		·11							·26	6
7	·08		1·65										7
8	·18		·20										8
9	·23		·50	·05	·01 ~~·09~~						·54		9
10	·70		·20		·08						·01	·30	10
11	·57		·03.	·25								·04	11
12	·03						·08			·07			12
13	·02			·56			·02					·05	13
14	·52	·04		·11			·02		·03			~~·05~~	14
15	·45	·13		·62								1·10	15
16	·11	·65									·20		16
17	·07	·20									·06	·04	17
18		·08	·19			·14		·06			·20	·01	18
19	·32	·28	·80			·81	·40	·11	·03		·06	·01	19
20	·35	·02	·08			·04		·24			·03		20
21	·03	·60					·01		·03		·01	·02	21
22							·35		·53			·10	22
23									·01	·05	·03	·02	23
24		·02				·08	·02			·44	·09	·17	24
25	·04			·04		·01		·32				·18	25
26		·12		·07				·08			·46	·57	26
27	·20		·08	·42				·80				·15	27
28	·12	·01	·40								·52	·45	28
29	·02							·75		·08		·11	29
30		✕		·19		·05					·59	·83	30
31		✕		✕		✕			✕		✕	·19	31
Total	5.64	2.57	5.20	2.31	·31	1.13	1.70	2.74	1.20	·68	3.11	6·05	YEAR'S TOTAL 32.64
Rain Days.	22.	13	16.	9.	5	6.	11.	8.	9.	5.	16	24	144

W. 8,000, IX. 17.

Average over 24 years = 32.7 in

556

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at FERNHILL. WOOTTON-BRIDGE

in the County of Isle of Wight.

by Miss Brodie.

Lat. 50° 43' 25" Long. 5' 24

Time of Observation 9 A.M.

Nearest Railway Station Wootton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

„ „ „ „ Sea Level 118. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01.		·20	·16		·23	·01	·15	·77	·38	·47	1
2	·10			·15	·10		·04	·15		·07		·17	2
3	·01						·21			·29			3
4		·12					·56	·36		·24			4
5			·20				·77	·03		·47		·01	5
6			·13		·25		·32					·01	6
7	·04			·10	·15		·22			·07			7
8	·02	·03			·05		·45						8
9	·54	·03	·02	·04		·08							9
10	·96			·01		·16	·40						10
11	·25		·19	·44	·04	·03	·39						11
12	·10	·18	·07			·79					·02		12
13	·43		·32	·05							·03	·18	13
14	·03	·02	·56	·30	·06				·19	·07	·57		14
15	·07		·02	·14					·54	·89	·12		15
16		·01	·02	·01	·23				·19	·07	·07		16
17	·01	·01		·05	·10				·45				17
18	·09					·03		·57	·05			·02	18
19	·08			·25									19
20	·08	·04		·08		·84			·05			·09	20
21				·01			1.03	·06	·08				21
22	·04			·25								·26	22
23							·36	·06				·45	23
24	·01		·22		·04						·07	·10	24
25		·02	·05				·44						25
26	·05		·01	·04			·06				·04		26
27	·45		·02	·09		·03	·01				·11	·34	27
28	·44	·01	·01	·28			·15					·10	28
29	·78			·12		·02					·15	·27.	29
30	·06.	X	·01			·09.	·11		·30		·23.	·36	30
31		X	·16	X		X			X	·65	X	·25	31
TOTAL	4·74	·48	1·95	2·61	1·18	2·07	5·75	1·24	2·00	3·47	1·67	3·08	YEAR'S TOTAL 30·24.
Days with ·01 in. or more	23.	11.	16.	19.	10.	9.	17.	7.	9.	10.	11.	15.	157
Days with ·04 in. or more	19.	3.	8.	16.	10.	5.	16.	5.	9.	8.	7.	12.	118.